

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1				12.76	124	9.71	DENSITY STUDY
1	187030	3		1				27.22	118	4.33	DENSITY STUDY
1	187030			1				9.36	98	10.47	DENSITY STUDY
1	154667	2		1				88.96	389	4.37	DENSITY STUDY
1	154667	2		1				38.66	167	4.32	DENSITY STUDY
1	154667	2		1				127.09	749	5.89	DENSITY STUDY
1	154667	2		1				48.89	228	4.66	DENSITY STUDY
1	154667	2		1				43.3	175	4.04	DENSITY STUDY
1	154667	2		1				32.74	791	24.16	DENSITY STUDY
1	154667	2		1				43.63	194	4.44	DENSITY STUDY
1	187030	3		1				86	210	2.44	DENSITY STUDY
1	187030	3		1				121.83	235	1.92	DENSITY STUDY
1	187030	3		1				123.88	235	1.89	DENSITY STUDY
1	187030	3		1				158.05	300	1.89	DENSITY STUDY
1	187030	3		1				160.7	300	1.86	DENSITY STUDY
1	187030	3		1				61.78	175	2.83	DENSITY STUDY
1	187030	3		1				158.85	300	1.88	DENSITY STUDY
1	187030	3		1				175	335	1.91	DENSITY STUDY
1	187030			1				34.19	155	4.53	DENSITY STUDY
1	187030	3		1				62.94	180	2.86	DENSITY STUDY
1	187030	3		1				423.64	950	2.24	DENSITY STUDY
1	154667	2		1				7.97	122	15.30	DENSITY STUDY
1	154667	2		1				25.63	210	8.19	DENSITY STUDY
1	154667	2		1				84.92	266	3.13	DENSITY STUDY
1	154667	2		1				30.38	167	5.49	DENSITY STUDY
1	154667	2		1				35.56	346	9.73	DENSITY STUDY
1	154667	2		1				26.85	170	6.33	DENSITY STUDY
1	187030	6		1				28.33	189	6.67	DENSITY STUDY
1	154667	2		1				13.89	227	16.34	DENSITY STUDY
1	187030			1				55.4	326	5.88	DENSITY STUDY
1	154667	2		1				16.47	695	42.19	DENSITY STUDY
1	154667	2		1				16.02	121	7.55	DENSITY STUDY
1	154667	2		1				23.89	177	7.40	DENSITY STUDY
1	154667	2		1				30.55	52	1.70	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				21.72	32	1.47	DENSITY STUDY
1	187030	6		1	43	19.5	39	18.92	166	8.77	DENSITY STUDY
1	154667	2		1				54.09	182	3.36	DENSITY STUDY
1	154667	2		1				20.06	120	5.98	DENSITY STUDY
1	154667	2		1				18.82	91	4.83	DENSITY STUDY
1	154667	2		1				92.49	336	3.63	DENSITY STUDY
1	187030	1		1				18.45	130	7.04	DENSITY STUDY
1	187030			1				11.96	98	8.19	DENSITY STUDY
1	187030			1				20.37	115	5.64	DENSITY STUDY
1	154667	2		1				80.35	198	2.46	DENSITY STUDY
1	154667	2		1				80.35	198	2.46	DENSITY STUDY
1	154667	2		1				31.16	221	7.09	DENSITY STUDY
1	154667	2		1				39.72	152	3.82	DENSITY STUDY
1	154667	2		1				40.63	213	5.24	DENSITY STUDY
1	154667	2		1				45.97	306	6.65	DENSITY STUDY
1	154667	2		1				28.05	121	4.31	DENSITY STUDY
1	154667	2		1				32.45	191	5.88	DENSITY STUDY
1	187030			1				24.47	162	6.62	DENSITY STUDY
1	154667	2		1				44.84	202	4.50	DENSITY STUDY
1	154667	2		1				27.36	112	4.09	DENSITY STUDY
1	154667	2		1				31.07	148	4.76	DENSITY STUDY
1	187030	1		1				13.65	141	10.33	DENSITY STUDY
1	154667	2		1				100.79	336	3.33	DENSITY STUDY
1	154667	2		1				65.2	272	4.17	DENSITY STUDY
1	154667	2		1				79.86	300	3.75	DENSITY STUDY
1	154667	2		1				63.98	283	4.42	DENSITY STUDY
1	154667	2		1				185.11	300	1.62	DENSITY STUDY
1	154667	2		1				64.38	246	3.82	DENSITY STUDY
1	154667	2		1				80.67	385	4.77	DENSITY STUDY
1	154667	2		1				20.81	51	2.45	DENSITY STUDY
1	154667	2		1				48.91	519	10.61	DENSITY STUDY
1	154667	2		1				50.56	130	2.57	DENSITY STUDY
1	154667	2		23				28.45	195	6.85	DENSITY STUDY
1	187030			1				11.23	98	8.72	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				70.08	336	4.79	DENSITY STUDY
1	154667	2		1				65.95	461	6.99	DENSITY STUDY
1	187030	1		1				20.01	138	6.89	DENSITY STUDY
1	154667	2		1				10.88	74	6.80	DENSITY STUDY
1	154667	2		1				83.08	407	4.89	DENSITY STUDY
1	154667	2		1				176.94	1171	6.61	DENSITY STUDY
1	154667			1				209.59	1320	6.29	DENSITY STUDY
1	154667	2		1				65.95	340	5.15	DENSITY STUDY
1	154667	2		1				212.06	1275	6.01	DENSITY STUDY
1	154667	2		1				222.91	1275	5.72	DENSITY STUDY
1	154667	2		1				15.64	84	5.37	DENSITY STUDY
1	154667	2		1				91.06	540	5.93	DENSITY STUDY
1	154667	2		1				199.24	808	4.05	DENSITY STUDY
1	154667	2		2				120.35	676	5.61	DENSITY STUDY
1	187030			1				18.88	179	9.48	DENSITY STUDY
1	154667	2		1				74.51	255	3.42	DENSITY STUDY
1	154667	2		1				52.6	150	2.85	DENSITY STUDY
1	154667	2		1				111.18	678	6.09	DENSITY STUDY
1	154667	2		1				36.94	253	6.87	DENSITY STUDY
1	154667	2		1				42.22	175	4.14	DENSITY STUDY
1	154667	2		1				17.05	144	8.50	DENSITY STUDY
1	187030	6		2				138.16	1273	9.21	DENSITY STUDY
1	154667	2		1				25.79	143	5.58	DENSITY STUDY
1	154667	2		1				48.89	246	5.03	DENSITY STUDY
1	154667	2		1				50	246	4.92	DENSITY STUDY
1	154667	2		1				380.99	1250	3.28	DENSITY STUDY
1	154667	2		1				75	126	1.74	DENSITY STUDY
1	154667	2		1				50	246	4.92	DENSITY STUDY
1	154667	2		1				85.75	138	1.60	DENSITY STUDY
1	154667	2		1				85.11	138	1.62	DENSITY STUDY
1	187030	1		1				367.34	850	2.31	DENSITY STUDY
1	187030			1				57.78	257	4.44	DENSITY STUDY
1	154667	1		1				29.86	109	3.65	DENSITY STUDY
1	187030	1		1	51	50.5	52	77.5	215	2.77	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	7		1				36.3	236	6.50	DENSITY STUDY
1	187030			1				89.58	790	8.81	DENSITY STUDY
1	154667	2		1				181.92	1100	6.04	DENSITY STUDY
1	154667	2		3				234.44	1608	6.86	DENSITY STUDY
1	187030	6		1	43	21.5	50	26.75	214	8.00	DENSITY STUDY
1	187030	6		1	51	48	76	107.67	736	6.84	DENSITY STUDY
1	154667	1		1	48	40	50.5	56.11	191	3.40	DENSITY STUDY
1	154667	2		1	55.5	42.5	72.5	98.96	1000	10.11	DENSITY STUDY
1	154667	2		1				82.22	510	6.20	DENSITY STUDY
1	154667	2		1				111.38	470	4.22	DENSITY STUDY
1	154667	2		4				368.63	1175	3.19	DENSITY STUDY
1	154667	2		3				174.94	3543	20.25	DENSITY STUDY
1	154667			2				118.85	516	4.34	DENSITY STUDY
1	187030	7		6				470.84	3605	7.66	DENSITY STUDY
1	187030	3		1				38.52	220	5.71	DENSITY STUDY
1	187030	6		1	38	31.5	34.5	23.9	200	8.37	DENSITY STUDY
1	187030	6		1	37.5	31.5	34.5	23.58	214	9.08	DENSITY STUDY
1	187030	6		3				72.83	600	8.24	DENSITY STUDY
1	154667			4				309.96	1405	4.53	DENSITY STUDY
1	154667	2		1				31.11	876	28.15	DENSITY STUDY
1	154667	2		1				23.73	648	27.30	DENSITY STUDY
1	154667	2		1				38.76	896	23.11	DENSITY STUDY
1	154667	2		2				48.06	1104	22.97	DENSITY STUDY
1	154667	2		1				13.75	291	21.16	DENSITY STUDY
1	154667	2		1				13.67	280	20.48	DENSITY STUDY
1	154667	2		1				45.31	887	19.57	DENSITY STUDY
1	154667	2		1				26.62	514	19.30	DENSITY STUDY
1	154667	2		1				13.67	256	18.72	DENSITY STUDY
1	154667	2		1				13.75	249	18.10	DENSITY STUDY
1	154667	2		1				16.31	294	18.02	DENSITY STUDY
1	154667	2		1				17.04	307	18.01	DENSITY STUDY
1	154667	2		1				59.89	1043	17.42	DENSITY STUDY
1	154667	2		1				18.91	325	17.18	DENSITY STUDY
1	154667	2		1				15.8	257	16.26	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				14.94	242	16.19	DENSITY STUDY
1	154667	2		1				12.09	194	16.04	DENSITY STUDY
1	154667	2		1				16.54	257	15.53	DENSITY STUDY
1	154667	2		1				104.23	1584	15.19	DENSITY STUDY
1	154667	2		1				56.7	832	14.67	DENSITY STUDY
1	154667	2		1				27.58	367	13.30	DENSITY STUDY
1	154667	2		1				12.91	155	12.00	DENSITY STUDY
1	154667	2		11				773.6	8173	10.56	DENSITY STUDY
1	154667	2		1				37.22	373	10.02	DENSITY STUDY
1	154667	2		7				540.33	4261	7.88	DENSITY STUDY
1	154667	2		1				18.98	146	7.69	DENSITY STUDY
1	154667	2		1				31.67	222	7.01	DENSITY STUDY
1	154667	2		1				16.1	109	6.77	DENSITY STUDY
1	154667	2		1				19.36	127	6.56	DENSITY STUDY
1	154667	2		1				43.1	280	6.49	DENSITY STUDY
1	154667	2		1				12.46	78	6.26	DENSITY STUDY
1	154667	2		1				19.66	74	3.76	DENSITY STUDY
1	154667	2		1				18.67	134	7.17	DENSITY STUDY
1	154667	2		1				8.26	80	9.68	DENSITY STUDY
1	154667	2		1				9.37	165	17.60	DENSITY STUDY
1	154667	2		1				14.46	198	13.69	DENSITY STUDY
1	154667	2		1				40.67	189	4.64	DENSITY STUDY
1	154667	2		2				148.37	2770	18.67	DENSITY STUDY
1	154667	2		1				15.31	290	18.94	DENSITY STUDY
1	154667	2		2				50.83	2240	44.06	DENSITY STUDY
1	154667	2		1				43.39	1678	38.67	DENSITY STUDY
1	154667	2		1				9.26	220	23.75	DENSITY STUDY
1	154667	2		1				25.88	582	22.48	DENSITY STUDY
1	154667	2		1				10.18	221	21.70	DENSITY STUDY
1	154667	2		1				62.07	1220	19.66	DENSITY STUDY
1	154667	2		1				14.82	214	14.44	DENSITY STUDY
1	154667	2		1				49.57	621	12.52	DENSITY STUDY
1	154667	2		1				48.74	607	12.45	DENSITY STUDY
1	154667	2		1				70.36	782	11.11	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				31.77	190	5.98	DENSITY STUDY
1	154667	2		1				27.36	377	13.77	DENSITY STUDY
1	154667	2		3				128.55	813	6.32	DENSITY STUDY
1	154667	2		1				11.08	77	6.94	DENSITY STUDY
1	154667	2		1				40.58	890	21.93	DENSITY STUDY
1	154667	2		1				18.76	750	39.97	DENSITY STUDY
1	154667	2		1				46.92	700	14.91	DENSITY STUDY
1	154667	2		1				11.63	170	14.61	DENSITY STUDY
1	154667	2		1				57.9	750	12.95	DENSITY STUDY
1	154667	2		1				52.91	600	11.34	DENSITY STUDY
1	154667	2		7				47.81	500	10.45	DENSITY STUDY
1	154667	2		1				38.89	200	5.14	DENSITY STUDY
1	154667	2		1				38.89	200	5.14	DENSITY STUDY
1	187030	6		2				23.19	305	13.15	DENSITY STUDY
1	187030	4		1				66.11	225	3.40	DENSITY STUDY
1	154667	2		2				80.68	615	7.62	DENSITY STUDY
1	187030	4		1	46.5	40	15.5	16.68	348	20.86	DENSITY STUDY
1	187030	3		1				60.79	175	2.87	DENSITY STUDY
1	187030	3		1				89.61	275	3.06	DENSITY STUDY
1	187030			1				38.39	150	3.90	DENSITY STUDY
1	187030	4		1				19.24	150	7.79	DENSITY STUDY
1	187030	4		1				22.08	150	6.79	DENSITY STUDY
1	187030	4		1				48.14	300	6.23	DENSITY STUDY
1	187030	4		1				49.51	300	6.05	DENSITY STUDY
1	187030	4		1				28.73	150	5.22	DENSITY STUDY
1	187030	4		1				71.88	350	4.86	DENSITY STUDY
1	187030	4		1				20.57	100	4.86	DENSITY STUDY
1	187030	4		1				30.94	150	4.84	DENSITY STUDY
1	187030	4		5				423.97	2000	4.71	DENSITY STUDY
1	187030	4		1				31.79	150	4.71	DENSITY STUDY
1	187030	4		1				32.45	150	4.62	DENSITY STUDY
1	187030	4		5				386.84	1750	4.52	DENSITY STUDY
1	187030	4		1				33.89	150	4.42	DENSITY STUDY
1	187030	4		1				33.94	150	4.42	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	4		1				23.2	100	4.31	DENSITY STUDY
1	187030	4		1				35.56	150	4.21	DENSITY STUDY
1	187030	4		1				35.56	150	4.21	DENSITY STUDY
1	187030	4		1				36.11	150	4.15	DENSITY STUDY
1	187030	4		1				36.11	150	4.15	DENSITY STUDY
1	187030	4		1				37.22	150	4.03	DENSITY STUDY
1	187030	4		1				37.22	150	4.03	DENSITY STUDY
1	187030	4		1				37.22	150	4.03	DENSITY STUDY
1	187030	4		1				37.22	150	4.03	DENSITY STUDY
1	187030	4		1				37.78	150	3.97	DENSITY STUDY
1	187030	4		1				37.78	150	3.97	DENSITY STUDY
1	187030	4		1				37.78	150	3.97	DENSITY STUDY
1	187030	4		1				38.33	150	3.91	DENSITY STUDY
1	187030	4		1				38.33	150	3.91	DENSITY STUDY
1	187030			1				38.89	150	3.85	DENSITY STUDY
1	187030	4		1				38.89	150	3.85	DENSITY STUDY
1	187030	4		1				38.89	150	3.85	DENSITY STUDY
1	187030	4		1				38.89	150	3.85	DENSITY STUDY
1	187030	4		1				39.53	150	3.79	DENSITY STUDY
1	187030	4		1				41.11	150	3.64	DENSITY STUDY
1	187030	4		1				41.69	150	3.59	DENSITY STUDY
1	187030	4		1				44.51	150	3.37	DENSITY STUDY
1	187030	4		1				61.67	200	3.24	DENSITY STUDY
1	187030	4		1				80.99	250	3.08	DENSITY STUDY
1	187030	4		1				52.78	150	2.84	DENSITY STUDY
1	187030	4		1				57.78	150	2.59	DENSITY STUDY
1	187030	4		1				38.89	100	2.57	DENSITY STUDY
1	154667	2		1				31.05	325	10.46	DENSITY STUDY
1	154667	2		1				28.95	282	9.74	DENSITY STUDY
1	154667	2		1				28.95	282	9.74	DENSITY STUDY
1	187030			1				53.86	229	4.25	DENSITY STUDY
1	187030			1				37.81	279	7.37	DENSITY STUDY
1	154667	2		1	43.5	43.5	48.5	53.11	744	14.01	DENSITY STUDY
1	154667	2		1	37	34	20.5	14.92	216	14.48	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	2		1				268.67	1491	5.55	DENSITY STUDY
1	187030	3		1				426.26	950	2.22	DENSITY STUDY
1	187030	3		1				287.02	425	1.48	DENSITY STUDY
1	187030			1				218.08	310	1.42	DENSITY STUDY
1	154667			1				58.34	175	3.00	DENSITY STUDY
1	187030	1		1				53.54	150	2.80	DENSITY STUDY
1	187030	1		1				60.81	150	2.47	DENSITY STUDY
1	187030	1		1				60.8	150	2.47	DENSITY STUDY
1	187030	1		1				86.9	200	2.30	DENSITY STUDY
1	187030	1		1				87	200	2.30	DENSITY STUDY
1	187030	1		1				62.84	130	2.07	DENSITY STUDY
1	187030	1		1				126.12	250	1.98	DENSITY STUDY
1	187030	1		1				46.09	75	1.63	DENSITY STUDY
1	187030	3		1				123.85	235	1.89	DENSITY STUDY
1	154667			2				485.59	1196	2.46	DENSITY STUDY
1	154667	2		1				44.73	206	4.60	DENSITY STUDY
1	154667	2		1				126.82	437	3.44	DENSITY STUDY
1	187030	3		1				173.54	335	1.93	DENSITY STUDY
1	187030	3		1				123.65	235	1.90	DENSITY STUDY
1	187030	3		1				211.72	395	1.86	DENSITY STUDY
1	187030	3		1				564.87	1100	1.94	DENSITY STUDY
1	187030	3		1				396.46	710	1.79	DENSITY STUDY
1	187030	3		1				346.53	710	2.04	DENSITY STUDY
1	187030	3		1				376.64	710	1.88	DENSITY STUDY
1	187030	3		1				170.44	335	1.96	DENSITY STUDY
1	154667	2		1				89.98	894	9.94	DENSITY STUDY
1	154667	2		1				75.21	510	6.78	DENSITY STUDY
1	154667	2		1				156.35	760	4.86	DENSITY STUDY
1	187030	7		1				51.65	155	3.00	DENSITY STUDY
1	187030	3		1	82.5	42.5	36	73.05	390	5.34	DENSITY STUDY
1	154667			1				1.13	35	30.97	DENSITY STUDY
1	187030	7		1				156.24	300	1.92	DENSITY STUDY
1	154667	1		2				260.36	1462	5.62	DENSITY STUDY
1	187030	7		1	68	23.5	18.5	17.11	275	16.07	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				26.67	640	23.99	DENSITY STUDY
1	154667	2		1				26.67	640	23.99	DENSITY STUDY
1	154667	2		1				41.96	280	6.67	DENSITY STUDY
1	154667	2		1				33.24	250	7.52	DENSITY STUDY
1	154667	2		2				40.47	569	14.06	DENSITY STUDY
1	154667	2		2				76.43	500	6.54	DENSITY STUDY
1	154667	2		3				215.59	1115	5.17	DENSITY STUDY
1	154667	2		4				282.09	1250	4.43	DENSITY STUDY
1	154667	2		2				167.47	735	4.38	DENSITY STUDY
1	154667	2		1				73.25	300	4.09	DENSITY STUDY
1	154667	2		3				227.76	900	3.95	DENSITY STUDY
1	154667	2		2				156.42	595	3.80	DENSITY STUDY
1	154667	2		3				206.29	768	3.72	DENSITY STUDY
1	154667	2		2				162.45	605	3.72	DENSITY STUDY
1	154667	2		3				209.13	768	3.67	DENSITY STUDY
1	154667	2		3				217.75	768	3.52	DENSITY STUDY
1	154667	2		2				167.14	575	3.44	DENSITY STUDY
1	154667	2		2				167.14	575	3.44	DENSITY STUDY
1	154667	2		3				236.22	810	3.42	DENSITY STUDY
1	154667	2		2				149.13	510	3.42	DENSITY STUDY
1	154667	2		2				143.09	468	3.27	DENSITY STUDY
1	154667	2		2				146.3	468	3.19	DENSITY STUDY
1	154667	2		2				165.21	468	2.83	DENSITY STUDY
1	154667	2		2				165.62	590	3.56	DENSITY STUDY
1	154667	2		2				155.83	500	3.20	DENSITY STUDY
1	154667	1		1				58.62	156	2.66	DENSITY STUDY
1	187030	1		1				81.63	538	6.59	DENSITY STUDY
1	154667			2				62.74	1499	23.89	DENSITY STUDY
1	154667	1		1				67.74	265	3.91	DENSITY STUDY
1	187030	1		1				122.99	250	2.03	DENSITY STUDY
1	187030	1		1				85.53	200	2.33	DENSITY STUDY
1	187030	1		1				72.63	200	2.75	DENSITY STUDY
1	187030	1		1				75.56	200	2.64	DENSITY STUDY
1	187030	1		1				77.69	200	2.57	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		2				158.29	400	2.52	DENSITY STUDY
1	187030	1		1				80.83	200	2.47	DENSITY STUDY
1	187030	1		1				80.83	200	2.47	DENSITY STUDY
1	187030	1		1				80.96	200	2.47	DENSITY STUDY
1	187030	1		1				85.1	200	2.35	DENSITY STUDY
1	187030	1		1				85.33	200	2.34	DENSITY STUDY
1	187030	1		1				85.32	200	2.34	DENSITY STUDY
1	187030	1		1				85.52	200	2.33	DENSITY STUDY
1	187030	1		1				86	200	2.32	DENSITY STUDY
1	187030	1		1				86.4	200	2.31	DENSITY STUDY
1	187030	1		3				259.08	600	2.31	DENSITY STUDY
1	187030	1		1				86.66	200	2.30	DENSITY STUDY
1	187030	1		1				86.67	200	2.30	DENSITY STUDY
1	187030	1		1				86.88	200	2.30	DENSITY STUDY
1	187030	1		1				86.9	200	2.30	DENSITY STUDY
1	187030	1		1				87.57	200	2.28	DENSITY STUDY
1	187030	1		4				353.46	800	2.26	DENSITY STUDY
1	187030	1		1				91.94	200	2.17	DENSITY STUDY
1	187030	1		4				464.59	950	2.04	DENSITY STUDY
1	187030	1		1				83.68	200	2.39	DENSITY STUDY
1	187030	1		1				87.11	200	2.29	DENSITY STUDY
1	187030	1		1				77.24	200	2.58	DENSITY STUDY
1	187030	1		1				77.69	200	2.57	DENSITY STUDY
1	187030	1		1				77.64	200	2.57	DENSITY STUDY
1	187030	1		4				315.94	800	2.53	DENSITY STUDY
1	187030	1		4				319.72	800	2.50	DENSITY STUDY
1	187030	1		1				83.82	200	2.38	DENSITY STUDY
1	187030	1		1				84.43	200	2.36	DENSITY STUDY
1	187030	1		1				84.86	200	2.35	DENSITY STUDY
1	187030	1		1				84.87	200	2.35	DENSITY STUDY
1	187030	1		1				85.3	200	2.34	DENSITY STUDY
1	187030	1		1				85.3	200	2.34	DENSITY STUDY
1	187030	1		1				85.32	200	2.34	DENSITY STUDY
1	187030	1		1				85.75	200	2.33	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1				85.75	200	2.33	DENSITY STUDY
1	187030	1		1				86.17	200	2.32	DENSITY STUDY
1	187030	1		1				86.2	200	2.32	DENSITY STUDY
1	187030			1				87.12	200	2.29	DENSITY STUDY
1	187030	1		1				87.32	200	2.29	DENSITY STUDY
1	187030	1		1				87.57	200	2.28	DENSITY STUDY
1	187030	1		1				87.57	200	2.28	DENSITY STUDY
1	187030	1		1				87.8	200	2.27	DENSITY STUDY
1	187030	1		1				87.91	200	2.27	DENSITY STUDY
1	187030	1		1				88.44	200	2.26	DENSITY STUDY
1	187030	1		1				89.39	200	2.23	DENSITY STUDY
1	187030	1		1				89.35	250	2.79	DENSITY STUDY
1	187030	1		1				92.83	250	2.69	DENSITY STUDY
1	187030	1		1				121.67	250	2.05	DENSITY STUDY
1	187030	1		1				121.66	250	2.05	DENSITY STUDY
1	187030	1		1				122.53	250	2.04	DENSITY STUDY
1	187030	1		3				367.3	750	2.04	DENSITY STUDY
1	187030	1		1				123.59	250	2.02	DENSITY STUDY
1	187030	1		1				124.08	250	2.01	DENSITY STUDY
1	187030	1		1				127.9	250	1.95	DENSITY STUDY
1	187030	1		1				87.08	250	2.87	DENSITY STUDY
1	187030	1		1				121.17	250	2.06	DENSITY STUDY
1	187030	1		1				121.43	250	2.05	DENSITY STUDY
1	187030	1		1				123	250	2.03	DENSITY STUDY
1	187030	1		1				122.99	250	2.03	DENSITY STUDY
1	187030	1		1				127.26	250	1.96	DENSITY STUDY
1	187030	1		1				120.54	250	2.07	DENSITY STUDY
1	187030	1		1				84.08	300	3.56	DENSITY STUDY
1	187030	1		1				100.57	300	2.98	DENSITY STUDY
1	187030	1		1				100.62	300	2.98	DENSITY STUDY
1	187030	1		1				99.29	300	3.02	DENSITY STUDY
1	187030	11		1				100.21	300	2.99	DENSITY STUDY
1	187030	1		1				108.5	300	2.76	DENSITY STUDY
1	187030	1		1				111.38	300	2.69	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1				90.22	300	3.32	DENSITY STUDY
1	187030	1		1				312.71	710	2.27	DENSITY STUDY
1	187030	1		1				336.94	680	2.01	DENSITY STUDY
1	187030	1		1				60.06	300	4.99	DENSITY STUDY
1	187030	1		1				60.8	350	5.75	DENSITY STUDY
1	187030	1		1				51.89	150	2.89	DENSITY STUDY
1	187030	1		1				57.87	150	2.59	DENSITY STUDY
1	187030	1		1				58.34	150	2.57	DENSITY STUDY
1	187030	1		1				58.34	150	2.57	DENSITY STUDY
1	187030	1		3				174.62	450	2.57	DENSITY STUDY
1	187030	1		1				58.38	150	2.56	DENSITY STUDY
1	187030	1		1				59.06	150	2.54	DENSITY STUDY
1	187030	1		1				58.84	150	2.54	DENSITY STUDY
1	187030	1		1				59.1	150	2.53	DENSITY STUDY
1	187030	1		1				59.33	150	2.52	DENSITY STUDY
1	187030	1		1				59.32	150	2.52	DENSITY STUDY
1	187030	1		1				59.32	150	2.52	DENSITY STUDY
1	187030	1		1				59.33	150	2.52	DENSITY STUDY
1	187030	1		1				59.58	150	2.51	DENSITY STUDY
1	187030	1		1				59.58	150	2.51	DENSITY STUDY
1	187030	1		1				59.58	150	2.51	DENSITY STUDY
1	187030	1		1				59.8	150	2.50	DENSITY STUDY
1	187030	1		1				59.82	150	2.50	DENSITY STUDY
1	187030	1		1				60.06	150	2.49	DENSITY STUDY
1	187030	1		1				60.06	150	2.49	DENSITY STUDY
1	187030	1		1				60.06	150	2.49	DENSITY STUDY
1	187030	1		1				60.06	150	2.49	DENSITY STUDY
1	187030	1		1				60.06	150	2.49	DENSITY STUDY
1	187030	1		1				60.3	150	2.48	DENSITY STUDY
1	187030	1		1				60.3	150	2.48	DENSITY STUDY
1	187030	1		1				60.31	150	2.48	DENSITY STUDY
1	187030	1		1				60.52	150	2.47	DENSITY STUDY
1	187030	1		1				60.54	150	2.47	DENSITY STUDY
1	187030	1		1				60.54	150	2.47	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1				60.8	150	2.46	DENSITY STUDY
1	187030	1		1				60.8	150	2.46	DENSITY STUDY
1	187030	1		1				60.8	150	2.46	DENSITY STUDY
1	187030	1		1				60.8	150	2.46	DENSITY STUDY
1	187030	1		1				60.8	150	2.46	DENSITY STUDY
1	187030	1		1				60.79	150	2.46	DENSITY STUDY
1	187030	1		1				60.76	150	2.46	DENSITY STUDY
1	187030	1		1				60.79	150	2.46	DENSITY STUDY
1	187030	1		1				60.79	150	2.46	DENSITY STUDY
1	187030	1		1				60.79	150	2.46	DENSITY STUDY
1	187030	1		1				61.05	150	2.45	DENSITY STUDY
1	187030	1		1				61.05	150	2.45	DENSITY STUDY
1	187030	1		1				61.05	150	2.45	DENSITY STUDY
1	187030	1		1				61.03	150	2.45	DENSITY STUDY
1	187030	1		1				61.05	150	2.45	DENSITY STUDY
1	187030	1		1				61.28	150	2.44	DENSITY STUDY
1	187030	1		1				61.28	150	2.44	DENSITY STUDY
1	187030	1		1				61.29	150	2.44	DENSITY STUDY
1	187030	1		1				61.29	150	2.44	DENSITY STUDY
1	187030	1		1				61.26	150	2.44	DENSITY STUDY
1	187030	1		1				61.54	150	2.43	DENSITY STUDY
1	187030	1		1				61.54	150	2.43	DENSITY STUDY
1	187030	1		1				61.52	150	2.43	DENSITY STUDY
1	187030	1		1				61.54	150	2.43	DENSITY STUDY
1	187030	1		1				61.54	150	2.43	DENSITY STUDY
1	187030	1		1				61.54	150	2.43	DENSITY STUDY
1	187030	1		1				61.78	150	2.42	DENSITY STUDY
1	187030	1		1				61.78	150	2.42	DENSITY STUDY
1	187030	1		1				61.79	150	2.42	DENSITY STUDY
1	187030	1		1				61.79	150	2.42	DENSITY STUDY
1	187030	1		1				61.78	150	2.42	DENSITY STUDY
1	187030	1		1				61.78	150	2.42	DENSITY STUDY
1	187030	1		1				62.03	150	2.41	DENSITY STUDY
1	187030	1		1				62.03	150	2.41	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1				62.02	150	2.41	DENSITY STUDY
1	187030	1		1				62.02	150	2.41	DENSITY STUDY
1	187030	1		1				62.29	150	2.40	DENSITY STUDY
1	187030	1		1				62.28	150	2.40	DENSITY STUDY
1	187030	1		1				62.28	150	2.40	DENSITY STUDY
1	187030	1		1				62.54	150	2.39	DENSITY STUDY
1	187030	1		1				62.7	150	2.39	DENSITY STUDY
1	187030	1		1				62.78	150	2.38	DENSITY STUDY
1	187030	1		1				63.04	150	2.37	DENSITY STUDY
1	187030	1		1				64.03	150	2.34	DENSITY STUDY
1	187030	1		1				64.3	150	2.33	DENSITY STUDY
1	187030	1		1				65.06	150	2.30	DENSITY STUDY
1	187030	1		1				65.06	150	2.30	DENSITY STUDY
1	187030	1		1				65.06	150	2.30	DENSITY STUDY
1	187030	1		1				65.08	150	2.30	DENSITY STUDY
1	187030	1		1				71.11	150	2.10	DENSITY STUDY
1	187030	1		1				72.22	150	2.07	DENSITY STUDY
1	187030	1		6				435	900	2.06	DENSITY STUDY
1	187030	1		1				72.78	150	2.06	DENSITY STUDY
1	187030	1		1				73.33	150	2.04	DENSITY STUDY
1	187030	1		1				73.33	150	2.04	DENSITY STUDY
1	187030	1		1				74.63	150	2.01	DENSITY STUDY
1	187030	1		1				75.51	150	1.98	DENSITY STUDY
1	187030	1		5				385.74	750	1.94	DENSITY STUDY
1	187030	1		1				77.33	150	1.94	DENSITY STUDY
1	187030	1		1				77.61	150	1.93	DENSITY STUDY
1	187030	1		1				60.06	150	2.49	DENSITY STUDY
1	187030	1		4				263.75	600	2.27	DENSITY STUDY
1	187030	1		1				58.38	150	2.56	DENSITY STUDY
1	187030	1		1				61.76	150	2.42	DENSITY STUDY
1	187030	1		1				10.09	100	9.91	DENSITY STUDY
1	187030	1		1				60.06	150	2.49	DENSITY STUDY
1	187030	1		1				72.78	150	2.06	DENSITY STUDY
1	187030	1		1				412.81	800	1.93	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	1		12				671.06	4080	6.08	DENSITY STUDY
1	154667	1		1				34.76	225	6.47	DENSITY STUDY
1	187030	6		1	38.5	29.5	28.5	18.73	175	9.34	DENSITY STUDY
1	154667	2		1				112.69	617	5.48	DENSITY STUDY
1	154667			1				12.78	425	33.25	DENSITY STUDY
1	187030	4		1	44	40	28.5	29.03	800	27.56	DENSITY STUDY
1	187030	1		1				61.28	150	2.44	DENSITY STUDY
1	187030	6		1	29	28	58	27.25	273	10.02	DENSITY STUDY
1	187030	6		1	47.5	43.5	37	44.24	320	7.23	DENSITY STUDY
1	187030	6		1	48	40	36	40	515	12.87	DENSITY STUDY
1	154667	2		1				21.48	210	9.77	DENSITY STUDY
1	187030	4		1				39.72	310	7.80	DENSITY STUDY
1	187030	4		1				37.78	150	3.97	DENSITY STUDY
1	154667	2		1				36.11	110	3.04	DENSITY STUDY
1	154667	2		2				99.09	1526	15.40	DENSITY STUDY
1	187030	1		4				570.8	1000	1.75	DENSITY STUDY
1	154667			2				99.6	690	6.92	DENSITY STUDY
1	154667			2				203.24	720	3.54	DENSITY STUDY
1	154667	2		4				166.62	1290	7.74	DENSITY STUDY
1	154667	1		3				147.64	930	6.30	DENSITY STUDY
1	154667	2		4				198.42	1240	6.25	DENSITY STUDY
1	154667	2		2				99.85	620	6.21	DENSITY STUDY
1	154667	2		2				107.25	665	6.20	DENSITY STUDY
1	154667	2		3				180.21	1115	6.19	DENSITY STUDY
1	154667	2		2				142.73	876	6.14	DENSITY STUDY
1	154667	2		2				103.97	636	6.12	DENSITY STUDY
1	154667	2		1				52.04	318	6.11	DENSITY STUDY
1	154667	2		3				147.11	895	6.08	DENSITY STUDY
1	154667	2		1				51.18	310	6.06	DENSITY STUDY
1	154667	2		1				51.46	310	6.02	DENSITY STUDY
1	154667	2		1				52.89	318	6.01	DENSITY STUDY
1	154667	2		3				160.64	965	6.01	DENSITY STUDY
1	154667	2		9				448.31	2685	5.99	DENSITY STUDY
1	154667	2		3				156.24	930	5.95	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		4				209.7	1240	5.91	DENSITY STUDY
1	154667	2		2				106.38	628	5.90	DENSITY STUDY
1	154667	2		1				54.01	318	5.89	DENSITY STUDY
1	154667	2		4				213.21	1240	5.82	DENSITY STUDY
1	154667	2		3				160.15	930	5.81	DENSITY STUDY
1	154667	2		5				270.19	1566	5.80	DENSITY STUDY
1	154667	2		3				162.94	930	5.71	DENSITY STUDY
1	154667	2		2				105.31	600	5.70	DENSITY STUDY
1	154667	2		3				164.48	930	5.65	DENSITY STUDY
1	154667	2		3				164.66	930	5.65	DENSITY STUDY
1	154667	2		2				108.88	609	5.59	DENSITY STUDY
1	154667	2		2				110.91	620	5.59	DENSITY STUDY
1	154667	2		3				179	1000	5.59	DENSITY STUDY
1	154667	2		4				203.91	1135	5.57	DENSITY STUDY
1	154667	2		1				57.51	318	5.53	DENSITY STUDY
1	154667	2		3				161.96	895	5.53	DENSITY STUDY
1	154667	2		2				99.8	550	5.51	DENSITY STUDY
1	154667	2		1				32.16	174	5.41	DENSITY STUDY
1	154667	2		3				188.74	1000	5.30	DENSITY STUDY
1	154667	2		4				231.18	1212	5.24	DENSITY STUDY
1	154667	2		3				181.78	940	5.17	DENSITY STUDY
1	154667	2		1				85.08	426	5.01	DENSITY STUDY
1	154667	2		1				47.52	233	4.90	DENSITY STUDY
1	154667	2		1				29.92	146	4.88	DENSITY STUDY
1	154667	2		5				299.57	1452	4.85	DENSITY STUDY
1	154667	2		4				244.66	1184	4.84	DENSITY STUDY
1	154667	2		1				64	306	4.78	DENSITY STUDY
1	154667	2		1				49.95	235	4.70	DENSITY STUDY
1	154667	2		1				47.98	225	4.69	DENSITY STUDY
1	154667	2		6				346.67	1608	4.64	DENSITY STUDY
1	154667	2		1				43.96	200	4.55	DENSITY STUDY
1	154667	2		1				51.62	235	4.55	DENSITY STUDY
1	154667	2		1				44.16	195	4.42	DENSITY STUDY
1	154667	2		4				231.56	1016	4.39	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		2				122.24	535	4.38	DENSITY STUDY
1	154667	2		8				425.97	1862	4.37	DENSITY STUDY
1	154667	2		1				31.88	138	4.33	DENSITY STUDY
1	154667	2		1				45.94	198	4.31	DENSITY STUDY
1	154667	2		3				199.75	860	4.31	DENSITY STUDY
1	154667	2		1				45.44	195	4.29	DENSITY STUDY
1	154667	2		3				190.88	818	4.29	DENSITY STUDY
1	154667	2		1				54.49	233	4.28	DENSITY STUDY
1	154667	2		3				145.81	619	4.25	DENSITY STUDY
1	154667	2		1				48.38	198	4.09	DENSITY STUDY
1	154667	2		1				52.27	210	4.02	DENSITY STUDY
1	154667	2		2				115.17	445	3.86	DENSITY STUDY
1	154667	2		2				148.77	572	3.84	DENSITY STUDY
1	154667	2		16				1218.68	4625	3.80	DENSITY STUDY
1	154667	2		1				46.01	174	3.78	DENSITY STUDY
1	154667	2		3				161.43	595	3.69	DENSITY STUDY
1	154667	2		2				171.73	634	3.69	DENSITY STUDY
1	154667	2		1				88.18	315	3.57	DENSITY STUDY
1	154667	2		2				135.76	471	3.47	DENSITY STUDY
1	154667	2		4				237.93	824	3.46	DENSITY STUDY
1	154667	2		2				140.75	480	3.41	DENSITY STUDY
1	154667	2		1				52.35	174	3.32	DENSITY STUDY
1	154667	2		1				61.13	192	3.14	DENSITY STUDY
1	154667	2		1				44.74	135	3.02	DENSITY STUDY
1	154667	2		1				37.3	111	2.98	DENSITY STUDY
1	154667	2		1				64.94	192	2.96	DENSITY STUDY
1	154667	2		2				133.71	396	2.96	DENSITY STUDY
1	154667	2		2				173.36	508	2.93	DENSITY STUDY
1	154667	2		2				135.56	396	2.92	DENSITY STUDY
1	154667	2		1				88.33	254	2.88	DENSITY STUDY
1	154667	2		2				139.67	396	2.84	DENSITY STUDY
1	154667	2		2				130.29	365	2.80	DENSITY STUDY
1	154667	2		1				86.6	224	2.59	DENSITY STUDY
1	154667	2		2				228.48	365	1.60	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				49.06	1846	37.63	DENSITY STUDY
1	154667	2		1				4.83	171	35.40	DENSITY STUDY
1	154667	2		1				12.84	444	34.58	DENSITY STUDY
1	154667	2		3				137.28	4445	32.38	DENSITY STUDY
1	154667	2		1				41.55	1345	32.37	DENSITY STUDY
1	154667	2		3				141.78	4394	30.99	DENSITY STUDY
1	154667	2		1				19.13	585	30.58	DENSITY STUDY
1	154667	2		2				82.62	2523	30.54	DENSITY STUDY
1	154667	2		3				144.34	4392	30.43	DENSITY STUDY
1	154667	2		2				77.56	2356	30.38	DENSITY STUDY
1	154667	2		3				144.81	4395	30.35	DENSITY STUDY
1	154667	2		2				49.2	1491	30.30	DENSITY STUDY
1	154667	2		3				145.86	4388	30.08	DENSITY STUDY
1	154667	2		3				111.4	3334	29.93	DENSITY STUDY
1	154667	2		2				66.32	1966	29.64	DENSITY STUDY
1	154667	2		3				89.68	2649	29.54	DENSITY STUDY
1	154667	2		1				7.53	220	29.22	DENSITY STUDY
1	154667	2		2				80.41	2347	29.19	DENSITY STUDY
1	154667	2		1				42.4	1220	28.77	DENSITY STUDY
1	154667	2		3				153.66	4405	28.67	DENSITY STUDY
1	154667	2		3				155.86	4407	28.28	DENSITY STUDY
1	154667	2		3				120.05	3350	27.91	DENSITY STUDY
1	154667	2		2				69.16	1928	27.88	DENSITY STUDY
1	154667	2		3				118.67	3276	27.61	DENSITY STUDY
1	154667	2		3				115.47	3185	27.58	DENSITY STUDY
1	154667	2		3				116.85	3213	27.50	DENSITY STUDY
1	154667	2		1				17.42	476	27.32	DENSITY STUDY
1	154667	2		3				109.41	2951	26.97	DENSITY STUDY
1	154667	2		3				129.64	3490	26.92	DENSITY STUDY
1	154667	2		3				165.47	4372	26.42	DENSITY STUDY
1	154667	2		1				25.55	674	26.38	DENSITY STUDY
1	154667	2		1				39.59	1035	26.14	DENSITY STUDY
1	154667	2		1				39.59	1027	25.94	DENSITY STUDY
1	154667	2		1				17.89	464	25.94	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				39.82	1032	25.92	DENSITY STUDY
1	154667	2		4				131.1	3396	25.90	DENSITY STUDY
1	154667	2		1				39.59	1025	25.89	DENSITY STUDY
1	154667	2		1				22.78	587	25.77	DENSITY STUDY
1	154667	2		1				53	1363	25.72	DENSITY STUDY
1	154667	2		1				40.2	1029	25.60	DENSITY STUDY
1	154667	2		1				39.59	1013	25.59	DENSITY STUDY
1	154667	2		1				39.9	1014	25.41	DENSITY STUDY
1	154667	2		1				40.87	1030	25.20	DENSITY STUDY
1	154667	2		1				40.97	1030	25.14	DENSITY STUDY
1	154667	2		1				54.92	1378	25.09	DENSITY STUDY
1	154667	2		1				12.98	324	24.96	DENSITY STUDY
1	154667	2		2				41.3	1028	24.89	DENSITY STUDY
1	154667	2		1				18.22	452	24.81	DENSITY STUDY
1	154667	2		1				27.19	673	24.75	DENSITY STUDY
1	154667	2		1				17.89	442	24.71	DENSITY STUDY
1	154667	2		1				57.78	1420	24.58	DENSITY STUDY
1	154667	2		1				18.38	451	24.54	DENSITY STUDY
1	154667	2		3				126.99	3115	24.53	DENSITY STUDY
1	154667	2		1				24.88	608	24.44	DENSITY STUDY
1	154667	2		1				35.46	865	24.39	DENSITY STUDY
1	154667	2		1				36.43	887	24.35	DENSITY STUDY
1	154667	2		1				18.26	444	24.32	DENSITY STUDY
1	154667	2		4				129.72	3154	24.31	DENSITY STUDY
1	154667	2		3				126.71	3064	24.18	DENSITY STUDY
1	154667	2		3				92.27	2220	24.06	DENSITY STUDY
1	154667	2		2				82.01	1956	23.85	DENSITY STUDY
1	154667	2		2				48.96	1167	23.84	DENSITY STUDY
1	154667	2		1				40.5	963	23.78	DENSITY STUDY
1	154667	2		1				38.73	919	23.73	DENSITY STUDY
1	154667	2		3				96.93	2295	23.68	DENSITY STUDY
1	154667	2		2				54.09	1271	23.50	DENSITY STUDY
1	154667	2		2				49.45	1160	23.46	DENSITY STUDY
1	154667	2		3				93.04	2175	23.38	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				21.22	495	23.33	DENSITY STUDY
1	154667	2		3				124.03	2891	23.31	DENSITY STUDY
1	154667	2		1				36.96	858	23.21	DENSITY STUDY
1	154667	2		1				66.84	1547	23.14	DENSITY STUDY
1	154667	2		4				144.4	3341	23.14	DENSITY STUDY
1	154667	2		2				48.86	1129	23.11	DENSITY STUDY
1	154667	2		2				47.52	1098	23.11	DENSITY STUDY
1	154667	2		3				93.18	2152	23.10	DENSITY STUDY
1	154667	2		3				102.74	2372	23.09	DENSITY STUDY
1	154667	2		1				39.04	901	23.08	DENSITY STUDY
1	154667	2		3				97.3	2245	23.07	DENSITY STUDY
1	154667	2		3				104.91	2414	23.01	DENSITY STUDY
1	154667	2		3				101.07	2326	23.01	DENSITY STUDY
1	154667	2		2				47.85	1099	22.97	DENSITY STUDY
1	154667	2		2				49.69	1134	22.82	DENSITY STUDY
1	154667	2		1				36.81	839	22.79	DENSITY STUDY
1	154667	2		2				51.05	1160	22.72	DENSITY STUDY
1	154667	2		1				24.26	551	22.71	DENSITY STUDY
1	154667	2		1				43.83	993	22.66	DENSITY STUDY
1	154667	2		2				60.92	1372	22.52	DENSITY STUDY
1	154667	2		2				49.42	1110	22.46	DENSITY STUDY
1	154667	2		1				37.91	851	22.45	DENSITY STUDY
1	154667	2		2				48	1077	22.44	DENSITY STUDY
1	154667	2		2				50.93	1143	22.44	DENSITY STUDY
1	154667	2		2				48.62	1090	22.42	DENSITY STUDY
1	154667	2		1				44.92	1007	22.42	DENSITY STUDY
1	154667	2		3				100.23	2242	22.37	DENSITY STUDY
1	154667	2		2				48.15	1076	22.35	DENSITY STUDY
1	154667	2		2				55.68	1241	22.29	DENSITY STUDY
1	154667	2		3				105.28	2343	22.25	DENSITY STUDY
1	154667	2		2				53.69	1194	22.24	DENSITY STUDY
1	154667	2		2				48.52	1077	22.20	DENSITY STUDY
1	154667	2		2				59.56	1320	22.16	DENSITY STUDY
1	154667	2		2				48.56	1074	22.12	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				44.68	985	22.05	DENSITY STUDY
1	154667	2		3				98.05	2162	22.05	DENSITY STUDY
1	154667	2		3				104.7	2309	22.05	DENSITY STUDY
1	154667	2		1				73.29	1612	21.99	DENSITY STUDY
1	154667	2		1				45.76	1006	21.98	DENSITY STUDY
1	154667	2		1				36.33	798	21.97	DENSITY STUDY
1	154667	2		2				50.11	1101	21.97	DENSITY STUDY
1	154667	2		1				23.08	505	21.88	DENSITY STUDY
1	154667	2		1				74.07	1618	21.84	DENSITY STUDY
1	154667	2		2				51.53	1124	21.81	DENSITY STUDY
1	154667	2		1				38.99	850	21.80	DENSITY STUDY
1	154667	2		3				100	2170	21.70	DENSITY STUDY
1	154667	2		2				51.37	1111	21.63	DENSITY STUDY
1	154667	2		1				62.64	1350	21.55	DENSITY STUDY
1	154667	2		2				69.98	1504	21.49	DENSITY STUDY
1	154667	2		2				54.66	1166	21.33	DENSITY STUDY
1	154667	2		2				50.2	1071	21.33	DENSITY STUDY
1	154667	2		1				36.04	767	21.28	DENSITY STUDY
1	154667	2		2				50.04	1063	21.24	DENSITY STUDY
1	154667	2		1				46.45	986	21.23	DENSITY STUDY
1	154667	2		1				21.9	463	21.14	DENSITY STUDY
1	154667	2		2				51.05	1071	20.98	DENSITY STUDY
1	154667	2		1				12.84	269	20.95	DENSITY STUDY
1	154667	2		1				26.25	550	20.95	DENSITY STUDY
1	154667	2		2				51	1068	20.94	DENSITY STUDY
1	154667	2		2				56.8	1185	20.86	DENSITY STUDY
1	154667	2		1				35.31	729	20.65	DENSITY STUDY
1	154667	2		2				52.16	1074	20.59	DENSITY STUDY
1	154667	2		2				55.34	1132	20.46	DENSITY STUDY
1	154667	2		1				17.89	365	20.40	DENSITY STUDY
1	154667	2		1				17.98	363	20.19	DENSITY STUDY
1	154667	2		1				66.78	1336	20.01	DENSITY STUDY
1	154667	2		1				44.68	892	19.96	DENSITY STUDY
1	154667	2		2				61.32	1218	19.86	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				18	356	19.78	DENSITY STUDY
1	154667	2		2				58.58	1157	19.75	DENSITY STUDY
1	154667	2		1				27.5	542	19.71	DENSITY STUDY
1	154667	2		1				18.31	360	19.66	DENSITY STUDY
1	154667	2		1				34.41	675	19.62	DENSITY STUDY
1	154667	2		2				63.76	1239	19.43	DENSITY STUDY
1	154667	2		2				58.18	1130	19.42	DENSITY STUDY
1	154667	2		3				118.77	2289	19.27	DENSITY STUDY
1	154667	2		1				50.8	975	19.19	DENSITY STUDY
1	154667	2		1				36.98	709	19.17	DENSITY STUDY
1	154667	2		1				30.99	594	19.17	DENSITY STUDY
1	154667	2		1				37.72	708	18.77	DENSITY STUDY
1	154667	2		2				47.55	892	18.76	DENSITY STUDY
1	154667	2		2				60.12	1122	18.66	DENSITY STUDY
1	154667	2		1				18.38	342	18.61	DENSITY STUDY
1	154667	2		1				18.6	345	18.55	DENSITY STUDY
1	154667	2		1				61.07	1130	18.50	DENSITY STUDY
1	154667	2		1				55.6	1025	18.44	DENSITY STUDY
1	154667	2		2				41.86	765	18.28	DENSITY STUDY
1	154667	2		4				72.37	1318	18.21	DENSITY STUDY
1	154667	2		1				31.36	571	18.21	DENSITY STUDY
1	154667	2		1				49.02	892	18.20	DENSITY STUDY
1	154667	2		1				33.19	602	18.14	DENSITY STUDY
1	154667	2		1				17.89	324	18.11	DENSITY STUDY
1	154667	2		1				69.88	1265	18.10	DENSITY STUDY
1	154667	2		2				120.88	2188	18.10	DENSITY STUDY
1	154667	2		1				19.06	345	18.10	DENSITY STUDY
1	154667	2		1				34.48	620	17.98	DENSITY STUDY
1	154667	2		1				21.15	380	17.97	DENSITY STUDY
1	154667	2		1				50.43	901	17.87	DENSITY STUDY
1	154667	2		1				64.72	1153	17.82	DENSITY STUDY
1	154667	2		1				34.69	606	17.47	DENSITY STUDY
1	154667	2		1				24.11	419	17.38	DENSITY STUDY
1	154667	2		1				17.89	309	17.27	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		3				136.62	2353	17.22	DENSITY STUDY
1	154667	2		1				26.11	448	17.16	DENSITY STUDY
1	154667	2		1				43.6	745	17.09	DENSITY STUDY
1	154667	2		1				77.77	1325	17.04	DENSITY STUDY
1	154667	2		1				62.86	1068	16.99	DENSITY STUDY
1	154667	2		1				18.9	321	16.98	DENSITY STUDY
1	154667	2		3				116.8	1983	16.98	DENSITY STUDY
1	154667	2		1				29.86	506	16.95	DENSITY STUDY
1	154667	2		2				124.66	2095	16.81	DENSITY STUDY
1	154667	2		2				104.62	1743	16.66	DENSITY STUDY
1	154667	2		2				107.34	1785	16.63	DENSITY STUDY
1	154667	2		2				38.31	627	16.37	DENSITY STUDY
1	154667	2		1				25.55	411	16.09	DENSITY STUDY
1	154667	2		4				244.75	3914	15.99	DENSITY STUDY
1	154667	2		2				42.14	671	15.92	DENSITY STUDY
1	154667	2		1				13.63	214	15.70	DENSITY STUDY
1	154667	2		2				22.17	348	15.70	DENSITY STUDY
1	154667	2		1				9.02	139	15.41	DENSITY STUDY
1	154667	2		1				17.98	277	15.41	DENSITY STUDY
1	154667	2		1				20.99	322	15.34	DENSITY STUDY
1	154667	2		1				18.99	291	15.32	DENSITY STUDY
1	154667	2		1				35.43	542	15.30	DENSITY STUDY
1	154667	2		1				24.6	376	15.28	DENSITY STUDY
1	154667	2		1				13.7	209	15.26	DENSITY STUDY
1	154667	2		1				35.09	535	15.25	DENSITY STUDY
1	154667	2		1				54	817	15.13	DENSITY STUDY
1	154667	2		2				41.81	629	15.04	DENSITY STUDY
1	154667	2		1				63.38	949	14.97	DENSITY STUDY
1	154667	2		2				35.36	529	14.96	DENSITY STUDY
1	154667	2		1				42.71	637	14.91	DENSITY STUDY
1	154667	2		1				18.87	281	14.89	DENSITY STUDY
1	154667	2		1				38.85	574	14.77	DENSITY STUDY
1	154667	2		2				28.75	422	14.68	DENSITY STUDY
1	154667	2		1				22.97	337	14.67	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				32.27	471	14.60	DENSITY STUDY
1	154667	2		1				46.9	682	14.54	DENSITY STUDY
1	154667	2		1				8.88	129	14.53	DENSITY STUDY
1	154667	2		1				9.7	139	14.33	DENSITY STUDY
1	154667	2		1				46.04	641	13.92	DENSITY STUDY
1	154667	2		1				58.13	809	13.92	DENSITY STUDY
1	154667	2		2				90.75	1259	13.87	DENSITY STUDY
1	154667	2		1				14.55	201	13.81	DENSITY STUDY
1	154667	2		1				15.69	216	13.77	DENSITY STUDY
1	154667	2		1				9.7	133	13.71	DENSITY STUDY
1	154667	2		1				18.31	250	13.65	DENSITY STUDY
1	154667	2		2				39.09	530	13.56	DENSITY STUDY
1	154667	2		2				126.48	1711	13.53	DENSITY STUDY
1	154667	2		1				26.33	355	13.48	DENSITY STUDY
1	154667	2		1				50.43	680	13.48	DENSITY STUDY
1	154667	2		1				67.24	902	13.41	DENSITY STUDY
1	154667	2		2				17.74	236	13.30	DENSITY STUDY
1	154667	2		1				9.59	127	13.24	DENSITY STUDY
1	154667	2		3				192.63	2548	13.23	DENSITY STUDY
1	154667	2		1				9.08	120	13.22	DENSITY STUDY
1	154667	2		1				9.56	125	13.08	DENSITY STUDY
1	154667	2		1				23.11	299	12.94	DENSITY STUDY
1	154667	2		1				13.02	166	12.75	DENSITY STUDY
1	154667	2		1				59.69	752	12.60	DENSITY STUDY
1	154667	2		1				23.25	285	12.26	DENSITY STUDY
1	154667	2		1				17.89	218	12.19	DENSITY STUDY
1	154667	2		1				44.92	541	12.04	DENSITY STUDY
1	154667	2		1				37.64	452	12.01	DENSITY STUDY
1	154667	2		1				14.72	174	11.82	DENSITY STUDY
1	154667	2		2				91.37	1079	11.81	DENSITY STUDY
1	154667	2		1				9.7	109	11.24	DENSITY STUDY
1	154667	2		1				17.08	191	11.18	DENSITY STUDY
1	154667	2		1				94.16	1027	10.91	DENSITY STUDY
1	154667	2		2				29.72	323	10.87	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				44.2	468	10.59	DENSITY STUDY
1	154667	2		1				14.55	154	10.58	DENSITY STUDY
1	154667	2		1				39.41	407	10.33	DENSITY STUDY
1	154667	2		2				63.77	653	10.24	DENSITY STUDY
1	154667	2		1				29	292	10.07	DENSITY STUDY
1	154667	2		2				112.5	1130	10.04	DENSITY STUDY
1	154667	2		2				63.41	634	10.00	DENSITY STUDY
1	154667	2		1				45.2	448	9.91	DENSITY STUDY
1	154667	2		1				8.53	84	9.85	DENSITY STUDY
1	154667	2		1				18.26	171	9.36	DENSITY STUDY
1	154667	2		3				221.54	2063	9.31	DENSITY STUDY
1	154667	2		1				59.34	539	9.08	DENSITY STUDY
1	154667	2		1				25.04	227	9.07	DENSITY STUDY
1	154667	2		1				8.83	80	9.06	DENSITY STUDY
1	154667	2		1				34.12	306	8.97	DENSITY STUDY
1	154667	2		1				45.31	401	8.85	DENSITY STUDY
1	154667	2		2				135.79	1172	8.63	DENSITY STUDY
1	154667	2		1				29.11	248	8.52	DENSITY STUDY
1	154667	2		1				54.28	461	8.49	DENSITY STUDY
1	154667	1		1				14.9	122	8.19	DENSITY STUDY
1	154667	2		1				14.81	118	7.97	DENSITY STUDY
1	154667	2		1				45.7	343	7.51	DENSITY STUDY
1	154667	2		2				124.66	932	7.48	DENSITY STUDY
1	154667	1		1				54.39	405	7.45	DENSITY STUDY
1	154667	2		2				108.42	790	7.29	DENSITY STUDY
1	154667	2		1				45.88	320	6.97	DENSITY STUDY
1	154667	2		1				9.21	64	6.95	DENSITY STUDY
1	154667	2		1				145.71	910	6.25	DENSITY STUDY
1	154667	2		1				49.31	293	5.94	DENSITY STUDY
1	154667	2		11				577.93	3300	5.71	DENSITY STUDY
1	154667	2		1				10.98	56	5.10	DENSITY STUDY
1	154667	2		1				27.52	140	5.09	DENSITY STUDY
1	154667	2		1				33.14	163	4.92	DENSITY STUDY
1	154667	2		1				7.42	36	4.85	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		11				688.39	3314	4.81	DENSITY STUDY
1	154667	2		1				34	148	4.35	DENSITY STUDY
1	154667	2		1				48.05	185	3.85	DENSITY STUDY
1	154667	2		1				14.31	53	3.70	DENSITY STUDY
1	154667	2		1				15.63	55	3.52	DENSITY STUDY
1	154667	2		1				66.75	198	2.97	DENSITY STUDY
1	154667	1		1				208.62	495	2.37	DENSITY STUDY
1	154667	2		1				24.77	52	2.10	DENSITY STUDY
1	154667	2		1				27.76	1002	36.10	DENSITY STUDY
1	154667	2		1				43.02	1432	33.29	DENSITY STUDY
1	154667	2		1				21.97	710	32.32	DENSITY STUDY
1	154667	2		1				19.57	606	30.97	DENSITY STUDY
1	154667	2		2				77.79	2360	30.34	DENSITY STUDY
1	154667	2		2				68.62	2063	30.06	DENSITY STUDY
1	154667	2		2				79.97	2391	29.90	DENSITY STUDY
1	154667	2		2				66.37	1950	29.38	DENSITY STUDY
1	154667	2		2				87.16	2538	29.12	DENSITY STUDY
1	154667	2		1				8.78	246	28.02	DENSITY STUDY
1	154667	2		1				22.99	630	27.40	DENSITY STUDY
1	154667	2		3				31.17	831	26.66	DENSITY STUDY
1	154667	2		1				38.87	1028	26.45	DENSITY STUDY
1	154667	2		1				39.37	1032	26.21	DENSITY STUDY
1	154667	2		1				39.82	1026	25.77	DENSITY STUDY
1	154667	2		1				40.27	1037	25.75	DENSITY STUDY
1	154667	2		1				40.87	1020	24.96	DENSITY STUDY
1	154667	2		2				82.78	2065	24.95	DENSITY STUDY
1	154667	2		2				74.47	1821	24.45	DENSITY STUDY
1	154667	2		2				123.38	2963	24.02	DENSITY STUDY
1	154667	2		1				79.43	1906	24.00	DENSITY STUDY
1	154667	2		1				36.74	870	23.68	DENSITY STUDY
1	154667	2		4				218.47	5079	23.25	DENSITY STUDY
1	154667	2		2				47.38	1082	22.84	DENSITY STUDY
1	154667	2		1				33.79	751	22.23	DENSITY STUDY
1	154667	2		2				62.94	1394	22.15	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		2				50.25	1112	22.13	DENSITY STUDY
1	154667	2		2				50.3	1083	21.53	DENSITY STUDY
1	154667	2		1				46.05	968	21.02	DENSITY STUDY
1	154667	2		2				55.06	1132	20.56	DENSITY STUDY
1	154667	2		1				7.02	140	19.94	DENSITY STUDY
1	154667	2		1				5.8	112	19.31	DENSITY STUDY
1	154667	2		2				52.42	982	18.73	DENSITY STUDY
1	154667	2		1				15.37	283	18.41	DENSITY STUDY
1	154667	2		1				14.35	259	18.05	DENSITY STUDY
1	154667	2		2				32.22	574	17.82	DENSITY STUDY
1	154667	2		2				63.53	1120	17.63	DENSITY STUDY
1	154667	2		2				15.12	265	17.53	DENSITY STUDY
1	154667	2		1				80.1	1380	17.23	DENSITY STUDY
1	154667	2		2				67.39	1160	17.21	DENSITY STUDY
1	154667	2		2				110.14	1848	16.78	DENSITY STUDY
1	154667	2		2				43.15	716	16.59	DENSITY STUDY
1	154667	2		1				25.55	423	16.56	DENSITY STUDY
1	154667	2		1				17.46	286	16.38	DENSITY STUDY
1	154667	1		1				16.01	262	16.36	DENSITY STUDY
1	154667	2		1				9.98	162	16.23	DENSITY STUDY
1	154667	2		4				231.39	3755	16.23	DENSITY STUDY
1	154667	2		1				16.11	260	16.14	DENSITY STUDY
1	154667	2		5				243.19	3905	16.06	DENSITY STUDY
1	154667	2		1				14.91	238	15.96	DENSITY STUDY
1	154667	2		5				79.5	1260	15.85	DENSITY STUDY
1	154667	2		3				183.12	2862	15.63	DENSITY STUDY
1	154667	2		2				41.52	628	15.13	DENSITY STUDY
1	154667	2		2				32.8	496	15.12	DENSITY STUDY
1	154667	2		1				8.69	131	15.07	DENSITY STUDY
1	154667	2		1				25.09	376	14.99	DENSITY STUDY
1	154667	2		1				14.4	215	14.93	DENSITY STUDY
1	154667	2		2				27.29	405	14.84	DENSITY STUDY
1	154667	2		1				9.64	143	14.83	DENSITY STUDY
1	154667	2		2				74.57	990	13.28	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				18.07	240	13.28	DENSITY STUDY
1	154667	2		3				111.44	1470	13.19	DENSITY STUDY
1	154667	2		1				22.17	291	13.13	DENSITY STUDY
1	154667	2		2				23.05	301	13.06	DENSITY STUDY
1	154667	2		2				44.77	582	13.00	DENSITY STUDY
1	154667	1		1				6.98	90	12.89	DENSITY STUDY
1	154667	2		2				62.89	804	12.78	DENSITY STUDY
1	154667	2		2				57.1	710	12.43	DENSITY STUDY
1	154667	2		2				37.83	459	12.13	DENSITY STUDY
1	154667	2		1				83.14	996	11.98	DENSITY STUDY
1	154667	2		1				73.65	850	11.54	DENSITY STUDY
1	154667	2		1				19.97	226	11.32	DENSITY STUDY
1	154667	2		1				68.91	777	11.28	DENSITY STUDY
1	154667	2		1				65.17	635	9.74	DENSITY STUDY
1	154667	2		2				100.49	960	9.55	DENSITY STUDY
1	154667	2		1				30.98	288	9.30	DENSITY STUDY
1	154667	2		1				38.96	335	8.60	DENSITY STUDY
1	154667	1		1				36.1	300	8.31	DENSITY STUDY
1	154667	2		1				13.57	112	8.25	DENSITY STUDY
1	154667	2		4				283	2165	7.65	DENSITY STUDY
1	154667	1		1				39.69	300	7.56	DENSITY STUDY
1	154667	2		2				136.08	966	7.10	DENSITY STUDY
1	154667	2		1				59.95	420	7.01	DENSITY STUDY
1	154667	2		1				50.63	350	6.91	DENSITY STUDY
1	154667	2		3				146.76	960	6.54	DENSITY STUDY
1	154667	2		3				148.67	959	6.45	DENSITY STUDY
1	154667	2		1				101.77	635	6.24	DENSITY STUDY
1	154667	2		1				34.63	213	6.15	DENSITY STUDY
1	154667	1		1				40.27	240	5.96	DENSITY STUDY
1	154667	2		11				610.25	3530	5.78	DENSITY STUDY
1	154667	2		3				161.31	915	5.67	DENSITY STUDY
1	154667	2		2				112.11	636	5.67	DENSITY STUDY
1	154667	2		1				7.25	40	5.52	DENSITY STUDY
1	154667	2		1				177.06	938	5.30	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				42.62	220	5.16	DENSITY STUDY
1	154667	2		5				261.91	1325	5.06	DENSITY STUDY
1	154667	2		1				43.82	220	5.02	DENSITY STUDY
1	154667	1		10				562.28	2815	5.01	DENSITY STUDY
1	154667	2		1				56.48	276	4.89	DENSITY STUDY
1	154667	2		4				212.38	963	4.53	DENSITY STUDY
1	154667	2		4				462.22	2072	4.48	DENSITY STUDY
1	154667	2		1				27.31	120	4.39	DENSITY STUDY
1	154667	2		1				19.62	82	4.18	DENSITY STUDY
1	154667	2		1				43.35	177	4.08	DENSITY STUDY
1	154667	2		1				48.6	192	3.95	DENSITY STUDY
1	154667	2		1				18.42	70	3.80	DENSITY STUDY
1	154667	2		1				77.97	285	3.66	DENSITY STUDY
1	154667	1		1				33.08	115	3.48	DENSITY STUDY
1	154667	2		3				202.58	705	3.48	DENSITY STUDY
1	154667	2		1				31.28	103	3.29	DENSITY STUDY
1	154667	2		1				153.07	483	3.16	DENSITY STUDY
1	154667	2		1				26.94	85	3.16	DENSITY STUDY
1	154667	2		1				21.58	65	3.01	DENSITY STUDY
1	154667	2		1				28.59	85	2.97	DENSITY STUDY
1	154667	2		1				53.9	86	1.60	DENSITY STUDY
1	154667	2		1				21.46	32	1.49	DENSITY STUDY
1	154667	2		6				549.76	4635	8.43	DENSITY STUDY
1	154667	2		2				13.8	77	5.58	DENSITY STUDY
1	154667	2		1				75.53	398	5.26	DENSITY STUDY
1	154667	2		1				10.09	46	4.55	DENSITY STUDY
1	154667	2		1				26.2	112	4.27	DENSITY STUDY
1	154667	2		1				63.95	264	4.12	DENSITY STUDY
1	154667	2		1				53.83	212	3.93	DENSITY STUDY
1	154667	2		1				51.02	198	3.88	DENSITY STUDY
1	154667	2		53				82.45	425	5.16	DENSITY STUDY
1	154667	2		3				18.28	90	4.92	DENSITY STUDY
1	154667	2		2				19.96	73	3.70	DENSITY STUDY
1	154667	2		15				47.83	176	3.68	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				25.7	90	3.50	DENSITY STUDY
1	154667	2		1				120.89	410	3.39	DENSITY STUDY
1	154667	2		1				87.78	270	3.07	DENSITY STUDY
1	154667	2		2				116.22	865	7.44	DENSITY STUDY
1	154667	2		1				13.78	238	17.27	DENSITY STUDY
1	154667	2		1				18.28	362	19.80	DENSITY STUDY
1	154667	2		1				9.07	456	50.27	DENSITY STUDY
1	154667			3				150.26	7000	46.58	DENSITY STUDY
1	154667	2		1				4.33	172	39.72	DENSITY STUDY
1	154667	2		1				10.33	334	32.33	DENSITY STUDY
1	154667	2		1				9.53	260	27.28	DENSITY STUDY
1	154667	2		1				16.95	374	22.06	DENSITY STUDY
1	154667	2		1				4.86	88	18.10	DENSITY STUDY
1	154667	2		1				14.61	232	15.88	DENSITY STUDY
1	154667	2		1				29.65	456	15.37	DENSITY STUDY
1	154667	2		1				11	140	12.72	DENSITY STUDY
1	154667	2		1				19.14	186	9.71	DENSITY STUDY
1	154667	2		1				19.52	162	8.29	DENSITY STUDY
1	154667	2		1				29.44	242	8.22	DENSITY STUDY
1	154667	2		1				24.92	196	7.86	DENSITY STUDY
1	154667	2		1				21.37	158	7.39	DENSITY STUDY
1	154667	2		1				58.03	426	7.34	DENSITY STUDY
1	154667	2		1				32.79	235	7.16	DENSITY STUDY
1	154667	2		1				34.44	246	7.14	DENSITY STUDY
1	154667	2		1				32.33	210	6.49	DENSITY STUDY
1	154667	2		1				53.33	344	6.45	DENSITY STUDY
1	154667	2		1				32.81	210	6.40	DENSITY STUDY
1	154667	1		1				19.01	117	6.15	DENSITY STUDY
1	154667	2		1				50.2	298	5.93	DENSITY STUDY
1	154667	2		1				50.92	300	5.89	DENSITY STUDY
1	154667	1		1				65.26	340	5.21	DENSITY STUDY
1	154667	2		1				49.18	256	5.20	DENSITY STUDY
1	154667	1		1				147.18	765	5.19	DENSITY STUDY
1	154667	2		1				32.1	166	5.17	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	1		1				174.22	868	4.98	DENSITY STUDY
1	154667	1		1				199.78	980	4.90	DENSITY STUDY
1	154667	2		1				33.89	160	4.72	DENSITY STUDY
1	154667	2		1				30.5	143	4.68	DENSITY STUDY
1	154667	1		1				170.32	765	4.49	DENSITY STUDY
1	154667	1		1				100.15	405	4.04	DENSITY STUDY
1	154667	2		1				33.47	116	3.46	DENSITY STUDY
1	154667	1		1				97.61	300	3.07	DENSITY STUDY
1	154667	1		1				96.21	282	2.93	DENSITY STUDY
1	154667	1		1				175.52	440	2.50	DENSITY STUDY
1	154667	1		1				187.41	418	2.23	DENSITY STUDY
1	154667	1		1				87.97	265	3.01	DENSITY STUDY
1	154667	1		1				159.02	705	4.43	DENSITY STUDY
1	154667	1		1				100.98	932	9.23	DENSITY STUDY
1	154667	1		1				4.47	69	15.43	DENSITY STUDY
1	154667	2		1				31.13	162	5.20	DENSITY STUDY
1	154667	2		1				30.83	120	3.89	DENSITY STUDY
1	154667	2		1				40.18	166	4.13	DENSITY STUDY
1	154667	2		1				51.47	236	4.58	DENSITY STUDY
1	154667	2		2				75.56	633	8.37	DENSITY STUDY
1	154667	2		1				9.44	196	20.76	DENSITY STUDY
1	154667	2		1				10.53	54	5.12	DENSITY STUDY
1	154667			1				85.66	340	3.96	DENSITY STUDY
1	154667			1				154.4	416	2.69	DENSITY STUDY
1	154667			1				17.8	115	6.46	DENSITY STUDY
1	154667	2		1				19.65	262	13.33	DENSITY STUDY
1	154667			1				22.99	152	6.61	DENSITY STUDY
1	154667			1				17.65	84	4.75	DENSITY STUDY
1	154667			1				29.79	57	1.91	DENSITY STUDY
1	154667			1				30.25	184	6.08	DENSITY STUDY
1	154667			1				67.69	372	5.49	DENSITY STUDY
1	154667	2		1				23.89	196	8.20	DENSITY STUDY
1	154667			1				38.26	176	4.60	DENSITY STUDY
1	154667			1				14.31	90	6.28	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				31.51	234	7.42	DENSITY STUDY
1	154667	2		1				102.18	270	2.64	DENSITY STUDY
1	154667	2		1				30.56	198	6.47	DENSITY STUDY
1	154667	2		21				107.44	283	2.63	DENSITY STUDY
1	154667	2		1				36.77	293	7.96	DENSITY STUDY
1	154667	2		1				37.02	1115	30.11	DENSITY STUDY
1	154667	2		1				39.44	1066	27.02	DENSITY STUDY
1	154667	2		1				19.17	468	24.41	DENSITY STUDY
1	154667	2		1				180.69	3870	21.41	DENSITY STUDY
1	154667	2		1				13.14	235	17.88	DENSITY STUDY
1	154667	2		1				60.06	897	14.93	DENSITY STUDY
1	154667	2		1				17.14	254	14.81	DENSITY STUDY
1	154667	2		1				20.56	247	12.01	DENSITY STUDY
1	154667	2		1				15.56	186	11.95	DENSITY STUDY
1	154667	2		16				28.54	231	8.09	DENSITY STUDY
1	154667	2		1				46.15	315	6.82	DENSITY STUDY
1	154667	2		1				64.64	303	4.68	DENSITY STUDY
1	154667	2		1				41.25	192	4.65	DENSITY STUDY
1	154667	2		1				41.25	192	4.65	DENSITY STUDY
1	154667	2		1				24.58	105	4.27	DENSITY STUDY
1	154667	2		11				27.78	116	4.17	DENSITY STUDY
1	154667	2		1				94.05	382	4.06	DENSITY STUDY
1	154667	2		1				135.62	399	2.94	DENSITY STUDY
1	154667	2		1				25.89	205	7.91	DENSITY STUDY
1	154667	2		1				45.92	235	5.11	DENSITY STUDY
1	154667	2		1				13.15	235	17.87	DENSITY STUDY
1	154667	2		1				25.56	186	7.27	DENSITY STUDY
1	154667	2		1				38.67	324	8.37	DENSITY STUDY
1	154667	2		1				38.67	324	8.37	DENSITY STUDY
1	154667	2		1				36.11	583	16.14	DENSITY STUDY
1	154667	1		1				15.28	120	7.85	DENSITY STUDY
1	154667	2		1	47.5	46.5	58.5	74.77	765	10.23	DENSITY STUDY
1	154667	2		1	54	40	47.5	59.37	383	6.45	DENSITY STUDY
1	154667	2		1	50	44	41	52.2	310	5.94	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	50.5	45	39.5	51.95	520	10.01	DENSITY STUDY
1	154667	2		1	52	45.5	39	53.4	642	12.02	DENSITY STUDY
1	154667	2		1	45.5	26.5	26.5	18.49	300	16.22	DENSITY STUDY
1	154667	2		3				197.02	4555	23.12	DENSITY STUDY
1	154667	2		3				263.99	2658	10.07	DENSITY STUDY
1	154667	2		3				350.38	1640	4.68	DENSITY STUDY
1	154667	2		4				334.5	1308	3.91	DENSITY STUDY
1	154667	2		1				30.61	472	15.42	DENSITY STUDY
1	187030	1		1				83.56	200	2.39	DENSITY STUDY
1	187030	1		1				87.39	200	2.28	DENSITY STUDY
1	187030	1		1				82.64	200	2.42	DENSITY STUDY
1	187030	1		1				86.88	200	2.30	DENSITY STUDY
1	187030	1		2				153.57	350	2.27	DENSITY STUDY
1	187030	1		2				179.5	445	2.48	DENSITY STUDY
1	154667	1		1				72.47	426	5.88	DENSITY STUDY
1	187030			1				20	75	3.75	DENSITY STUDY
1	187030	3		1	51.5	46	52	71.29	535	7.50	DENSITY STUDY
1	187030	1		1				82.88	200	2.41	DENSITY STUDY
1	187030	6		1	55.5	43.5	65	90.81	670	7.38	DENSITY STUDY
1	187030	6		1	49.5	46	53.5	70.5	656	9.30	DENSITY STUDY
1	187030	6		1	54.5	43	32.5	44.08	372	8.44	DENSITY STUDY
1	187030	6		1	48.5	43	30.5	36.81	345	9.37	DENSITY STUDY
1	187030	6		1	48.5	45.5	30	38.31	368	9.61	DENSITY STUDY
1	187030			1				91.11	483	5.30	DENSITY STUDY
1	187030			1				91.11	483	5.30	DENSITY STUDY
1	154667	2		1				25.69	112	4.36	DENSITY STUDY
1	154667	2		1	52	37.5	60	67.71	550	8.12	DENSITY STUDY
1	154667	2		1	48	40	26	28.89	536	18.55	DENSITY STUDY
1	187030	1		1				60.31	150	2.48	DENSITY STUDY
1	187030	1		1				85.25	200	2.34	DENSITY STUDY
1	187030	1		1				88.22	200	2.26	DENSITY STUDY
1	187030	1		1				85.7	765	8.92	DENSITY STUDY
1	187030	1		1				54.96	300	5.45	DENSITY STUDY
1	187030	3		1				85.99	210	2.44	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	3		1				121.63	235	1.93	DENSITY STUDY
1	187030	3		1				431.24	950	2.20	DENSITY STUDY
1	187030	7		1				123.65	235	1.90	DENSITY STUDY
1	187030	7		1				34.26	900	26.27	DENSITY STUDY
1	187030	7		1				15.19	156	10.27	DENSITY STUDY
1	187030	4		1				21.96	200	9.11	DENSITY STUDY
1	187030	4		1				15.79	135	8.55	DENSITY STUDY
1	187030	7		1				129.77	830	6.40	DENSITY STUDY
1	187030	4		2				251.28	1556	6.19	DENSITY STUDY
1	187030	4		1				32.55	196	6.02	DENSITY STUDY
1	187030	4		1				34.85	170	4.88	DENSITY STUDY
1	187030	4		1				29.45	135	4.58	DENSITY STUDY
1	187030	3		1				35.31	155	4.39	DENSITY STUDY
1	187030	3		3				360.28	1365	3.79	DENSITY STUDY
1	187030	3		3				366.6	1365	3.72	DENSITY STUDY
1	187030	3		1				54.53	200	3.67	DENSITY STUDY
1	187030	4		1				34.28	125	3.65	DENSITY STUDY
1	187030	4		1				45.35	135	2.98	DENSITY STUDY
1	187030	3		1				63.6	180	2.83	DENSITY STUDY
1	187030	3		1				64.3	180	2.80	DENSITY STUDY
1	187030	3		1				64.62	180	2.79	DENSITY STUDY
1	187030	3		1				65.18	180	2.76	DENSITY STUDY
1	187030	7		1				65.18	180	2.76	DENSITY STUDY
1	187030	3		1				59.43	150	2.52	DENSITY STUDY
1	187030	4		1				81.01	175	2.16	DENSITY STUDY
1	187030	3		1				115.79	225	1.94	DENSITY STUDY
1	187030	4		1				154.8	300	1.94	DENSITY STUDY
1	187030	3		1				155.98	300	1.92	DENSITY STUDY
1	187030	3		1				123.65	235	1.90	DENSITY STUDY
1	187030	3		1				180.22	340	1.89	DENSITY STUDY
1	187030	1		1				312.22	550	1.76	DENSITY STUDY
1	187030	4		1				54.05	714	13.21	DENSITY STUDY
1	187030	1		1				194.79	395	2.02	DENSITY STUDY
1	187030	3		1				62.53	175	2.79	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	3		1				158.58	260	1.64	DENSITY STUDY
1	187030	4		1	53	28.5	32	27.97	315	11.26	DENSITY STUDY
1	187030	3		1				372.31	570	1.53	DENSITY STUDY
1	187030	3		1				66.27	210	3.16	DENSITY STUDY
1	187030	3		1				59.79	175	2.92	DENSITY STUDY
1	187030	3		1				84.43	210	2.48	DENSITY STUDY
1	187030	3		1				87.33	210	2.40	DENSITY STUDY
1	187030	3		1				83.33	200	2.40	DENSITY STUDY
1	187030	3		1				118.44	250	2.11	DENSITY STUDY
1	187030	3		1				122.53	250	2.04	DENSITY STUDY
1	187030	3		1				361	735	2.03	DENSITY STUDY
1	187030	3		1				409.74	820	2.00	DENSITY STUDY
1	187030	3		1				118.6	225	1.89	DENSITY STUDY
1	187030	3		1				159.36	300	1.88	DENSITY STUDY
1	187030	3		1				119.69	225	1.88	DENSITY STUDY
1	187030	3		1				211.08	395	1.87	DENSITY STUDY
1	187030	3		1				125.88	235	1.86	DENSITY STUDY
1	187030	3		1				212.43	395	1.85	DENSITY STUDY
1	187030	3		1				143.4	260	1.81	DENSITY STUDY
1	187030	3		1				219.38	395	1.80	DENSITY STUDY
1	187030	3		1				407.57	710	1.74	DENSITY STUDY
1	187030	3		1				403.11	690	1.71	DENSITY STUDY
1	187030	3		1				201.52	340	1.68	DENSITY STUDY
1	187030	3		1				383.27	600	1.56	DENSITY STUDY
1	187030	3		1				217.52	340	1.56	DENSITY STUDY
1	187030	3		1				376.7	570	1.51	DENSITY STUDY
1	187030	3		1				307.39	425	1.38	DENSITY STUDY
1	187030	6		1	47.5	39.5	59	64.06	250	3.90	DENSITY STUDY
1	187520			1				32.54	330	10.14	DENSITY STUDY
1	187520			1				35.5	330	9.30	DENSITY STUDY
1	187520			1				24.47	199	8.13	DENSITY STUDY
1	187520			1				9.28	250	26.94	DENSITY STUDY
1	187520			1				36.57	285	7.79	DENSITY STUDY
1	187520			2				34.78	260	7.48	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187520			2				35.71	260	7.28	DENSITY STUDY
1	187520			3				54.24	236	4.35	DENSITY STUDY
1	154667	2		1	50	43.5	27	33.98	600	17.66	DENSITY STUDY
1	187030	7		3				213.18	1770	8.30	DENSITY STUDY
1	187030	3		1	51	34.5	35	35.64	185	5.19	DENSITY STUDY
1	187030	3		1	48	48	87	116	250	2.16	DENSITY STUDY
1	187030			1	91.5	91	97	467.4	810	1.73	DENSITY STUDY
1	154667	1		1	78	78	90	316.88	490	1.55	DENSITY STUDY
1	187030			1	89	85	85	372.1	575	1.55	DENSITY STUDY
1	187030	1		1	78	78	84	295.75	600	2.03	DENSITY STUDY
1	187030			1	62	60	84	180.83	310	1.71	DENSITY STUDY
1	187030			1	62	60	84	180.83	310	1.71	DENSITY STUDY
1	154667	2		1	35.5	33.5	73.5	50.5	370	7.33	DENSITY STUDY
1	187030	1		1	54.5	54	73	124.3	250	2.01	DENSITY STUDY
1	154667	1		1	52	48	72	104	225	2.16	DENSITY STUDY
1	187030	1		1	55.5	54.5	71	124.2	250	2.01	DENSITY STUDY
1	187030	1		1	56.5	55.5	70.5	127.9	250	1.95	DENSITY STUDY
1	187030	1		1	55	55	70.5	123.4	250	2.03	DENSITY STUDY
1	187030	1		1	55	54.5	70.5	122.2	250	2.05	DENSITY STUDY
1	187030	1		1	58.5	56	70	132.7	250	1.88	DENSITY STUDY
1	187030	1		1	55.5	55.5	70	124.7	250	2.00	DENSITY STUDY
1	187030			1	56	55	70	124.7	250	2.00	DENSITY STUDY
1	187030	1		1	55.5	55	70	123.6	250	2.02	DENSITY STUDY
1	187030	1		1	55	55	70	122.5	200	1.63	DENSITY STUDY
1	187030	1		1	56.5	54.5	70	124.7	250	2.00	DENSITY STUDY
1	187030	1		1	55.5	54.5	70	122.5	250	2.04	DENSITY STUDY
1	187030	1		1	55.5	54.5	70	122.5	250	2.04	DENSITY STUDY
1	154667	1		1	132	40	70	213.89	1155	5.40	DENSITY STUDY
1	187030	1		1	60	57	69.5	137.5	250	1.82	DENSITY STUDY
1	187030	1		1	56	55.5	69.5	125	250	2.00	DENSITY STUDY
1	187030	1		1	55.5	55.5	69.5	123.8	250	2.02	DENSITY STUDY
1	187030	1		1	55.5	55.5	69.5	123.8	250	2.02	DENSITY STUDY
1	187030	1		1	56	55	69.5	123.8	250	2.02	DENSITY STUDY
1	187030			1	55.5	55	69.5	122.7	250	2.04	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1	55	55	69.5	121.6	250	2.06	DENSITY STUDY
1	187030	1		1	55	55	69.5	121.6	250	2.06	DENSITY STUDY
1	187030	1		1	72.5	54.5	69.5	158.9	250	1.57	DENSITY STUDY
1	187030	1		1	56	54.5	69.5	122.7	250	2.04	DENSITY STUDY
1	154667			1	43.5	42.5	69.5	74.4	135	1.81	DENSITY STUDY
1	187030	1		1	55.5	54.5	69	120.7	250	2.07	DENSITY STUDY
1	187030	1		1	55	54.5	69	119.6	250	2.09	DENSITY STUDY
1	187030	1		1	53	53	69	112.2	200	1.78	DENSITY STUDY
1	154667	2		1	27	25	69	27	208	7.70	DENSITY STUDY
1	187030	1		1	55.5	55	68.5	121	250	2.07	DENSITY STUDY
1	154667	2		1	45	31.5	68.5	56.1	400	7.13	DENSITY STUDY
1	154667	2		1	47	46	68	85	342	4.02	DENSITY STUDY
1	154667	2		1	52	42	68	85.9	427	4.97	DENSITY STUDY
1	187030	1		1	47	42	68	77.7	200	2.57	DENSITY STUDY
1	187030	1		1	49	49	67.5	93.7	200	2.13	DENSITY STUDY
1	187030	1		1	49.5	49	67	94	200	2.13	DENSITY STUDY
1	154667	2		1	75	43	67	125	337	2.70	DENSITY STUDY
1	187030	1		1	49	49	66.5	92.3	200	2.17	DENSITY STUDY
1	187030	1		1	48.5	48.5	66.5	90.5	200	2.21	DENSITY STUDY
1	187030	1		1	48	48	66.5	88.6	200	2.26	DENSITY STUDY
1	187030	1		1	49	49	66	91.7	200	2.18	DENSITY STUDY
1	187030	1		1	50.5	48.5	66	93.5	200	2.14	DENSITY STUDY
1	187030	1		1	49.5	48.5	66	91.6	200	2.18	DENSITY STUDY
1	187030	1		1	48.5	47.5	66	87.9	200	2.28	DENSITY STUDY
1	187030	1		1	47.5	47.5	66	86.1	200	2.32	DENSITY STUDY
1	187030	1		1	50	47	66	89.7	200	2.23	DENSITY STUDY
1	154667	2		1	92	46	66	161.64	755	4.67	DENSITY STUDY
1	154667	2		1	93	45	66	159.8	417	2.61	DENSITY STUDY
1	154667	1		1	75	42	66	120.31	521	4.33	DENSITY STUDY
1	187030	7		1	51	41	66	79.9	450	5.63	DENSITY STUDY
1	187030	1		1	47	41	66	73.6	150	2.04	DENSITY STUDY
1	187030	1		1	49.5	49	65.5	91.9	200	2.18	DENSITY STUDY
1	187030	1		1	49.5	49	65.5	91.9	200	2.18	DENSITY STUDY
1	187030	1		1	49	49	65.5	91	200	2.20	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1	49	49	65.5	91	200	2.20	DENSITY STUDY
1	187030	1		1	49	49	65.5	91	200	2.20	DENSITY STUDY
1	187030	1		1	50	48.5	65.5	91.9	200	2.18	DENSITY STUDY
1	187030	1		1	49.5	48.5	65.5	91	200	2.20	DENSITY STUDY
1	187030	1		1	49.5	48.5	65.5	91	200	2.20	DENSITY STUDY
1	187030	1		1	49.5	48.5	65.5	91	200	2.20	DENSITY STUDY
1	187030	1		1	49	48.5	65.5	90	845	9.39	DENSITY STUDY
1	187030			1	49	48.5	65.5	90	200	2.22	DENSITY STUDY
1	187030	1		1	49	48.5	65.5	90	200	2.22	DENSITY STUDY
1	187030	1		1	49	48.5	65.5	90	200	2.22	DENSITY STUDY
1	187030	1		1	49	48.5	65.5	90	200	2.22	DENSITY STUDY
1	187030			1	48.5	48.5	65.5	89.1	200	2.24	DENSITY STUDY
1	187030	1		1	48.5	48.5	65.5	89.1	200	2.24	DENSITY STUDY
1	187030	1		1	48.5	48.5	65.5	89.1	200	2.24	DENSITY STUDY
1	187030	1		1	48.5	48.5	65.5	89.1	200	2.24	DENSITY STUDY
1	187030	1		1	48.5	48.5	65.5	89.1	200	2.24	DENSITY STUDY
1	187030	1		1	48.5	48.5	65.5	89.1	200	2.24	DENSITY STUDY
1	187030	1		1	49.5	48	65.5	90	200	2.22	DENSITY STUDY
1	187030	1		1	49.5	48	65.5	90	200	2.22	DENSITY STUDY
1	187030	1		1	49.5	48	65.5	90	200	2.22	DENSITY STUDY
1	187030	1		1	49	48	65.5	89.1	200	2.24	DENSITY STUDY
1	187030	1		1	48.5	48	65.5	88.2	200	2.27	DENSITY STUDY
1	187030	1		1	48.5	48	65.5	88.2	200	2.27	DENSITY STUDY
1	187030	1		1	48.5	48	65.5	88.2	200	2.27	DENSITY STUDY
1	187030	1		1	48.5	48	65.5	88.2	200	2.27	DENSITY STUDY
1	187030	1		1	48	48	65.5	87.3	200	2.29	DENSITY STUDY
1	187030	1		1	48	48	65.5	87.3	200	2.29	DENSITY STUDY
1	187030	1		1	48	47.5	65.5	86.4	200	2.31	DENSITY STUDY
1	187030	1		1	49	47	65.5	87.2	200	2.29	DENSITY STUDY
1	154667	1		1	58	50	65	109.09	350	3.21	DENSITY STUDY
1	187030			1	49.5	49	65	91.2	200	2.19	DENSITY STUDY
1	187030	1		1	49.5	48.5	65	90.3	200	2.21	DENSITY STUDY
1	187030	1		1	49	48.5	65	89.3	200	2.24	DENSITY STUDY
1	187030	1		1	49	48.5	65	89.3	200	2.24	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1	49	48.5	65	89.3	200	2.24	DENSITY STUDY
1	187030	1		1	48.5	48.5	65	88.4	200	2.26	DENSITY STUDY
1	187030	1		1	48.5	48.5	65	88.4	200	2.26	DENSITY STUDY
1	187030	1		1	48.5	48.5	65	88.4	200	2.26	DENSITY STUDY
1	187030	1		1	48.5	48.5	65	88.4	200	2.26	DENSITY STUDY
1	187030	1		1	50	48	65	90.2	200	2.22	DENSITY STUDY
1	187030	1		1	49.5	48	65	89.3	200	2.24	DENSITY STUDY
1	187030	1		1	49.5	48	65	89.3	200	2.24	DENSITY STUDY
1	187030	1		1	49.5	48	65	89.3	200	2.24	DENSITY STUDY
1	187030	1		1	48.5	48	65	87.5	200	2.29	DENSITY STUDY
1	187030	1		1	48.5	48	65	87.5	200	2.29	DENSITY STUDY
1	187030	1		1	48.5	48	65	87.5	200	2.29	DENSITY STUDY
1	187030			1	48	48	65	86.6	200	2.31	DENSITY STUDY
1	187030	1		1	48	48	65	86.6	200	2.31	DENSITY STUDY
1	187030	1		1	48	48	65	86.6	200	2.31	DENSITY STUDY
1	187030	1		1	48	48	65	86.6	200	2.31	DENSITY STUDY
1	187030	1		1	49.5	47.5	65	88.4	200	2.26	DENSITY STUDY
1	187030	1		1	49	47.5	65	87.5	200	2.29	DENSITY STUDY
1	187030	1		1	48.5	47.5	65	86.6	655	7.56	DENSITY STUDY
1	187030	1		1	48.5	47.5	65	86.6	200	2.31	DENSITY STUDY
1	187030	1		1	48	47.5	65	85.7	200	2.33	DENSITY STUDY
1	187030	1		1	47.5	47.5	65	84.8	755	8.90	DENSITY STUDY
1	187030	1		1	48.5	47	65	85.7	200	2.33	DENSITY STUDY
1	187030	1		1	48	47	65	84.8	200	2.36	DENSITY STUDY
1	187030	1		1	48	46.5	65	83.9	200	2.38	DENSITY STUDY
1	187030	1		1	41.5	41.5	65	64.7	150	2.32	DENSITY STUDY
1	154667	2		1	47	40.5	65	71.6	315	4.40	DENSITY STUDY
1	154667	2		2	26	22.5	65	44	435	9.89	DENSITY STUDY
1	187030	1		1	50	50	64.5	93.3	200	2.14	DENSITY STUDY
1	187030	1		1	49	49	64.5	89.6	200	2.23	DENSITY STUDY
1	187030	1		1	50	48.5	64.5	90.5	200	2.21	DENSITY STUDY
1	187030	1		1	48.5	48.5	64.5	87.8	425	4.84	DENSITY STUDY
1	187030	1		1	48.5	48.5	64.5	87.8	200	2.28	DENSITY STUDY
1	187030	1		1	48.5	48.5	64.5	87.8	200	2.28	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1	48.5	48.5	64.5	87.8	200	2.28	DENSITY STUDY
1	187030	1		1	49.5	48	64.5	88.6	200	2.26	DENSITY STUDY
1	187030	1		1	49.5	48	64.5	88.6	200	2.26	DENSITY STUDY
1	187030	1		1	49.5	48	64.5	88.6	200	2.26	DENSITY STUDY
1	187030			1	49	48	64.5	87.7	200	2.28	DENSITY STUDY
1	187030	1		1	49	48	64.5	87.7	200	2.28	DENSITY STUDY
1	187030	1		1	48.5	48	64.5	86.8	200	2.30	DENSITY STUDY
1	187030	1		1	48	48	64.5	86	200	2.33	DENSITY STUDY
1	187030	1		1	48	48	64.5	86	200	2.33	DENSITY STUDY
1	187030	1		1	48.5	47.5	64.5	85.9	200	2.33	DENSITY STUDY
1	187030	1		1	48	47.5	64.5	85.1	200	2.35	DENSITY STUDY
1	187030	1		1	47.5	47.5	64.5	84.2	200	2.38	DENSITY STUDY
1	187030	1		1	47.5	47.5	64.5	84.2	200	2.38	DENSITY STUDY
1	187030	1		1	47.5	47.5	64.5	84.2	200	2.38	DENSITY STUDY
1	187030	1		1	47.5	47.5	64.5	84.2	200	2.38	DENSITY STUDY
1	187030	1		1	47.5	47.5	64.5	84.2	200	2.38	DENSITY STUDY
1	187030	1		1	49	47	64.5	85.9	200	2.33	DENSITY STUDY
1	187030	1		1	48.5	47	64.5	85	200	2.35	DENSITY STUDY
1	187030	1		1	48	47	64.5	84.2	200	2.38	DENSITY STUDY
1	187030	1		1	47	46.5	64.5	81.5	640	7.85	DENSITY STUDY
1	187030	1		1	42.5	41.5	64.5	65.8	150	2.28	DENSITY STUDY
1	187030			1	48	40.5	64.5	72.5	150	2.07	DENSITY STUDY
1	187030	1		1	49.5	48	64	88	200	2.27	DENSITY STUDY
1	187030	1		1	49	48	64	87.1	200	2.30	DENSITY STUDY
1	187030	1		1	49	48	64	87.1	200	2.30	DENSITY STUDY
1	187030	1		1	49	48	64	87.1	200	2.30	DENSITY STUDY
1	187030	1		1	48.5	48	64	86.2	200	2.32	DENSITY STUDY
1	187030	1		1	47.5	47.5	64	83.5	200	2.40	DENSITY STUDY
1	187030	1		1	48.5	46.5	64	83.5	200	2.40	DENSITY STUDY
1	187030	1		1	42	42	64	65.3	150	2.30	DENSITY STUDY
1	187030	1		1	42	42	64	65.3	150	2.30	DENSITY STUDY
1	187030	1		1	41	40.5	64	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	40.5	40	64	60	150	2.50	DENSITY STUDY
1	187030	1		1	49.5	48.5	63.5	88.2	200	2.27	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1	49	48	63.5	86.4	200	2.31	DENSITY STUDY
1	187030	1		1	48.5	48	63.5	85.5	200	2.34	DENSITY STUDY
1	187030	1		1	48.5	48	63.5	85.5	200	2.34	DENSITY STUDY
1	187030	1		1	49	47	63.5	84.6	200	2.36	DENSITY STUDY
1	154667	2		1	46.5	44.5	63.5	76	315	4.14	DENSITY STUDY
1	187030	1		1	42	41.5	63.5	64	150	2.34	DENSITY STUDY
1	187030	1		1	42	41.5	63.5	64	150	2.34	DENSITY STUDY
1	187030	1		1	41.5	41.5	63.5	63.2	150	2.37	DENSITY STUDY
1	187030	1		1	43	41	63.5	64.7	150	2.32	DENSITY STUDY
1	187030	1		1	42.5	41	63.5	64	150	2.34	DENSITY STUDY
1	187030	1		1	42	41	63.5	63.2	150	2.37	DENSITY STUDY
1	187030	1		1	41.5	40.5	63.5	61.7	150	2.43	DENSITY STUDY
1	187030	1		1	41	40.5	63.5	61	150	2.46	DENSITY STUDY
1	187030	1		1	40.5	40.5	63.5	60.2	150	2.49	DENSITY STUDY
1	187030	1		1	42	40	63.5	61.7	150	2.43	DENSITY STUDY
1	187030	1		1	41.5	40	63.5	61	150	2.46	DENSITY STUDY
1	187030	1		1	40	40	63.5	58.7	150	2.56	DENSITY STUDY
1	187030	1		1	48.5	48.5	63	85.7	200	2.33	DENSITY STUDY
1	187030	1		1	42.5	42	63	65	150	2.31	DENSITY STUDY
1	187030	1		1	42	42	63	64.3	150	2.33	DENSITY STUDY
1	187030	1		1	43	41.5	63	65	150	2.31	DENSITY STUDY
1	187030	1		1	42.5	41.5	63	64.3	150	2.33	DENSITY STUDY
1	187030	1		1	42.5	41.5	63	64.3	150	2.33	DENSITY STUDY
1	187030	1		1	42	41.5	63	63.5	150	2.36	DENSITY STUDY
1	187030	1		1	42	41.5	63	63.5	150	2.36	DENSITY STUDY
1	187030	1		1	42	41.5	63	63.5	150	2.36	DENSITY STUDY
1	187030	1		1	41.5	41.5	63	62.7	150	2.39	DENSITY STUDY
1	187030	1		1	41.5	41.5	63	62.7	150	2.39	DENSITY STUDY
1	187030	1		1	41.5	41.5	63	62.7	150	2.39	DENSITY STUDY
1	187030	1		1	44	41	63	65.7	150	2.28	DENSITY STUDY
1	187030			1	41.5	41	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	41.5	41	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	41.5	41	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	41.5	41	63	62	150	2.42	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1	41.5	41	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	41.5	41	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	41.5	41	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	42	40.5	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	42	40.5	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	42	40.5	63	62	150	2.42	DENSITY STUDY
1	187030	1		1	41.5	40.5	63	61.2	150	2.45	DENSITY STUDY
1	187030	7		1	25	25	63	22.79	178	7.81	DENSITY STUDY
1	187030	1		1	42.5	42	62.5	64.5	150	2.33	DENSITY STUDY
1	187030	1		1	42.5	41.5	62.5	63.7	150	2.35	DENSITY STUDY
1	187030	1		1	42	41.5	62.5	63	150	2.38	DENSITY STUDY
1	187030	1		1	42	41.5	62.5	63	150	2.38	DENSITY STUDY
1	187030	1		1	41.5	41.5	62.5	62.2	150	2.41	DENSITY STUDY
1	187030	1		1	42.5	41	62.5	63	150	2.38	DENSITY STUDY
1	187030	1		1	42	41	62.5	62.2	150	2.41	DENSITY STUDY
1	187030			1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	41	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41	41	62.5	60.8	150	2.47	DENSITY STUDY
1	187030	1		1	41	41	62.5	60.8	150	2.47	DENSITY STUDY
1	187030	1		1	42	40.5	62.5	61.5	150	2.44	DENSITY STUDY
1	187030	1		1	41.5	40.5	62.5	60.7	150	2.47	DENSITY STUDY
1	187030	1		1	41.5	40.5	62.5	60.7	150	2.47	DENSITY STUDY
1	187030	1		1	41	40.5	62.5	60	150	2.50	DENSITY STUDY
1	187030	1		1	41	40.5	62.5	60	150	2.50	DENSITY STUDY
1	187030	1		1	42	40	62.5	60.7	150	2.47	DENSITY STUDY
1	187030	1		1	40.5	40	62.5	58.5	150	2.56	DENSITY STUDY
1	187030	1		1	40.5	40	62.5	58.5	150	2.56	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1	41.5	41.5	62	61.7	150	2.43	DENSITY STUDY
1	187030	1		1	42	41	62	61.7	150	2.43	DENSITY STUDY
1	187030	1		1	41	41	62	60.3	150	2.49	DENSITY STUDY
1	187030	1		1	41	41	62	60.3	150	2.49	DENSITY STUDY
1	187030	1		1	41	41	62	60.3	150	2.49	DENSITY STUDY
1	187030	1		1	43.5	40.5	62	63.2	150	2.37	DENSITY STUDY
1	187030	1		1	42	40.5	62	61	150	2.46	DENSITY STUDY
1	187030	1		1	42	40.5	62	61	150	2.46	DENSITY STUDY
1	187030	1		1	41.5	40.5	62	60.3	150	2.49	DENSITY STUDY
1	187030	1		1	41.5	40.5	62	60.3	150	2.49	DENSITY STUDY
1	187030	1		1	41.5	40.5	62	60.3	150	2.49	DENSITY STUDY
1	187030	4		1	41.5	40.5	62	60.3	150	2.49	DENSITY STUDY
1	187030	1		1	41	40.5	62	59.5	150	2.52	DENSITY STUDY
1	187030	1		1	41	40.5	62	59.5	150	2.52	DENSITY STUDY
1	187030	1		1	40.5	40.5	62	58.8	150	2.55	DENSITY STUDY
1	154667	2		1	49	40	62	70.3	230	3.27	DENSITY STUDY
1	187030	1		1	40.5	40	62	58.1	150	2.58	DENSITY STUDY
1	187030	1		1	40.5	40	62	58.1	150	2.58	DENSITY STUDY
1	187030	1		1	41	39.5	62	58.1	150	2.58	DENSITY STUDY
1	187030	1		1	41	39.5	62	58.1	150	2.58	DENSITY STUDY
1	187030	1		1	41.5	41.5	61.5	61.2	150	2.45	DENSITY STUDY
1	187030	1		1	42.5	41	61.5	62	150	2.42	DENSITY STUDY
1	187030	1		1	42	41	61.5	61.2	150	2.45	DENSITY STUDY
1	187030	1		1	41.5	41	61.5	60.5	250	4.13	DENSITY STUDY
1	187030	1		1	41.5	41	61.5	60.5	150	2.48	DENSITY STUDY
1	187030	1		1	41.5	41	61.5	60.5	150	2.48	DENSITY STUDY
1	187030	1		1	41.5	41	61.5	60.5	150	2.48	DENSITY STUDY
1	187030	1		1	41.5	41	61.5	60.5	150	2.48	DENSITY STUDY
1	187030	1		1	41.5	41	61.5	60.5	150	2.48	DENSITY STUDY
1	187030	1		1	41	41	61.5	59.8	150	2.51	DENSITY STUDY
1	187030	1		1	43.5	40.5	61.5	62.7	150	2.39	DENSITY STUDY
1	187030	1		1	42	40.5	61.5	60.5	150	2.48	DENSITY STUDY
1	187030	1		1	42	40.5	61.5	60.5	150	2.48	DENSITY STUDY
1	187030	1		1	41.5	40.5	61.5	59.8	150	2.51	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1	41	40.5	61.5	59	150	2.54	DENSITY STUDY
1	187030	1		1	40.5	40.5	61.5	58.3	150	2.57	DENSITY STUDY
1	187030	1		1	40.5	40.5	61.5	58.3	150	2.57	DENSITY STUDY
1	187030	1		1	41.5	40	61.5	59	150	2.54	DENSITY STUDY
1	187030	1		1	43.5	41.5	61	63.7	150	2.35	DENSITY STUDY
1	187030	1		1	42	41	61	60.7	150	2.47	DENSITY STUDY
1	187030	1		1	41	40.5	61	58.6	150	2.56	DENSITY STUDY
1	187030	1		1	41	40.5	61	58.6	150	2.56	DENSITY STUDY
1	187030	1		1	41.5	40.5	60.5	58.8	150	2.55	DENSITY STUDY
1	187030	1		1	41.5	39.5	60.5	57.3	150	2.62	DENSITY STUDY
1	154667	2		1	48	39	60	65	894	13.75	DENSITY STUDY
1	154667	2		1	48	41	59.5	67.76	307	4.53	DENSITY STUDY
1	187030	6		1	49	45	59	75.3	328	4.36	DENSITY STUDY
1	154667	2		1	46	44	59	69.1	828	11.98	DENSITY STUDY
1	154667	2		1	48	40	59	65.6	979	14.92	DENSITY STUDY
1	154667	2		1	50	33	59	56.3	390	6.93	DENSITY STUDY
1	187030	7		1	50	43	58	72.2	300	4.16	DENSITY STUDY
1	154667	2		1	50	43	58	72.2	200	2.77	DENSITY STUDY
1	154667	1		1	156	40	58	209.44	1275	6.09	DENSITY STUDY
1	154667	1		1	132	40	58	177.22	1000	5.64	DENSITY STUDY
1	154667	2		1	48.5	48	57	76.7	315	4.11	DENSITY STUDY
1	154667	2		1	44	47	57	68.2	300	4.40	DENSITY STUDY
1	154667	2		1	48	41	57	64.9	1507	23.22	DENSITY STUDY
1	154667	2		1	48	41.5	56.5	65.1	315	4.84	DENSITY STUDY
1	154667	2		1	92	44	56	131.2	381	2.90	DENSITY STUDY
1	154667	2		1	42	28	56	38.1	452	11.86	DENSITY STUDY
1	154667	2		1	47	46	55	68.8	137	1.99	DENSITY STUDY
1	154667	2		1	46	46	55	67.3	297	4.41	DENSITY STUDY
1	154667	2		1	48	43	55	65.7	1268	19.30	DENSITY STUDY
1	154667	1		1	48	40	54	60	350	5.83	DENSITY STUDY
1	154667	2		1	49	41	52	60.5	486	8.03	DENSITY STUDY
1	154667	2		1	58.5	48.5	51.5	84.5	565	6.69	DENSITY STUDY
1	154667	2		1	40	25.5	51.5	30.3	701	23.14	DENSITY STUDY
1	154667	2		1	59.5	46.5	51	81.6	315	3.86	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	49	45	51	65.1	203	3.12	DENSITY STUDY
1	154667	2		1	47	42	51	58.3	340	5.83	DENSITY STUDY
1	154667	2		1	42	35	51	43.4	200	4.61	DENSITY STUDY
1	154667	2		1	36	31	51	32.9	200	6.08	DENSITY STUDY
1	154667	2		1	48	38.5	50.5	54	315	5.83	DENSITY STUDY
1	154667	2		1	46	41	50	54.6	483	8.85	DENSITY STUDY
1	154667	2		1	60	34	50	59	682	11.56	DENSITY STUDY
1	154667	2		1	41	27	50	32	383	11.97	DENSITY STUDY
1	154667	2		1	48	40	49.5	55	381	6.93	DENSITY STUDY
1	154667	2		1	48	40	49.5	55	381	6.93	DENSITY STUDY
1	154667	2		1	48	42	49	57.2	1190	20.80	DENSITY STUDY
1	154667	2		1	48	40	49	54.4	1190	21.88	DENSITY STUDY
1	154667	2		1	34	33	49	31.8	200	6.29	DENSITY STUDY
1	154667	2		1	36	26	49	26.5	200	7.55	DENSITY STUDY
1	154667	2		1	41	25	49	29.1	248	8.52	DENSITY STUDY
1	154667	2		1	36	25	49	25.5	200	7.84	DENSITY STUDY
1	187030	7		1	46	40	48	51.1	300	5.87	DENSITY STUDY
1	154667	2		1	41	25	48	28.5	539	18.91	DENSITY STUDY
1	154667	2		1	74	41	47	82.52	365	4.42	DENSITY STUDY
1	154667	2		1	53	35.5	47	51.1	425	8.32	DENSITY STUDY
1	154667	2		1	41	24	47	26.8	252	9.40	DENSITY STUDY
1	154667	2		1	41	24	47	26.8	185	6.90	DENSITY STUDY
1	154667	1		1	102	47	46	127.62	560	4.39	DENSITY STUDY
1	154667	2		1	49	42	46	54.8	892	16.28	DENSITY STUDY
1	154667	2		1	48	42	46	53.7	544	10.13	DENSITY STUDY
1	154667	2		1	50	29.5	46	39.2	280	7.14	DENSITY STUDY
1	154667	2		2	52.5	47	45.5	130	4348	33.45	DENSITY STUDY
1	187030	7		1	49	40	45	51	90	1.76	DENSITY STUDY
1	154667	2		2	106	38	45	209.79	1050	5.01	DENSITY STUDY
1	154667	2		1	42	41	44.5	44.3	738	16.66	DENSITY STUDY
1	154667	2		1	48	42	44	51.3	1654	32.24	DENSITY STUDY
1	154667	2		1	43	25	44	27.4	542	19.78	DENSITY STUDY
1	154667	2		1	41	25	44	26.1	402	15.40	DENSITY STUDY
1	154667	2		1	41	24	44	25.1	458	18.25	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	41	24	44	25.1	295	11.75	DENSITY STUDY
1	154667	2		1	40.5	40.5	43.5	41.2	315	7.65	DENSITY STUDY
1	154667	2		1	49	41	43	50	851	17.02	DENSITY STUDY
1	154667	2		2	168	40	43	334.44	2232	6.67	DENSITY STUDY
1	154667	2		2	168	40	43	334.44	2232	6.67	DENSITY STUDY
1	154667	2		1	45.5	36.5	43	41.3	1023	24.77	DENSITY STUDY
1	154667	2		1	45	36.5	43	40.8	1343	32.92	DENSITY STUDY
1	154667	2		1	45	36.5	43	40.8	1021	25.02	DENSITY STUDY
1	154667	2		1	44.5	36.5	43	40.4	1027	25.42	DENSITY STUDY
1	154667	2		1	44	32	43	35	100	2.86	DENSITY STUDY
1	154667	2		1	52	37	42.5	47.3	315	6.66	DENSITY STUDY
1	154667	2		1	46	37	42.5	41.8	1340	32.06	DENSITY STUDY
1	154667	2		1	45	37	42.5	40.9	1343	32.84	DENSITY STUDY
1	154667	2		1	44.5	37	42.5	40.4	1025	25.37	DENSITY STUDY
1	154667	2		1	45	36.5	42.5	40.3	1029	25.53	DENSITY STUDY
1	154667	2		1	44	36.5	42.5	39.4	1028	26.09	DENSITY STUDY
1	154667	2		1	49.5	36	42.5	43.8	1345	30.71	DENSITY STUDY
1	154667	2		1	47	42	42	48	2173	45.27	DENSITY STUDY
1	154667	2		1	43.5	42	42	44.4	1013	22.82	DENSITY STUDY
1	187030	7		1	47	41	42	46.8	166	3.55	DENSITY STUDY
1	154667	2		1	47	40	42	45.7	215	4.70	DENSITY STUDY
1	154667	2		1	58.5	39.5	42	56.1	315	5.61	DENSITY STUDY
1	154667	2		1	49	43	41	50	830	16.60	DENSITY STUDY
1	154667	1		1	48	40	40.5	45	108	2.40	DENSITY STUDY
1	187030			1	48	39.5	40.5	44.4	311	7.00	DENSITY STUDY
1	154667	2		1	85	83	40	163.31	875	5.36	DENSITY STUDY
1	154667	2		1	48	41	40	45.6	130	2.85	DENSITY STUDY
1	154667	2		1	48	40	40	44.4	315	7.09	DENSITY STUDY
1	187030	1		1	48	39	40	43.3	75	1.73	DENSITY STUDY
1	154667	2		1	41	23	40	21.8	524	24.04	DENSITY STUDY
1	154667	2		1	50	49	39.5	56	239	4.27	DENSITY STUDY
1	154667	2		1	54	46	39	56	450	8.04	DENSITY STUDY
1	154667	2		1	48	42	39	45.5	856	18.81	DENSITY STUDY
1	154667	2		1	66	41	39	61	339	5.56	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	49	41	39	45.3	353	7.79	DENSITY STUDY
1	154667	2		1	46	41	39	42.6	245	5.75	DENSITY STUDY
1	154667	2		1	48	40	39	43.3	455	10.51	DENSITY STUDY
1	154667	2		1	44	27	39	26.8	385	14.37	DENSITY STUDY
1	154667	2		1	43	26	39	25.2	301	11.94	DENSITY STUDY
1	154667	2		1	48	43	38	45.4	613	13.50	DENSITY STUDY
1	154667	2		1	47.5	38.5	38	40.2	1405	34.95	DENSITY STUDY
1	154667	2		1	42	26	38	24	207	8.63	DENSITY STUDY
1	154667	2		1	42	25	38	23.1	624	27.01	DENSITY STUDY
1	154667	2		1	41	25	38	22.5	592	26.31	DENSITY STUDY
1	187030	4		1	52.5	42	37.5	47.8	150	3.14	DENSITY STUDY
1	187030			1	48	40.5	37.5	42.1	150	3.56	DENSITY STUDY
1	187030			1	48	40.5	37.5	42.1	100	2.38	DENSITY STUDY
1	154667	2		1	45	24	37.5	23.44	200	8.53	DENSITY STUDY
1	154667	2		1	47	43	37	43.3	870	20.09	DENSITY STUDY
1	154667	2		1	47	43	37	43.3	243	5.61	DENSITY STUDY
1	154667	2		1	49	41	37	43	421	9.79	DENSITY STUDY
1	154667	2		1	47	40.5	37	40.7	315	7.74	DENSITY STUDY
1	154667	2		1	46.5	37.5	37	37.3	1394	37.37	DENSITY STUDY
1	154667	2		1	90	27	37	52.03	295	5.67	DENSITY STUDY
1	154667	2		1	44	24	37	22.6	517	22.88	DENSITY STUDY
1	187030	4		1	50	44.5	36	46.3	150	3.24	DENSITY STUDY
1	154667	2		1	50	44	36	45.8	837	18.28	DENSITY STUDY
1	154667	1		1	50	42	36	43.8	100	2.28	DENSITY STUDY
1	154667	2		1	48	41	36	41	509	12.41	DENSITY STUDY
1	154667	2		1	47	41	36	40.1	511	12.74	DENSITY STUDY
1	154667	2		1	102	39	36	82.88	445	5.37	DENSITY STUDY
1	154667	2		1	102	39	36	82.88	260	3.14	DENSITY STUDY
1	154667	2		1	91	39	36	73.94	390	5.27	DENSITY STUDY
1	154667	2		1	41	27	36	23.1	328	14.20	DENSITY STUDY
1	154667	2		1	41	26	36	22.2	180	8.11	DENSITY STUDY
1	154667	2		1	41	25	36	21.4	144	6.73	DENSITY STUDY
1	187030	7		1	47	43	35.5	41.5	330	7.95	DENSITY STUDY
1	154667	2		1	110	36	35.5	81.35	483	5.94	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	47	41	35	39	199	5.10	DENSITY STUDY
1	187030	7		1	48	40	35	38.9	250	6.43	DENSITY STUDY
1	187030	7		1	47	40	35	38	60	1.58	DENSITY STUDY
1	154667	2		1	45.5	36.5	35	33.6	696	20.71	DENSITY STUDY
1	187030	7		1	45	32	35	29.2	80	2.74	DENSITY STUDY
1	154667	2		1	42	26	35	22.1	581	26.29	DENSITY STUDY
1	154667	2		1	76	47.5	34.5	72	550	7.64	DENSITY STUDY
1	154667	1		1	49	42	34.5	41	81	1.98	DENSITY STUDY
1	154667	2		1	50	43	34	42.3	498	11.77	DENSITY STUDY
1	154667	2		1	48	42	34	39.7	532	13.40	DENSITY STUDY
1	154667	2		1	41	26	34	21	338	16.10	DENSITY STUDY
1	154667	2		2	49.5	42	33	79.4	4000	50.38	DENSITY STUDY
1	154667	2		1	48	40	33	36.7	547	14.90	DENSITY STUDY
1	154667	2		1	41	24	33	18.8	264	14.04	DENSITY STUDY
1	154667	2		1	64.5	45.5	32.5	55.1	315	5.72	DENSITY STUDY
1	154667	2		1	36.5	36.5	32.5	25	125	5.00	DENSITY STUDY
1	187030			1	46	44.5	32	37.9	150	3.96	DENSITY STUDY
1	154667	2		1	47	42	32	36.6	203	5.55	DENSITY STUDY
1	154667	2		1	49	41	32	37.2	235	6.32	DENSITY STUDY
1	154667	2		1	54	40	32	40	172	4.30	DENSITY STUDY
1	154667	2		1	46	39	32	33.2	238	7.17	DENSITY STUDY
1	154667	1		1	46	27	32	23	100	4.35	DENSITY STUDY
1	154667	2		1	41	26	32	19.7	232	11.78	DENSITY STUDY
1	154667	2		1	41	25	32	19	387	20.37	DENSITY STUDY
1	154667	2		1	40	25	32	18.5	257	13.89	DENSITY STUDY
1	154667	2		1	41	24	32	18.2	395	21.70	DENSITY STUDY
1	154667	2		1	41	24	32	18.2	323	17.75	DENSITY STUDY
1	154667	2		1	41	24	32	18.2	224	12.31	DENSITY STUDY
1	154667	2		1	41	24	32	18.2	129	7.09	DENSITY STUDY
1	154667	2		1	41	23	32	17.5	297	16.97	DENSITY STUDY
1	154667	2		1	40	23	32	17	259	15.24	DENSITY STUDY
1	187030			1	50	49.5	31.5	45.1	500	11.09	DENSITY STUDY
1	154667	2		1	47.5	40.5	31.5	35	370	10.57	DENSITY STUDY
1	154667	2		1	41	25	31.5	18.6	315	16.94	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	40.5	24.5	31.5	18	283	15.72	DENSITY STUDY
1	154667	2		1	50	43	31	38.6	91	2.36	DENSITY STUDY
1	154667	2		1	49	41	31	36	132	3.67	DENSITY STUDY
1	154667	2		1	49	41	31	36	109	3.03	DENSITY STUDY
1	154667	2		1	47	40.5	31	34.1	315	9.24	DENSITY STUDY
1	187030			1	47.5	39.5	31	33.6	150	4.46	DENSITY STUDY
1	154667	2		1	46	39	31	32.2	506	15.71	DENSITY STUDY
1	154667	2		1	45	39	31	31.5	558	17.71	DENSITY STUDY
1	187030	7		1	30	30	31	16.1	400	24.84	DENSITY STUDY
1	154667	2		1	41	27	31	19.9	296	14.87	DENSITY STUDY
1	154667	2		1	42	25	31	18.8	156	8.30	DENSITY STUDY
1	154667	2		1	42	24	31	18	516	28.67	DENSITY STUDY
1	154667	2		1	42	24	31	18.1	173	9.56	DENSITY STUDY
1	154667	2		1	42	24	31	18	147	8.17	DENSITY STUDY
1	154667	2		1	41	24	31	17.7	536	30.28	DENSITY STUDY
1	154667	2		1	41	24	31	17.7	404	22.82	DENSITY STUDY
1	154667	2		1	41	24	31	17.7	353	19.94	DENSITY STUDY
1	154667	2		1	41	24	31	17.7	345	19.49	DENSITY STUDY
1	154667	2		1	41	24	31	17.7	282	15.93	DENSITY STUDY
1	154667	2		1	41	24	31	17.7	126	7.12	DENSITY STUDY
1	154667	2		1	40	24	31	17.2	238	13.84	DENSITY STUDY
1	154667	2		1	41	23	31	16.9	342	20.24	DENSITY STUDY
1	154667	2		1	43.5	43	30.5	33	170	5.15	DENSITY STUDY
1	154667	2		1	43	43	30.5	32.6	140	4.29	DENSITY STUDY
1	154667	2		1	43	43	30.5	32.6	130	3.99	DENSITY STUDY
1	154667	2		1	43	42.5	30.5	32.2	146	4.53	DENSITY STUDY
1	187030			1	49	42	30.5	36.3	175	4.82	DENSITY STUDY
1	154667	2		1	43.5	43.5	30	32.8	156	4.76	DENSITY STUDY
1	154667	2		1	49	41	30	34.9	240	6.88	DENSITY STUDY
1	154667	2		1	48	41	30	34.2	209	6.11	DENSITY STUDY
1	154667	2		1	48	40	30	33.33	340	10.20	DENSITY STUDY
1	154667	2		1	46	40	30	31.9	1044	32.73	DENSITY STUDY
1	187030	6		1	48	30	30	25	275	11.00	DENSITY STUDY
1	154667	2		1	74	28	30	35.97	480	13.34	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	74	27	30	34.69	480	13.84	DENSITY STUDY
1	154667	2		1	41	26	30	18.5	311	16.81	DENSITY STUDY
1	154667	2		1	40.5	24	30	16.8	294	17.50	DENSITY STUDY
1	154667	2		1	40	24	30	16.7	296	17.72	DENSITY STUDY
1	154667	2		1	50	44	29	36.9	108	2.93	DENSITY STUDY
1	187030	7		1	47	43	29	33.9	100	2.95	DENSITY STUDY
1	154667	2		1	45	43	29	32.5	1037	31.91	DENSITY STUDY
1	154667	2		1	49	41	29	33.7	239	7.09	DENSITY STUDY
1	154667	2		1	46	41	29	31.7	1044	32.93	DENSITY STUDY
1	154667	2		1	91	40	29	61	287	4.70	DENSITY STUDY
1	154667	2		1	91	40	29	61	287	4.70	DENSITY STUDY
1	154667	2		1	64	40	29	42.96	348	8.10	DENSITY STUDY
1	154667	2		1	41	25	29	17.2	368	21.40	DENSITY STUDY
1	154667	2		1	41	25	29	17.2	308	17.91	DENSITY STUDY
1	154667	2		1	41	25	29	17.2	115	6.69	DENSITY STUDY
1	154667	2		1	40.5	24.5	29	16.6	150	9.04	DENSITY STUDY
1	154667	2		1	41	24	29	16.5	336	20.36	DENSITY STUDY
1	154667	1		1	26	20	28.5	8.6	65	7.56	DENSITY STUDY
1	154667	1		1	26	20	28.5	8.6	65	7.56	DENSITY STUDY
1	154667	1		1	26	16	28.5	6.9	77	11.16	DENSITY STUDY
1	154667	2		1	48	41	28	31.9	337	10.56	DENSITY STUDY
1	154667	2		1	47	41	28	31.2	281	9.01	DENSITY STUDY
1	154667	2		1	43	40	28	27.9	152	5.45	DENSITY STUDY
1	154667	2		1	47	34	28	25.9	120	4.63	DENSITY STUDY
1	154667	2		1	41	25	28	16.6	97	5.84	DENSITY STUDY
1	154667	2		1	41	25	28	16.6	40	2.41	DENSITY STUDY
1	187030	7		1	46	43	27.5	31.4	212	6.75	DENSITY STUDY
1	154667	2		1	46	40	27.5	29.2	740	25.34	DENSITY STUDY
1	154667	2		1	44	34	27.5	23.8	315	13.24	DENSITY STUDY
1	154667	2		1	40.5	24	27.5	15.4	300	19.48	DENSITY STUDY
1	154667	1		1	49	49	27	37.52	1260	33.58	DENSITY STUDY
1	187030	7		1	50	44	27	34.4	75	2.18	DENSITY STUDY
1	154667	2		1	64	41	27	41	225	5.49	DENSITY STUDY
1	154667	2		1	35	35	27	19.1	520	27.23	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	41	26	27	16.7	140	8.38	DENSITY STUDY
1	154667	2		1	43	25	27	16.8	95	5.65	DENSITY STUDY
1	154667	2		1	42	25	27	16.4	271	16.52	DENSITY STUDY
1	154667	2		1	42	25	27	16.4	236	14.39	DENSITY STUDY
1	154667	2		1	40	25	27	15.6	246	15.77	DENSITY STUDY
1	154667	2		1	41	24	27	15.4	207	13.44	DENSITY STUDY
1	154667	2		1	74.5	39.5	26.5	45.13	215	4.76	DENSITY STUDY
1	154667	2		1	44	44	26	29.13	155	5.32	DENSITY STUDY
1	154667	2		1	48	43	26	31	342	11.03	DENSITY STUDY
1	154667	2		1	52	41	26	32	253	7.91	DENSITY STUDY
1	154667	2		1	66	40	26	39.7	171	4.31	DENSITY STUDY
1	154667	2		1	49	40	26	29.5	300	10.17	DENSITY STUDY
1	154667	1		1	32	31	26	14.9	475	31.88	DENSITY STUDY
1	154667	2		1	42	27	26	17.1	335	19.59	DENSITY STUDY
1	154667	2		1	41	25	26	15.4	306	19.87	DENSITY STUDY
1	154667	2		1	41	24	26	14.8	149	10.07	DENSITY STUDY
1	154667	2		1	41	24	26	14.8	113	7.64	DENSITY STUDY
1	154667	2		1	40	24	26	14.4	284	19.72	DENSITY STUDY
1	154667	2		1	48	41	25.5	29	176	6.07	DENSITY STUDY
1	187030	1		1	78	78	25	88	220	2.50	DENSITY STUDY
1	154667	1		1	112	49.5	25	80.21	224	2.79	DENSITY STUDY
1	154667	2		1	49	41	25	29	235	8.10	DENSITY STUDY
1	154667	2		1	52	40	25	30.1	225	7.48	DENSITY STUDY
1	154667	2		1	47.5	40	25	27.4	315	11.50	DENSITY STUDY
1	154667	2		1	41	38	25	22.5	58	2.58	DENSITY STUDY
1	154667	2		1	48	25	25	17.4	240	13.79	DENSITY STUDY
1	154667	2		1	43	25	25	15.6	230	14.74	DENSITY STUDY
1	154667	2		1	41	25	25	14.8	273	18.45	DENSITY STUDY
1	187030	7		1	45	24	25	15.6	333	21.35	DENSITY STUDY
1	154667	2		1	41	24	25	14.2	298	20.99	DENSITY STUDY
1	154667	2		1	41	24	25	14.2	289	20.35	DENSITY STUDY
1	154667	2		1	41	24	25	14.2	283	19.93	DENSITY STUDY
1	154667	2		1	39.5	25	24.5	14	227	16.21	DENSITY STUDY
1	154667	2		1	41	24	24.5	13.9	207	14.89	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	40	23.5	24.5	13.3	237	17.82	DENSITY STUDY
1	154667	2		1	40	16	24.5	9.1	98	10.77	DENSITY STUDY
1	187030	7		1	50	45	24	31.2	100	3.21	DENSITY STUDY
1	154667	2		1	53	41	24	30.2	94	3.11	DENSITY STUDY
1	154667	2		1	51	41	24	29	224	7.72	DENSITY STUDY
1	154667	2		1	47	41	24	26.8	494	18.43	DENSITY STUDY
1	154667	2		1	48	40.5	24	27	315	11.67	DENSITY STUDY
1	154667	1		1	60	40	24	33.33	200	6.00	DENSITY STUDY
1	154667	2		1	41	25	24	14.2	263	18.52	DENSITY STUDY
1	154667	2		1	41	25	24	14.2	255	17.96	DENSITY STUDY
1	154667	2		1	41	25	24	14.2	152	10.70	DENSITY STUDY
1	154667	2		1	40	25	24	13.8	180	13.04	DENSITY STUDY
1	154667	2		1	40.5	24.5	24	13.7	193	14.09	DENSITY STUDY
1	154667	2		1	42	24	24	14	241	17.21	DENSITY STUDY
1	154667	2		1	41	23	24	13	58	4.46	DENSITY STUDY
1	154667	2		1	41	39	23.5	21.75	95	4.37	DENSITY STUDY
1	154667	2		1	40.5	25	23.5	13.7	207	15.11	DENSITY STUDY
1	154667	2		1	40	25	23.5	13.5	158	11.70	DENSITY STUDY
1	187030			1	56	56	23	41.7	105	2.52	DENSITY STUDY
1	187520			1	45	43	23	25.8	210	8.14	DENSITY STUDY
1	154667	2		1	41	26	23	14.2	258	18.17	DENSITY STUDY
1	154667	2		1	42	25	23	14	231	16.50	DENSITY STUDY
1	154667	2		1	42	25	23	14	168	12.00	DENSITY STUDY
1	154667	2		1	41	25	23	13.6	349	25.66	DENSITY STUDY
1	154667	2		1	41	25	23	13.6	295	21.69	DENSITY STUDY
1	154667	2		1	41	25	23	13.6	289	21.25	DENSITY STUDY
1	154667	2		1	41	25	23	13.6	264	19.41	DENSITY STUDY
1	154667	2		1	41	25	23	13.6	210	15.44	DENSITY STUDY
1	154667	2		1	41	25	23	13.6	150	11.03	DENSITY STUDY
1	154667	2		1	61	24	23	19.5	230	11.79	DENSITY STUDY
1	154667	2		1	41	24	23	13.1	288	21.98	DENSITY STUDY
1	154667	2		1	41	24	23	13	253	19.46	DENSITY STUDY
1	154667	2		1	41	24	23	13.1	233	17.79	DENSITY STUDY
1	154667	2		1	41	24	23	13	218	16.77	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	41	24	23	13.1	161	12.29	DENSITY STUDY
1	187030	1		1	48	40	22.5	25	170	6.80	DENSITY STUDY
1	154667	2		1	43	43	22	23.5	102	4.34	DENSITY STUDY
1	154667	2		1	48	41	22	25	272	10.88	DENSITY STUDY
1	154667	2		1	48	41	22	25	272	10.88	DENSITY STUDY
1	154667	2		1	41	36	22	18.8	242	12.87	DENSITY STUDY
1	187030	7		1	28	28	22	10	150	15.00	DENSITY STUDY
1	154667	2		1	41	25	22	13	339	26.08	DENSITY STUDY
1	154667	2		1	41	25	22	13	290	22.31	DENSITY STUDY
1	154667	2		1	41	25	22	13	274	21.08	DENSITY STUDY
1	154667	2		1	41	25	22	13	274	21.08	DENSITY STUDY
1	154667	2		1	41	25	22	13	237	18.23	DENSITY STUDY
1	154667	2		1	40.5	25	22	12.8	176	13.75	DENSITY STUDY
1	154667	2		1	26	25	22	8.3	75	9.04	DENSITY STUDY
1	154667	2		1	42.5	42.5	21.5	22.4	124	5.54	DENSITY STUDY
1	154667	1		1	82	45	21	44.84	202	4.50	DENSITY STUDY
1	154667	2		1	45	43	21	23.5	384	16.34	DENSITY STUDY
1	154667	2		1	101	40	21	49.1	159	3.24	DENSITY STUDY
1	154667	2		1	47.5	39.5	21	22.8	315	13.82	DENSITY STUDY
1	187030	4		1	37	35	21	15.74	130	8.26	DENSITY STUDY
1	154667	2		1	47	26	21	14.8	250	16.89	DENSITY STUDY
1	154667	2		1	42	25	21	12.8	108	8.44	DENSITY STUDY
1	154667	2		1	40.5	25	21	12.3	191	15.53	DENSITY STUDY
1	187030	7		1	19	18	21	4.2	100	23.81	DENSITY STUDY
1	154667	1		1	82	45	20	42.71	185	4.33	DENSITY STUDY
1	154667	1		1	82	45	20	42.71	185	4.33	DENSITY STUDY
1	154667	1		1	156	40	20	72.22	420	5.82	DENSITY STUDY
1	154667	2		1	52	40	20	24	140	5.83	DENSITY STUDY
1	154667	2		1	40	39	20	18	150	8.33	DENSITY STUDY
1	154667	2		1	42	33	20	16	195	12.19	DENSITY STUDY
1	187030	1		1	41	29	20	13.8	120	8.70	DENSITY STUDY
1	154667	2		1	40	25	20	11.6	109	9.40	DENSITY STUDY
1	154667	2		1	40	24.5	20	11.3	175	15.49	DENSITY STUDY
1	154667	2		1	39.5	24.5	20	11.2	153	13.66	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	7		1	24	23	20	6.4	151	23.59	DENSITY STUDY
1	154667	2		1	51	42	19	23.5	315	13.40	DENSITY STUDY
1	154667	1		1	48	41	19	21.6	480	22.22	DENSITY STUDY
1	187030	1		1	40.5	40.5	19	18	85	4.72	DENSITY STUDY
1	187030	7		1	41	40	19	18	160	8.89	DENSITY STUDY
1	154667	2		1	33	32	19	11.6	140	12.07	DENSITY STUDY
1	154667	1		1	40	28	19	12.3	125	10.16	DENSITY STUDY
1	154667	2		1	41	25	19	11.3	186	16.46	DENSITY STUDY
1	154667	2		1	41	24	19	10.8	104	9.63	DENSITY STUDY
1	187030	7		1	35	21	19	8	175	21.88	DENSITY STUDY
1	154667	2		1	50	41	18	21.4	70	3.27	DENSITY STUDY
1	154667	1		1	38	31	18	12.3	150	12.20	DENSITY STUDY
1	154667	2		1	40	26	18	10.8	252	23.33	DENSITY STUDY
1	154667	2		1	41	25	18	10.7	88	8.22	DENSITY STUDY
1	154667	2		1	170	24	18	42.5	440	10.35	DENSITY STUDY
1	154667	2		1	40	24	18	10	161	16.10	DENSITY STUDY
1	187030			1	40	40	17.5	16.2	400	24.69	DENSITY STUDY
1	187030	7		1	47.5	39.5	17.5	19	310	16.32	DENSITY STUDY
1	154667	2		1	41	25	17.5	10.4	118	11.35	DENSITY STUDY
1	154667	1		1	104	44	17	45	374	8.31	DENSITY STUDY
1	154667	2		1	36	33	17	11.7	155	13.25	DENSITY STUDY
1	154667	2		1	41	26	17	10.5	101	9.62	DENSITY STUDY
1	154667	2		1	27	25	17	6.6	167	25.30	DENSITY STUDY
1	154667	2		1	41	24	17	9.7	183	18.87	DENSITY STUDY
1	154667	2		1	27	24	16.5	6.2	250	40.32	DENSITY STUDY
1	154667	2		1	40	24.5	16.25	9.2	106	11.52	DENSITY STUDY
1	154667	1		1	60	48	16	26.67	712	26.70	DENSITY STUDY
1	154667	2		1	34	33	16	10.4	100	9.62	DENSITY STUDY
1	154667	2		1	41	24	16	9.1	84	9.23	DENSITY STUDY
1	154667	2		1	35	22	16	7.1	160	22.54	DENSITY STUDY
1	154667	2		1	33	30	15.5	8.9	379	42.58	DENSITY STUDY
1	187030	7		1	55	25	15.5	12.3	285	23.17	DENSITY STUDY
1	154667	2		1	58.5	11.5	15.5	6	132	22.00	DENSITY STUDY
1	154667	2		1	49	42	15	17.9	495	27.65	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	48	41	15	17	57	3.35	DENSITY STUDY
1	154667	2		1	46.5	39.5	15	15.94	370	23.21	DENSITY STUDY
1	187030	7		1	37	37	15	11.9	125	10.50	DENSITY STUDY
1	154667	2		1	39	32	15	10.8	300	27.78	DENSITY STUDY
1	154667	2		1	39	30	15	10.2	135	13.24	DENSITY STUDY
1	187030	7		1	42	27	15	9.8	176	17.96	DENSITY STUDY
1	187030	7		1	42	27	15	9.8	176	17.96	DENSITY STUDY
1	154667	2		1	41	25	15	8.9	115	12.92	DENSITY STUDY
1	154667	2		1	41	24	15	8.5	137	16.12	DENSITY STUDY
1	154667	2		1	40	24	15	8.3	176	21.20	DENSITY STUDY
1	154667	2		1	40	24	15	8.3	139	16.75	DENSITY STUDY
1	154667	2		1	40	24	15	8.3	66	7.95	DENSITY STUDY
1	154667	2		1	40	24	15	8.3	66	7.95	DENSITY STUDY
1	154667	2		1	40	23	15	8	207	25.88	DENSITY STUDY
1	154667	2		1	20	13	15	2.3	36	15.65	DENSITY STUDY
1	187030	7		1	43.5	34	14.5	12.4	150	12.10	DENSITY STUDY
1	187030	7		1	127	40	14	41.16	1135	27.58	DENSITY STUDY
1	154667	2		1	41	25	14	8.3	138	16.63	DENSITY STUDY
1	154667	2		1	40	25	14	8.1	100	12.35	DENSITY STUDY
1	154667	2		1	38	23	13.5	6.83	64	9.37	DENSITY STUDY
1	154667	2		1	40	25	13	7.5	129	17.20	DENSITY STUDY
1	187030	7		1	56	47	10	15.2	305	20.07	DENSITY STUDY
1	154667	2		2	51.5	44	10	26.2	164	6.26	DENSITY STUDY
1	154667	1		1	47	41	9	10	75	7.50	DENSITY STUDY
1	154667	1		1	100	50	8.5	24.59	122	4.96	DENSITY STUDY
1	154667	2		1	65	20	8.5	6.4	120	18.75	DENSITY STUDY
1	154667	2		1	58.5	10	8.5	2.8	60	21.43	DENSITY STUDY
1	187030	7		1	98	16.5	8	7.4	150	20.27	DENSITY STUDY
1	154667	2		1	47	41	6	6.7	163	24.33	DENSITY STUDY
1	187030	7		1	48	41	5	5.7	150	26.32	DENSITY STUDY
1	154667	1		1	0	0	0	17.8	870	48.88	DENSITY STUDY
1	154667	2		6	0	0	0	43	1957	45.51	DENSITY STUDY
1	154667	2		1	0	0	0	9.26	420	45.36	DENSITY STUDY
1	154667	2		1	0	0	0	16.41	668	40.71	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	2.52	102	40.48	DENSITY STUDY
1	154667	2		2	0	0	0	46	1810	39.35	DENSITY STUDY
1	154667	2		1	0	0	0	7	268	38.29	DENSITY STUDY
1	154667	2		2	0	0	0	24	890	37.08	DENSITY STUDY
1	154667	2		2	0	0	0	23	852	37.04	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	855	33.58	DENSITY STUDY
1	154667	2		1	0	0	0	9.11	296	32.49	DENSITY STUDY
1	154667	2		1	0	0	0	9.11	296	32.49	DENSITY STUDY
1	154667	2		1	0	0	0	48.6	1560	32.10	DENSITY STUDY
1	154667	2		4	0	0	0	78.01	2494	31.97	DENSITY STUDY
1	154667	2		1	0	0	0	48.89	1558	31.87	DENSITY STUDY
1	154667	2		1	0	0	0	27.56	861	31.24	DENSITY STUDY
1	154667	2		1	0	0	0	27.56	861	31.24	DENSITY STUDY
1	154667	2		4	0	0	0	47	1463	31.13	DENSITY STUDY
1	154667	2		1	0	0	0	58.2	1800	30.93	DENSITY STUDY
1	154667	2		1	0	0	0	6.67	206	30.88	DENSITY STUDY
1	154667	2		1	0	0	0	14.44	444	30.75	DENSITY STUDY
1	154667	2		1	0	0	0	16.99	520	30.61	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	562	30.35	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	546	29.48	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	1338	29.37	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	537	29.00	DENSITY STUDY
1	154667	2		1	0	0	0	17.5	501	28.63	DENSITY STUDY
1	154667	2		1	0	0	0	9.19	260	28.29	DENSITY STUDY
1	154667	2		1	0	0	0	6.37	180	28.26	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	370	27.80	DENSITY STUDY
1	154667	2		3	0	0	0	53.01	1472	27.77	DENSITY STUDY
1	154667	2		1	0	0	0	21.41	585	27.32	DENSITY STUDY
1	154667	2		1	0	0	0	23.1	625	27.06	DENSITY STUDY
1	154667	2		3	0	0	0	67	1811	27.03	DENSITY STUDY
1	154667	2		1	0	0	0	23.43	628	26.80	DENSITY STUDY
1	154667	2		1	0	0	0	33.33	888	26.64	DENSITY STUDY
1	187520			1	0	0	0	7.5	198	26.40	DENSITY STUDY
1	154667	2		1	0	0	0	33.33	877	26.31	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	20.25	525	25.93	DENSITY STUDY
1	154667	2		2	0	0	0	31	797	25.71	DENSITY STUDY
1	154667	2		1	0	0	0	17.94	458	25.53	DENSITY STUDY
1	154667	2		1	0	0	0	13.59	344	25.31	DENSITY STUDY
1	154667	2		1	0	0	0	27.2	687	25.26	DENSITY STUDY
1	154667	2		6	0	0	0	52.01	1307	25.13	DENSITY STUDY
1	154667	2		1	0	0	0	17.41	430	24.70	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	343	24.69	DENSITY STUDY
1	154667	2		1	0	0	0	36.01	889	24.69	DENSITY STUDY
1	154667	2		1	0	0	0	12.8	315	24.61	DENSITY STUDY
1	154667	2		1	0	0	0	8.31	202	24.31	DENSITY STUDY
1	154667	2		1	0	0	0	17.9	435	24.30	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	450	24.30	DENSITY STUDY
1	154667	2		1	0	0	0	11.18	270	24.15	DENSITY STUDY
1	154667	2		3	0	0	0	70.1	1690	24.11	DENSITY STUDY
1	187520			1	0	0	0	20.17	486	24.10	DENSITY STUDY
1	187520			1	0	0	0	15.97	380	23.79	DENSITY STUDY
1	154667	2		1	0	0	0	13	307	23.62	DENSITY STUDY
1	154667	2		1	0	0	0	22.5	531	23.60	DENSITY STUDY
1	154667	2		1	0	0	0	13.9	328	23.60	DENSITY STUDY
1	154667	2		1	0	0	0	8.33	195	23.41	DENSITY STUDY
1	154667	2		1	0	0	0	20.83	487	23.38	DENSITY STUDY
1	154667	2		1	0	0	0	18.2	421	23.13	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	305	22.92	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	315	22.68	DENSITY STUDY
1	154667	2		1	0	0	0	17.9	405	22.63	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	301	22.61	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	314	22.61	DENSITY STUDY
1	154667	2		1	0	0	0	37.78	849	22.47	DENSITY STUDY
1	154667	2		1	0	0	0	13.97	313	22.41	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	310	22.32	DENSITY STUDY
1	154667	2		1	0	0	0	9.84	219	22.26	DENSITY STUDY
1	154667	2		1	0	0	0	31.33	697	22.25	DENSITY STUDY
1	154667	2		1	0	0	0	19	420	22.11	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	13.89	306	22.03	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	305	21.96	DENSITY STUDY
1	154667	2		1	0	0	0	13.3	292	21.95	DENSITY STUDY
1	154667	2		1	0	0	0	13	285	21.92	DENSITY STUDY
1	154667	2		1	0	0	0	13.06	286	21.90	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	405	21.87	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	405	21.87	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	403	21.76	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	302	21.74	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	289	21.71	DENSITY STUDY
1	154667	2		4	0	0	0	175	3794	21.68	DENSITY STUDY
1	154667	2		1	0	0	0	30.92	670	21.67	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	188	21.66	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	288	21.64	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	984	21.60	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	187	21.54	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	299	21.53	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	286	21.49	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	286	21.49	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	472	21.46	DENSITY STUDY
1	154667	2		1	0	0	0	17.94	384	21.40	DENSITY STUDY
1	154667	2		1	0	0	0	38.79	830	21.40	DENSITY STUDY
1	154667	2		1	0	0	0	9.26	198	21.38	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	284	21.34	DENSITY STUDY
1	154667	2		1	0	0	0	58.89	1255	21.31	DENSITY STUDY
1	154667	2		1	0	0	0	24.69	526	21.30	DENSITY STUDY
1	154667	2		1	0	0	0	3.68	78	21.20	DENSITY STUDY
1	154667	2		1	0	0	0	16.2	343	21.17	DENSITY STUDY
1	154667	2		1	0	0	0	8.6	182	21.16	DENSITY STUDY
1	154667	2		1	0	0	0	19.05	402	21.10	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	389	21.00	DENSITY STUDY
1	154667	1		1	0	0	0	29	609	21.00	DENSITY STUDY
1	154667	2		1	0	0	0	13	273	21.00	DENSITY STUDY
1	154667	2		1	0	0	0	13	273	21.00	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	10.5	220	20.95	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	291	20.95	DENSITY STUDY
1	154667	2		1	0	0	0	11.57	241	20.83	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	180	20.74	DENSITY STUDY
1	154667	2		1	0	0	0	11	228	20.73	DENSITY STUDY
1	154667	2		1	0	0	0	27.61	572	20.72	DENSITY STUDY
1	154667	2		1	0	0	0	10.5	217	20.67	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	287	20.66	DENSITY STUDY
1	154667	1		1	0	0	0	13.35	275	20.60	DENSITY STUDY
1	154667	2		1	0	0	0	34	700	20.59	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	273	20.51	DENSITY STUDY
1	154667	2		1	0	0	0	32.29	660	20.44	DENSITY STUDY
1	154667	2		1	0	0	0	32.29	660	20.44	DENSITY STUDY
1	154667	2		1	0	0	0	12.99	265	20.40	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	295	20.39	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	377	20.36	DENSITY STUDY
1	154667	2		1	0	0	0	16.9	343	20.30	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	281	20.23	DENSITY STUDY
1	154667	2		1	0	0	0	43.96	888	20.20	DENSITY STUDY
1	154667	2		2	0	0	0	107.98	2178	20.17	DENSITY STUDY
1	154667	2		1	0	0	0	13	262	20.15	DENSITY STUDY
1	154667	2		6	0	0	0	172.62	3468	20.09	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	371	20.03	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	370	19.98	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	277	19.94	DENSITY STUDY
1	154667	2		1	0	0	0	14	277	19.79	DENSITY STUDY
1	154667	2		1	0	0	0	23.15	458	19.78	DENSITY STUDY
1	154667	2		1	0	0	0	23.15	458	19.78	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	274	19.73	DENSITY STUDY
1	154667	2		1	0	0	0	12.99	256	19.71	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	364	19.65	DENSITY STUDY
1	154667	2		1	0	0	0	31.94	626	19.60	DENSITY STUDY
1	154667	2		1	0	0	0	32.22	631	19.58	DENSITY STUDY
1	154667	2		1	0	0	0	10.42	204	19.58	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	15.12	296	19.58	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	259	19.46	DENSITY STUDY
1	154667	2		1	0	0	0	12.01	233	19.40	DENSITY STUDY
1	154667	2		1	0	0	0	12.32	239	19.40	DENSITY STUDY
1	154667	2		1	0	0	0	67.78	1313	19.37	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	280	19.35	DENSITY STUDY
1	154667	2		1	0	0	0	19	367	19.32	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	268	19.29	DENSITY STUDY
1	154667	2		1	0	0	0	5.56	107	19.24	DENSITY STUDY
1	154667	2		1	0	0	0	37.01	712	19.24	DENSITY STUDY
1	154667	2		1	0	0	0	17.94	345	19.23	DENSITY STUDY
1	154667	2		1	0	0	0	13	250	19.23	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	267	19.22	DENSITY STUDY
1	154667	2		1	0	0	0	18.39	353	19.20	DENSITY STUDY
1	187520			1	0	0	0	17.82	342	19.19	DENSITY STUDY
1	154667	2		1	0	0	0	9.26	177	19.11	DENSITY STUDY
1	154667	2		1	0	0	0	13.98	267	19.10	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	265	19.08	DENSITY STUDY
1	154667	2		3	0	0	0	80	1520	19.00	DENSITY STUDY
1	154667	2		1	0	0	0	13	246	18.92	DENSITY STUDY
1	154667	2		1	0	0	0	50.32	951	18.90	DENSITY STUDY
1	154667	2		1	0	0	0	14	264	18.86	DENSITY STUDY
1	187030	7		1	0	0	0	15.96	300	18.80	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	163	18.78	DENSITY STUDY
1	154667	2		1	0	0	0	15.68	294	18.75	DENSITY STUDY
1	154667	2		1	0	0	0	12.99	243	18.71	DENSITY STUDY
1	154667	2		1	0	0	0	16.2	303	18.70	DENSITY STUDY
1	154667	2		1	0	0	0	21.41	400	18.68	DENSITY STUDY
1	154667	2		1	0	0	0	9.26	173	18.68	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	248	18.63	DENSITY STUDY
1	154667	2		1	0	0	0	13.01	242	18.60	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	344	18.57	DENSITY STUDY
1	154667	2		1	0	0	0	9.26	172	18.57	DENSITY STUDY
1	154667	2		1	0	0	0	62.1	1152	18.55	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	8.68	161	18.55	DENSITY STUDY
1	154667	2		1	0	0	0	13	241	18.54	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	842	18.48	DENSITY STUDY
1	154667	2		1	0	0	0	58.8	1082	18.40	DENSITY STUDY
1	154667	2		1	0	0	0	41.11	756	18.39	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	266	18.38	DENSITY STUDY
1	154667	2		1	0	0	0	17.9	329	18.38	DENSITY STUDY
1	154667	2		1	0	0	0	13.02	237	18.20	DENSITY STUDY
1	154667	2		1	0	0	0	13.02	237	18.20	DENSITY STUDY
1	154667	2		1	0	0	0	16	290	18.13	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	241	18.11	DENSITY STUDY
1	154667	2		1	0	0	0	42.54	770	18.10	DENSITY STUDY
1	154667	2		1	0	0	0	23.73	428	18.04	DENSITY STUDY
1	154667	2		1	0	0	0	10.42	187	17.95	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	238	17.88	DENSITY STUDY
1	154667	2		1	0	0	0	26.4	472	17.88	DENSITY STUDY
1	154667	2		1	0	0	0	7.22	129	17.87	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	248	17.85	DENSITY STUDY
1	154667	2		1	0	0	0	17.4	310	17.82	DENSITY STUDY
1	154667	2		1	0	0	0	15.05	268	17.81	DENSITY STUDY
1	154667	2		1	0	0	0	43.48	774	17.80	DENSITY STUDY
1	154667	2		1	0	0	0	22.51	400	17.77	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	257	17.76	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	257	17.76	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	236	17.73	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	326	17.60	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	326	17.60	DENSITY STUDY
1	154667	2		1	0	0	0	20.81	366	17.59	DENSITY STUDY
1	154667	2		1	0	0	0	20.81	366	17.59	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	325	17.55	DENSITY STUDY
1	154667	2		1	0	0	0	15.05	264	17.54	DENSITY STUDY
1	154667	2		1	0	0	0	15.63	274	17.53	DENSITY STUDY
1	154667	2		1	0	0	0	41.11	720	17.51	DENSITY STUDY
1	154667	2		1	0	0	0	15.03	263	17.50	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	33.76	584	17.30	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	150	17.28	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	380	17.28	DENSITY STUDY
1	154667	2		1	0	0	0	11	190	17.27	DENSITY STUDY
1	154667	2		1	0	0	0	50	863	17.26	DENSITY STUDY
1	154667	2		1	0	0	0	18.5	319	17.24	DENSITY STUDY
1	154667	2		1	0	0	0	19	327	17.21	DENSITY STUDY
1	154667	2		1	0	0	0	15.05	259	17.21	DENSITY STUDY
1	154667	2		1	0	0	0	8.33	143	17.17	DENSITY STUDY
1	154667	2		1	0	0	0	8.33	143	17.17	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	228	17.13	DENSITY STUDY
1	154667	2		1	0	0	0	21.41	366	17.09	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	246	17.00	DENSITY STUDY
1	154667	2		1	0	0	0	15.63	264	16.89	DENSITY STUDY
1	154667	2		1	0	0	0	18.21	306	16.80	DENSITY STUDY
1	154667	2		1	0	0	0	50	836	16.72	DENSITY STUDY
1	187520			1	0	0	0	54	900	16.67	DENSITY STUDY
1	154667	2		1	0	0	0	30.33	505	16.65	DENSITY STUDY
1	154667	2		3	0	0	0	139.47	2318	16.62	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	757	16.62	DENSITY STUDY
1	154667	2		1	0	0	0	13	216	16.62	DENSITY STUDY
1	154667	2		1	0	0	0	9.9	164	16.57	DENSITY STUDY
1	154667	2		1	0	0	0	8.89	147	16.54	DENSITY STUDY
1	154667	2		1	0	0	0	28.21	466	16.52	DENSITY STUDY
1	154667	2		1	0	0	0	6.91	114	16.50	DENSITY STUDY
1	154667	2		1	0	0	0	13.7	226	16.50	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	228	16.41	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	142	16.36	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	302	16.31	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	300	16.20	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	234	16.17	DENSITY STUDY
1	154667	2		1	0	0	0	15	242	16.13	DENSITY STUDY
1	187030	7		1	0	0	0	31	500	16.13	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	224	16.13	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	16.83	271	16.10	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	223	16.05	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	222	15.98	DENSITY STUDY
1	154667	2		1	0	0	0	47.25	753	15.94	DENSITY STUDY
1	154667	2		1	0	0	0	16.78	267	15.91	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	221	15.91	DENSITY STUDY
1	154667	2		1	0	0	0	18	283	15.72	DENSITY STUDY
1	154667	2		1	0	0	0	14	220	15.71	DENSITY STUDY
1	154667	2		1	0	0	0	15	235	15.67	DENSITY STUDY
1	154667	2		1	0	0	0	15	235	15.67	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	290	15.66	DENSITY STUDY
1	154667	2		1	0	0	0	12.78	200	15.65	DENSITY STUDY
1	154667	2		1	0	0	0	12.78	200	15.65	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	289	15.60	DENSITY STUDY
1	154667	2		1	0	0	0	10.51	164	15.60	DENSITY STUDY
1	154667	2		1	0	0	0	19.04	297	15.60	DENSITY STUDY
1	154667	2		1	0	0	0	16.03	250	15.60	DENSITY STUDY
1	154667	2		1	0	0	0	34.14	531	15.55	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	342	15.55	DENSITY STUDY
1	154667	2		1	0	0	0	11	171	15.55	DENSITY STUDY
1	154667	2		1	0	0	0	13.78	214	15.53	DENSITY STUDY
1	154667	2		1	0	0	0	13.78	214	15.53	DENSITY STUDY
1	187520			1	0	0	0	29.8	461	15.47	DENSITY STUDY
1	154667	2		1	0	0	0	23.99	370	15.42	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	205	15.40	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	205	15.40	DENSITY STUDY
1	154667	2		1	0	0	0	4.88	75	15.37	DENSITY STUDY
1	154667	2		1	0	0	0	8.33	128	15.37	DENSITY STUDY
1	154667	2		3	0	0	0	160.04	2455	15.34	DENSITY STUDY
1	154667	2		1	0	0	0	14.97	229	15.30	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	203	15.25	DENSITY STUDY
1	154667	2		1	0	0	0	12.73	194	15.24	DENSITY STUDY
1	187520			1	0	0	0	25.56	388	15.18	DENSITY STUDY
1	187030	1		1	0	0	0	7.27	110	15.13	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	16.95	256	15.10	DENSITY STUDY
1	154667	2		1	0	0	0	15.03	227	15.10	DENSITY STUDY
1	154667	2		1	0	0	0	20.86	315	15.10	DENSITY STUDY
1	154667	2		1	0	0	0	15.43	233	15.10	DENSITY STUDY
1	187030	7		1	0	0	0	17	255	15.00	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	381	14.96	DENSITY STUDY
1	154667	2		1	0	0	0	28.42	425	14.95	DENSITY STUDY
1	154667	2		1	0	0	0	15.63	233	14.91	DENSITY STUDY
1	154667	2		1	0	0	0	24.97	372	14.90	DENSITY STUDY
1	154667	2		1	0	0	0	60.73	902	14.85	DENSITY STUDY
1	154667	2		1	0	0	0	15.63	232	14.84	DENSITY STUDY
1	154667	2		1	0	0	0	17.22	255	14.81	DENSITY STUDY
1	154667	2		1	0	0	0	27.91	413	14.80	DENSITY STUDY
1	154667	2		1	0	0	0	27.89	412	14.77	DENSITY STUDY
1	154667	2		1	0	0	0	37.25	550	14.77	DENSITY STUDY
1	154667	2		1	0	0	0	15.05	222	14.75	DENSITY STUDY
1	154667	2		2	0	0	0	82.02	1209	14.74	DENSITY STUDY
1	154667	2		1	0	0	0	17.1	252	14.74	DENSITY STUDY
1	154667	2		1	0	0	0	30.95	455	14.70	DENSITY STUDY
1	154667	2		1	0	0	0	16.2	238	14.69	DENSITY STUDY
1	154667	2		1	0	0	0	10.42	153	14.68	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	271	14.63	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	127	14.63	DENSITY STUDY
1	154667	2		1	0	0	0	30.68	448	14.60	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	270	14.58	DENSITY STUDY
1	154667	2		1	0	0	0	39	565	14.49	DENSITY STUDY
1	154667	2		1	0	0	0	39	565	14.49	DENSITY STUDY
1	154667	2		1	0	0	0	39	565	14.49	DENSITY STUDY
1	154667	2		1	0	0	0	35.56	515	14.48	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	268	14.47	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	209	14.44	DENSITY STUDY
1	154667	2		1	0	0	0	12.22	176	14.40	DENSITY STUDY
1	154667	2		1	0	0	0	16.2	233	14.38	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	315	14.32	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	19.65	281	14.30	DENSITY STUDY
1	154667	2		1	0	0	0	20.98	300	14.30	DENSITY STUDY
1	154667	2		1	0	0	0	15.63	222	14.20	DENSITY STUDY
1	154667	2		1	0	0	0	58.89	835	14.18	DENSITY STUDY
1	154667	2		1	0	0	0	17.91	253	14.13	DENSITY STUDY
1	154667	2		1	0	0	0	53.33	753	14.12	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	204	14.10	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	261	14.09	DENSITY STUDY
1	154667	2		5	0	0	0	199.93	2817	14.09	DENSITY STUDY
1	154667	2		1	0	0	0	15.05	212	14.09	DENSITY STUDY
1	187030	7		1	0	0	0	14.81	208	14.04	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	260	14.04	DENSITY STUDY
1	154667	2		1	0	0	0	21.4	300	14.02	DENSITY STUDY
1	154667	2		3	0	0	0	69.1	966	13.98	DENSITY STUDY
1	154667	2		1	0	0	0	13.61	190	13.96	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	202	13.96	DENSITY STUDY
1	154667	2		1	0	0	0	40	558	13.95	DENSITY STUDY
1	154667	2		1	0	0	0	40	558	13.95	DENSITY STUDY
1	154667	2		1	0	0	0	11.57	161	13.92	DENSITY STUDY
1	154667	2		1	0	0	0	36	500	13.89	DENSITY STUDY
1	154667	2		1	0	0	0	14.44	200	13.85	DENSITY STUDY
1	154667	2		1	0	0	0	14.7	203	13.81	DENSITY STUDY
1	154667	2		1	0	0	0	17.99	248	13.79	DENSITY STUDY
1	154667	2		1	0	0	0	17.01	234	13.76	DENSITY STUDY
1	154667	2		1	0	0	0	14.47	199	13.75	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	254	13.71	DENSITY STUDY
1	154667	2		1	0	0	0	15.56	213	13.69	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	300	13.64	DENSITY STUDY
1	154667	2		1	0	0	0	25.5	347	13.61	DENSITY STUDY
1	154667	2		1	0	0	0	18.96	256	13.50	DENSITY STUDY
1	154667	2		1	0	0	0	26.3	355	13.50	DENSITY STUDY
1	154667	1		1	0	0	0	11.12	150	13.49	DENSITY STUDY
1	154667	2		1	0	0	0	17.94	241	13.43	DENSITY STUDY
1	187030	7		1	0	0	0	41.04	550	13.40	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	13	174	13.38	DENSITY STUDY
1	154667	2		1	0	0	0	18.95	252	13.30	DENSITY STUDY
1	154667	2		1	0	0	0	17.78	236	13.27	DENSITY STUDY
1	154667	2		1	0	0	0	54.44	722	13.26	DENSITY STUDY
1	187520			1	0	0	0	17.35	230	13.26	DENSITY STUDY
1	154667	2		1	0	0	0	17.01	225	13.23	DENSITY STUDY
1	154667	2		1	0	0	0	8.33	110	13.21	DENSITY STUDY
1	154667	2		1	0	0	0	8.71	115	13.20	DENSITY STUDY
1	154667	2		1	0	0	0	17	224	13.18	DENSITY STUDY
1	154667	2		1	0	0	0	36.67	483	13.17	DENSITY STUDY
1	154667	2		1	0	0	0	17.39	227	13.05	DENSITY STUDY
1	154667	2		1	0	0	0	15.63	204	13.05	DENSITY STUDY
1	154667	2		2	0	0	0	99	1289	13.02	DENSITY STUDY
1	154667	2		1	0	0	0	8.7	113	12.99	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	240	12.96	DENSITY STUDY
1	154667	2		1	0	0	0	36.67	474	12.93	DENSITY STUDY
1	154667	2		1	0	0	0	23.01	297	12.91	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	239	12.90	DENSITY STUDY
1	154667	2		1	0	0	0	17.98	232	12.90	DENSITY STUDY
1	154667	2		1	0	0	0	60.79	783	12.88	DENSITY STUDY
1	154667	2		7	0	0	0	73.38	940	12.81	DENSITY STUDY
1	154667	2		1	0	0	0	15	192	12.80	DENSITY STUDY
1	154667	2		1	0	0	0	20.25	259	12.79	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	111	12.79	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	170	12.77	DENSITY STUDY
1	154667	2		1	0	0	0	36.9	471	12.76	DENSITY STUDY
1	154667	2		1	0	0	0	31.4	400	12.74	DENSITY STUDY
1	154667	2		1	0	0	0	35.75	455	12.73	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	572	12.55	DENSITY STUDY
1	154667	2		1	0	0	0	15.56	195	12.53	DENSITY STUDY
1	154667	2		1	0	0	0	12	150	12.50	DENSITY STUDY
1	154667	2		1	0	0	0	15.63	194	12.41	DENSITY STUDY
1	154667	2		1	0	0	0	7.82	97	12.40	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	165	12.40	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	34.5	426	12.35	DENSITY STUDY
1	154667	2		1	0	0	0	9.26	114	12.31	DENSITY STUDY
1	154667	2		1	0	0	0	18.74	230	12.27	DENSITY STUDY
1	154667	2		1	0	0	0	11	135	12.27	DENSITY STUDY
1	154667	2		1	0	0	0	16.2	198	12.22	DENSITY STUDY
1	154667	2		1	0	0	0	11.48	140	12.20	DENSITY STUDY
1	154667	2		1	0	0	0	20.83	254	12.19	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	310	12.18	DENSITY STUDY
1	154667	2		1	0	0	0	11.18	135	12.08	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	223	12.04	DENSITY STUDY
1	154667	2		2	0	0	0	25	300	12.00	DENSITY STUDY
1	154667	2		1	0	0	0	8.48	101	11.91	DENSITY STUDY
1	154667	2		4	0	0	0	149.66	1760	11.76	DENSITY STUDY
1	154667	2		1	0	0	0	15.05	175	11.63	DENSITY STUDY
1	154667	2		1	0	0	0	24.05	279	11.60	DENSITY STUDY
1	154667	2		1	0	0	0	43.3	500	11.55	DENSITY STUDY
1	154667	2		1	0	0	0	17	195	11.47	DENSITY STUDY
1	154667	2		1	0	0	0	24.44	280	11.46	DENSITY STUDY
1	154667	2		1	0	0	0	15	170	11.33	DENSITY STUDY
1	154667	2		1	0	0	0	30.09	341	11.33	DENSITY STUDY
1	154667	2		1	0	0	0	63.25	715	11.30	DENSITY STUDY
1	154667	2		1	0	0	0	21.42	242	11.30	DENSITY STUDY
1	154667	2		1	0	0	0	19.01	214	11.26	DENSITY STUDY
1	154667	2		1	0	0	0	32.22	362	11.24	DENSITY STUDY
1	154667	2		1	0	0	0	19.68	221	11.23	DENSITY STUDY
1	154667	2		1	0	0	0	32.89	369	11.22	DENSITY STUDY
1	154667	2		1	0	0	0	26.25	294	11.20	DENSITY STUDY
1	154667	2		1	0	0	0	46.98	526	11.20	DENSITY STUDY
1	154667	2		1	0	0	0	15.63	174	11.13	DENSITY STUDY
1	154667	2		1	0	0	0	4.5	50	11.11	DENSITY STUDY
1	154667	2		2	0	0	0	55.91	620	11.09	DENSITY STUDY
1	154667	2		1	0	0	0	54.67	606	11.08	DENSITY STUDY
1	154667	2		1	0	0	0	16	176	11.00	DENSITY STUDY
1	187030	1		3	0	0	0	133.55	1465	10.97	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	16.67	182	10.92	DENSITY STUDY
1	154667	2		1	0	0	0	9.82	107	10.90	DENSITY STUDY
1	154667	2		5	0	0	0	167.03	1814	10.86	DENSITY STUDY
1	154667	2		1	0	0	0	41.68	447	10.72	DENSITY STUDY
1	154667	2		1	0	0	0	41.68	447	10.72	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	93	10.71	DENSITY STUDY
1	154667	2		1	0	0	0	23.73	254	10.70	DENSITY STUDY
1	154667	2		1	0	0	0	22.71	243	10.70	DENSITY STUDY
1	154667	2		1	0	0	0	15.05	160	10.63	DENSITY STUDY
1	154667	2		1	0	0	0	12.73	135	10.60	DENSITY STUDY
1	154667	2		1	0	0	0	42	445	10.60	DENSITY STUDY
1	154667	2		1	0	0	0	14.05	148	10.53	DENSITY STUDY
1	154667	2		1	0	0	0	8.89	93	10.46	DENSITY STUDY
1	154667	2		1	0	0	0	29.04	302	10.40	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	192	10.37	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	191	10.31	DENSITY STUDY
1	154667	2		2	0	0	0	139.03	1432	10.30	DENSITY STUDY
1	154667	2		1	0	0	0	12.14	125	10.30	DENSITY STUDY
1	154667	2		1	0	0	0	10.6	109	10.28	DENSITY STUDY
1	154667	2		1	0	0	0	26.04	267	10.25	DENSITY STUDY
1	154667	1		4	0	0	0	45.01	460	10.22	DENSITY STUDY
1	154667	2		1	0	0	0	6.29	64	10.17	DENSITY STUDY
1	154667	2		1	0	0	0	13	132	10.15	DENSITY STUDY
1	154667	2		1	0	0	0	35.3	358	10.14	DENSITY STUDY
1	154667	2		1	0	0	0	57.39	582	10.14	DENSITY STUDY
1	154667	2		1	0	0	0	34.14	346	10.13	DENSITY STUDY
1	154667	2		4	0	0	0	128.03	1288	10.06	DENSITY STUDY
1	154667	2		4	0	0	0	128.03	1288	10.06	DENSITY STUDY
1	154667	2		1	0	0	0	19	191	10.05	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	221	10.05	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	221	10.05	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	255	10.02	DENSITY STUDY
1	154667	2		1	0	0	0	20	200	10.00	DENSITY STUDY
1	154667	2		1	0	0	0	21.53	215	9.99	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	11.11	110	9.90	DENSITY STUDY
1	154667	2		1	0	0	0	24.04	238	9.90	DENSITY STUDY
1	154667	2		1	0	0	0	49	485	9.90	DENSITY STUDY
1	154667	2		1	0	0	0	21.33	210	9.85	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	131	9.84	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	182	9.83	DENSITY STUDY
1	154667	2		1	0	0	0	20.25	197	9.73	DENSITY STUDY
1	154667	2		1	0	0	0	30.84	300	9.73	DENSITY STUDY
1	154667	2		1	0	0	0	28.99	280	9.66	DENSITY STUDY
1	154667	2		1	0	0	0	16.2	156	9.63	DENSITY STUDY
1	154667	2		2	0	0	0	59.02	566	9.59	DENSITY STUDY
1	154667	2		1	0	0	0	32.84	312	9.50	DENSITY STUDY
1	154667	2		1	0	0	0	23.73	225	9.48	DENSITY STUDY
1	154667	2		2	0	0	0	51.01	481	9.43	DENSITY STUDY
1	154667	2		1	0	0	0	56.42	532	9.43	DENSITY STUDY
1	154667	2		1	0	0	0	10.42	98	9.40	DENSITY STUDY
1	154667	2		1	0	0	0	42.55	400	9.40	DENSITY STUDY
1	154667	2		1	0	0	0	20	188	9.40	DENSITY STUDY
1	154667	2		1	0	0	0	28.21	264	9.36	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	173	9.34	DENSITY STUDY
1	154667	2		1	0	0	0	14.52	135	9.30	DENSITY STUDY
1	154667	2		1	0	0	0	37.78	348	9.21	DENSITY STUDY
1	154667	2		1	0	0	0	31.55	290	9.19	DENSITY STUDY
1	154667	2		1	0	0	0	34.44	316	9.18	DENSITY STUDY
1	154667	2		1	0	0	0	34.44	316	9.18	DENSITY STUDY
1	154667	2		1	0	0	0	41	376	9.17	DENSITY STUDY
1	187030	1		1	0	0	0	10.93	100	9.15	DENSITY STUDY
1	154667	2		1	0	0	0	23.73	217	9.14	DENSITY STUDY
1	154667	2		2	0	0	0	71.01	649	9.14	DENSITY STUDY
1	154667	2		1	0	0	0	26.51	242	9.13	DENSITY STUDY
1	154667	2		1	0	0	0	57.78	526	9.10	DENSITY STUDY
1	154667	2		1	0	0	0	25.38	231	9.10	DENSITY STUDY
1	154667	2		1	0	0	0	22	200	9.09	DENSITY STUDY
1	154667	2		1	0	0	0	11	100	9.09	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	22.57	204	9.04	DENSITY STUDY
1	154667	2		1	0	0	0	11	99	9.00	DENSITY STUDY
1	154667	2		1	0	0	0	12.73	114	8.96	DENSITY STUDY
1	187030	1		1	0	0	0	12.62	113	8.95	DENSITY STUDY
1	154667	2		1	0	0	0	20.25	181	8.94	DENSITY STUDY
1	154667	2		1	0	0	0	27.2	243	8.93	DENSITY STUDY
1	154667	2		1	0	0	0	26.99	241	8.93	DENSITY STUDY
1	154667	2		1	0	0	0	28.09	250	8.90	DENSITY STUDY
1	154667	2		1	0	0	0	30.9	275	8.90	DENSITY STUDY
1	154667	2		4	0	0	0	98.99	880	8.89	DENSITY STUDY
1	154667	2		4	0	0	0	98.99	880	8.89	DENSITY STUDY
1	154667	2		1	0	0	0	57.78	513	8.88	DENSITY STUDY
1	154667	2		1	0	0	0	57.78	513	8.88	DENSITY STUDY
1	154667	2		1	0	0	0	9.8	87	8.88	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	226	8.88	DENSITY STUDY
1	154667	2		1	0	0	0	16	141	8.81	DENSITY STUDY
1	154667	2		1	0	0	0	42.22	371	8.79	DENSITY STUDY
1	154667	2		1	0	0	0	28	245	8.75	DENSITY STUDY
1	187030	7		1	0	0	0	20	175	8.75	DENSITY STUDY
1	154667	2		1	0	0	0	38.89	340	8.74	DENSITY STUDY
1	154667	2		1	0	0	0	10.42	91	8.73	DENSITY STUDY
1	154667	2		1	0	0	0	21.31	186	8.73	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	222	8.72	DENSITY STUDY
1	154667	2		1	0	0	0	12.75	111	8.71	DENSITY STUDY
1	154667	2		1	0	0	0	12.75	111	8.71	DENSITY STUDY
1	154667	2		1	0	0	0	33.33	290	8.70	DENSITY STUDY
1	154667	2		1	0	0	0	33.33	290	8.70	DENSITY STUDY
1	154667	2		1	0	0	0	51.72	450	8.70	DENSITY STUDY
1	187030	1		1	0	0	0	6.9	60	8.70	DENSITY STUDY
1	154667	2		1	0	0	0	28.89	250	8.65	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	120	8.64	DENSITY STUDY
1	154667	2		1	0	0	0	30.99	265	8.55	DENSITY STUDY
1	154667	2		1	0	0	0	32.64	279	8.55	DENSITY STUDY
1	154667	2		1	0	0	0	13.04	111	8.51	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	51.18	435	8.50	DENSITY STUDY
1	154667	2		1	0	0	0	21.65	184	8.50	DENSITY STUDY
1	187030	6		1	0	0	0	22.22	188	8.46	DENSITY STUDY
1	154667	2		1	0	0	0	17.75	150	8.45	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	215	8.44	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	156	8.42	DENSITY STUDY
1	154667	2		1	0	0	0	35.88	302	8.42	DENSITY STUDY
1	154667	2		1	0	0	0	28.21	237	8.40	DENSITY STUDY
1	154667	2		1	0	0	0	119.05	1000	8.40	DENSITY STUDY
1	154667	1		1	0	0	0	13.1	110	8.40	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	213	8.37	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	116	8.35	DENSITY STUDY
1	154667	2		1	0	0	0	127.78	1066	8.34	DENSITY STUDY
1	154667	2		1	0	0	0	127.78	1066	8.34	DENSITY STUDY
1	154667	2		2	0	0	0	26.93	224	8.32	DENSITY STUDY
1	187030	7		1	0	0	0	69.88	580	8.30	DENSITY STUDY
1	154667	1		3	0	0	0	134.82	1115	8.27	DENSITY STUDY
1	154667	2		1	0	0	0	33.33	271	8.13	DENSITY STUDY
1	154667	2		1	0	0	0	14.32	116	8.10	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	206	8.09	DENSITY STUDY
1	154667	2		1	0	0	0	10.42	84	8.06	DENSITY STUDY
1	154667	2		1	0	0	0	27.34	220	8.05	DENSITY STUDY
1	154667	2		1	0	0	0	27.78	223	8.03	DENSITY STUDY
1	154667	2		1	0	0	0	25	200	8.00	DENSITY STUDY
1	154667	2		1	0	0	0	70	560	8.00	DENSITY STUDY
1	154667	2		1	0	0	0	28	224	8.00	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	203	7.97	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	363	7.97	DENSITY STUDY
1	154667	2		1	0	0	0	6.3	50	7.94	DENSITY STUDY
1	154667	2		1	0	0	0	31.5	250	7.94	DENSITY STUDY
1	154667	2		1	0	0	0	12.73	101	7.93	DENSITY STUDY
1	154667	2		1	0	0	0	20	158	7.90	DENSITY STUDY
1	154667	2		1	0	0	0	51.36	405	7.89	DENSITY STUDY
1	154667	2		1	0	0	0	36.67	289	7.88	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	30.56	239	7.82	DENSITY STUDY
1	154667	2		1	0	0	0	12.79	100	7.82	DENSITY STUDY
1	154667	2		1	0	0	0	33.33	260	7.80	DENSITY STUDY
1	154667	2		20	0	0	0	512.82	4000	7.80	DENSITY STUDY
1	154667	2		1	0	0	0	15.77	123	7.80	DENSITY STUDY
1	187030	1		1	0	0	0	54.49	425	7.80	DENSITY STUDY
1	154667	2		1	0	0	0	18	140	7.78	DENSITY STUDY
1	154667	2		1	0	0	0	27.78	215	7.74	DENSITY STUDY
1	154667	2		1	0	0	0	34.44	266	7.72	DENSITY STUDY
1	154667	2		1	0	0	0	67.78	519	7.66	DENSITY STUDY
1	154667	1		1	0	0	0	48.48	371	7.65	DENSITY STUDY
1	154667	2		1	0	0	0	11	84	7.64	DENSITY STUDY
1	154667	2		1	0	0	0	34.44	262	7.61	DENSITY STUDY
1	154667	2		1	0	0	0	74.44	566	7.60	DENSITY STUDY
1	154667	2		1	0	0	0	65.96	500	7.58	DENSITY STUDY
1	154667	2		1	0	0	0	82.03	621	7.57	DENSITY STUDY
1	154667	2		1	0	0	0	39.89	300	7.52	DENSITY STUDY
1	154667	2		1	0	0	0	15.05	113	7.51	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	139	7.51	DENSITY STUDY
1	154667	2		1	0	0	0	129.79	974	7.50	DENSITY STUDY
1	187030	3		1	0	0	0	5.08	38	7.48	DENSITY STUDY
1	154667	2		1	0	0	0	50	372	7.44	DENSITY STUDY
1	154667	2		1	0	0	0	30.01	223	7.43	DENSITY STUDY
1	154667	2		1	0	0	0	26.99	200	7.41	DENSITY STUDY
1	154667	2		1	0	0	0	8.1	60	7.41	DENSITY STUDY
1	154667	2		1	0	0	0	25.81	191	7.40	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	98	7.36	DENSITY STUDY
1	154667	2		1	0	0	0	119.68	880	7.35	DENSITY STUDY
1	154667	2		1	0	0	0	24.48	180	7.35	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	136	7.34	DENSITY STUDY
1	154667	2		1	0	0	0	21.41	157	7.33	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	333	7.31	DENSITY STUDY
1	154667	2		1	0	0	0	60.27	440	7.30	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	135	7.29	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	18.49	134	7.25	DENSITY STUDY
1	154667	1		3	0	0	0	94.61	685	7.24	DENSITY STUDY
1	154667	2		1	0	0	0	61.42	440	7.16	DENSITY STUDY
1	154667	2		1	0	0	0	45	322	7.16	DENSITY STUDY
1	154667	2		1	0	0	0	12.73	91	7.15	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	62	7.14	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	62	7.14	DENSITY STUDY
1	154667	2		1	0	0	0	8.68	62	7.14	DENSITY STUDY
1	154667	2		1	0	0	0	14.01	100	7.14	DENSITY STUDY
1	187520			1	0	0	0	41.33	295	7.14	DENSITY STUDY
1	154667	2		7	0	0	0	392.39	2786	7.10	DENSITY STUDY
1	154667	2		1	0	0	0	61.69	438	7.10	DENSITY STUDY
1	154667	2		1	0	0	0	31.25	221	7.07	DENSITY STUDY
1	154667	2		1	0	0	0	36.67	259	7.06	DENSITY STUDY
1	154667	1		1	0	0	0	35.61	250	7.02	DENSITY STUDY
1	154667	2		12	0	0	0	557.83	3916	7.02	DENSITY STUDY
1	154667	2		1	0	0	0	75	525	7.00	DENSITY STUDY
1	154667	2		1	0	0	0	38.89	272	6.99	DENSITY STUDY
1	154667	2		1	0	0	0	46.67	326	6.99	DENSITY STUDY
1	154667	2		1	0	0	0	37.02	258	6.97	DENSITY STUDY
1	154667	2		1	0	0	0	46.12	321	6.96	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	153	6.96	DENSITY STUDY
1	154667	2		2	0	0	0	136.98	952	6.95	DENSITY STUDY
1	154667	2		1	0	0	0	109.94	763	6.94	DENSITY STUDY
1	154667	2		1	0	0	0	57.64	400	6.94	DENSITY STUDY
1	154667	2		1	0	0	0	11.57	80	6.91	DENSITY STUDY
1	187030	6		1	0	0	0	15.94	110	6.90	DENSITY STUDY
1	154667	2		3	0	0	0	128.84	889	6.90	DENSITY STUDY
1	154667	2		3	0	0	0	128.84	889	6.90	DENSITY STUDY
1	154667	2		1	0	0	0	92.32	637	6.90	DENSITY STUDY
1	154667	2		1	0	0	0	17.83	123	6.90	DENSITY STUDY
1	154667	2		1	0	0	0	8.44	58	6.87	DENSITY STUDY
1	154667	2		1	0	0	0	11.67	80	6.86	DENSITY STUDY
1	154667	2		1	0	0	0	53.33	363	6.81	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	18.52	126	6.80	DENSITY STUDY
1	154667	2		1	0	0	0	138.43	941	6.80	DENSITY STUDY
1	154667	2		1	0	0	0	47.78	324	6.78	DENSITY STUDY
1	154667	2		1	0	0	0	47.19	319	6.76	DENSITY STUDY
1	187030	1		1	0	0	0	17.44	117	6.71	DENSITY STUDY
1	154667	2		1	0	0	0	50.6	339	6.70	DENSITY STUDY
1	187030	7		1	0	0	0	41.11	275	6.69	DENSITY STUDY
1	154667	2		1	0	0	0	58.89	392	6.66	DENSITY STUDY
1	154667	2		1	0	0	0	11.57	77	6.66	DENSITY STUDY
1	154667	2		1	0	0	0	22.21	147	6.62	DENSITY STUDY
1	154667	2		1	0	0	0	75.64	500	6.61	DENSITY STUDY
1	154667	2		3	0	0	0	183.64	1212	6.60	DENSITY STUDY
1	154667	2		1	0	0	0	39.7	262	6.60	DENSITY STUDY
1	154667	2		1	0	0	0	39.7	262	6.60	DENSITY STUDY
1	154667	2		1	0	0	0	22	145	6.59	DENSITY STUDY
1	154667	2		1	0	0	0	21.41	141	6.59	DENSITY STUDY
1	154667	1		1	0	0	0	37.99	250	6.58	DENSITY STUDY
1	154667	2		1	0	0	0	39.57	260	6.57	DENSITY STUDY
1	154667	2		1	0	0	0	16.01	105	6.56	DENSITY STUDY
1	154667	2		1	0	0	0	224	1460	6.52	DENSITY STUDY
1	187030	7		1	0	0	0	12.31	80	6.50	DENSITY STUDY
1	187030	1		1	0	0	0	54.44	350	6.43	DENSITY STUDY
1	154667	2		1	0	0	0	26.04	167	6.41	DENSITY STUDY
1	154667	2		1	0	0	0	46.67	299	6.41	DENSITY STUDY
1	154667	2		1	0	0	0	8.59	55	6.40	DENSITY STUDY
1	154667	2		1	0	0	0	17.81	114	6.40	DENSITY STUDY
1	154667	2		1	0	0	0	11.57	74	6.40	DENSITY STUDY
1	154667	2		1	0	0	0	20	127	6.35	DENSITY STUDY
1	154667	2		1	0	0	0	21.99	139	6.32	DENSITY STUDY
1	154667	2		1	0	0	0	15.87	100	6.30	DENSITY STUDY
1	154667	2		1	0	0	0	87.27	548	6.28	DENSITY STUDY
1	154667	2		1	0	0	0	68	425	6.25	DENSITY STUDY
1	154667	2		1	0	0	0	49	306	6.24	DENSITY STUDY
1	154667	2		1	0	0	0	45.19	282	6.24	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	24.06	150	6.23	DENSITY STUDY
1	154667	2		1	0	0	0	43.02	268	6.23	DENSITY STUDY
1	154667	2		1	0	0	0	36.67	228	6.22	DENSITY STUDY
1	154667	2		1	0	0	0	12.73	79	6.21	DENSITY STUDY
1	154667	2		1	0	0	0	51.61	320	6.20	DENSITY STUDY
1	154667	2		1	0	0	0	126.61	785	6.20	DENSITY STUDY
1	154667	2		2	0	0	0	60.97	378	6.20	DENSITY STUDY
1	187030	7		1	0	0	0	48.39	300	6.20	DENSITY STUDY
1	154667	2		1	0	0	0	205.83	1275	6.19	DENSITY STUDY
1	154667	2		1	0	0	0	29.98	185	6.17	DENSITY STUDY
1	154667	2		1	0	0	0	17.36	107	6.16	DENSITY STUDY
1	154667	2		1	0	0	0	30.67	189	6.16	DENSITY STUDY
1	154667	2		1	0	0	0	30.08	185	6.15	DENSITY STUDY
1	154667	2		1	0	0	0	30.09	185	6.15	DENSITY STUDY
1	154667	1		1	0	0	0	8.2	50	6.10	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	81	6.09	DENSITY STUDY
1	154667	2		1	0	0	0	14	85	6.07	DENSITY STUDY
1	154667	2		1	0	0	0	17.99	109	6.06	DENSITY STUDY
1	154667	2		1	0	0	0	51.11	309	6.05	DENSITY STUDY
1	154667	2		1	0	0	0	144.44	872	6.04	DENSITY STUDY
1	154667	2		1	0	0	0	60	362	6.03	DENSITY STUDY
1	154667	2		1	0	0	0	161.11	970	6.02	DENSITY STUDY
1	154667	2		1	0	0	0	225.56	1358	6.02	DENSITY STUDY
1	154667	2		1	0	0	0	225.56	1358	6.02	DENSITY STUDY
1	154667	2		1	0	0	0	223.89	1346	6.01	DENSITY STUDY
1	187030	7		1	0	0	0	13.33	80	6.00	DENSITY STUDY
1	154667	2		1	0	0	0	83.33	500	6.00	DENSITY STUDY
1	154667	2		3	0	0	0	156.33	938	6.00	DENSITY STUDY
1	154667	2		1	0	0	0	10	60	6.00	DENSITY STUDY
1	154667	2		1	0	0	0	43	258	6.00	DENSITY STUDY
1	187030	3		1	0	0	0	93.17	559	6.00	DENSITY STUDY
1	154667	2		1	0	0	0	209.44	1256	6.00	DENSITY STUDY
1	154667	2		1	0	0	0	209.44	1256	6.00	DENSITY STUDY
1	154667	2		1	0	0	0	161.11	966	6.00	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	18.52	111	5.99	DENSITY STUDY
1	187030	7		1	0	0	0	50.08	300	5.99	DENSITY STUDY
1	154667	2		1	0	0	0	48.89	292	5.97	DENSITY STUDY
1	154667	2		1	0	0	0	58.33	347	5.95	DENSITY STUDY
1	154667	2		1	0	0	0	58.33	347	5.95	DENSITY STUDY
1	154667	2		1	0	0	0	177.82	1050	5.90	DENSITY STUDY
1	154667	2		1	0	0	0	177.82	1050	5.90	DENSITY STUDY
1	187030	6		1	0	0	0	20	118	5.90	DENSITY STUDY
1	154667	1		1	0	0	0	154.36	910	5.90	DENSITY STUDY
1	187030	3		1	0	0	0	101.87	600	5.89	DENSITY STUDY
1	154667	2		1	0	0	0	23.98	141	5.88	DENSITY STUDY
1	154667	2		1	0	0	0	16.2	95	5.86	DENSITY STUDY
1	154667	2		1	0	0	0	15.7	92	5.86	DENSITY STUDY
1	154667	2		1	0	0	0	59.79	350	5.85	DENSITY STUDY
1	154667	2		1	0	0	0	88.54	518	5.85	DENSITY STUDY
1	154667	2		1	0	0	0	47.35	277	5.85	DENSITY STUDY
1	154667	2		1	0	0	0	30.98	180	5.81	DENSITY STUDY
1	154667	2		1	0	0	0	177.22	1029	5.81	DENSITY STUDY
1	154667	2		1	0	0	0	291.6	1692	5.80	DENSITY STUDY
1	154667	2		1	0	0	0	30.52	177	5.80	DENSITY STUDY
1	154667	2		1	0	0	0	22.79	132	5.79	DENSITY STUDY
1	154667	2		1	0	0	0	27.98	162	5.79	DENSITY STUDY
1	154667	2		1	0	0	0	43.18	250	5.79	DENSITY STUDY
1	154667	1		1	0	0	0	26	150	5.77	DENSITY STUDY
1	154667	2		1	0	0	0	11.11	64	5.76	DENSITY STUDY
1	154667	2		1	0	0	0	33.33	191	5.73	DENSITY STUDY
1	154667	2		1	0	0	0	10.35	59	5.70	DENSITY STUDY
1	154667	2		1	0	0	0	36.67	209	5.70	DENSITY STUDY
1	154667	2		1	0	0	0	46.67	264	5.66	DENSITY STUDY
1	154667	2		1	0	0	0	90.28	507	5.62	DENSITY STUDY
1	154667	2		1	0	0	0	78.13	438	5.61	DENSITY STUDY
1	154667	1		1	0	0	0	35.71	200	5.60	DENSITY STUDY
1	187030	1		1	0	0	0	22.32	125	5.60	DENSITY STUDY
1	154667	2		1	0	0	0	50.54	283	5.60	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	153.39	857	5.59	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	103	5.56	DENSITY STUDY
1	154667	2		1	0	0	0	28.59	159	5.56	DENSITY STUDY
1	154667	2		1	0	0	0	28.59	159	5.56	DENSITY STUDY
1	154667	2		1	0	0	0	193.33	1075	5.56	DENSITY STUDY
1	154667	2		1	0	0	0	26.98	150	5.56	DENSITY STUDY
1	154667	2		1	0	0	0	17.99	100	5.56	DENSITY STUDY
1	154667	2		1	0	0	0	234.77	1303	5.55	DENSITY STUDY
1	187030	7		1	0	0	0	32.49	180	5.54	DENSITY STUDY
1	154667	2		1	0	0	0	24.01	133	5.54	DENSITY STUDY
1	154667	2		1	0	0	0	45.29	250	5.52	DENSITY STUDY
1	154667	2		1	0	0	0	97.96	540	5.51	DENSITY STUDY
1	154667	1		1	0	0	0	28.18	155	5.50	DENSITY STUDY
1	154667	2		1	0	0	0	18	99	5.50	DENSITY STUDY
1	154667	2		1	0	0	0	63.64	350	5.50	DENSITY STUDY
1	154667	2		1	0	0	0	209.44	1150	5.49	DENSITY STUDY
1	154667	2		1	0	0	0	22.99	126	5.48	DENSITY STUDY
1	154667	2		1	0	0	0	22.99	126	5.48	DENSITY STUDY
1	154667	1		1	0	0	0	20.99	115	5.48	DENSITY STUDY
1	154667	1		1	0	0	0	20.99	115	5.48	DENSITY STUDY
1	154667	1		1	0	0	0	54.03	295	5.46	DENSITY STUDY
1	154667	1		1	0	0	0	31.83	172	5.40	DENSITY STUDY
1	154667	2		1	0	0	0	40.74	220	5.40	DENSITY STUDY
1	154667	2		1	0	0	0	44.26	239	5.40	DENSITY STUDY
1	154667	2		1	0	0	0	66.05	356	5.39	DENSITY STUDY
1	154667	1		1	0	0	0	89.07	480	5.39	DENSITY STUDY
1	154667	2		1	0	0	0	23.01	124	5.39	DENSITY STUDY
1	154667	2		1	0	0	0	29	156	5.38	DENSITY STUDY
1	154667	2		1	0	0	0	67.71	364	5.38	DENSITY STUDY
1	154667	2		1	0	0	0	121.31	651	5.37	DENSITY STUDY
1	154667	2		1	0	0	0	67.71	363	5.36	DENSITY STUDY
1	154667	2		1	0	0	0	63.98	341	5.33	DENSITY STUDY
1	154667	2		1	0	0	0	30.02	160	5.33	DENSITY STUDY
1	154667	2		1	0	0	0	28.36	151	5.32	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	7		1	0	0	0	56.39	300	5.32	DENSITY STUDY
1	154667	2		1	0	0	0	37.97	202	5.32	DENSITY STUDY
1	154667	2		1	0	0	0	47.78	254	5.32	DENSITY STUDY
1	154667	2		1	0	0	0	18.11	96	5.30	DENSITY STUDY
1	154667	2		1	0	0	0	35.85	190	5.30	DENSITY STUDY
1	154667	2		1	0	0	0	60.57	321	5.30	DENSITY STUDY
1	187520			1	0	0	0	27.55	146	5.30	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	98	5.29	DENSITY STUDY
1	154667	2		1	0	0	0	9.84	52	5.28	DENSITY STUDY
1	154667	2		1	0	0	0	54.92	290	5.28	DENSITY STUDY
1	187030	7		1	0	0	0	19.01	100	5.26	DENSITY STUDY
1	154667	2		1	0	0	0	33.27	175	5.26	DENSITY STUDY
1	154667	2		1	0	0	0	16.2	85	5.25	DENSITY STUDY
1	154667	2		1	0	0	0	70	367	5.24	DENSITY STUDY
1	154667	2		1	0	0	0	38	198	5.21	DENSITY STUDY
1	187030	7		1	0	0	0	33.59	175	5.21	DENSITY STUDY
1	154667	2		1	0	0	0	25.58	133	5.20	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	96	5.18	DENSITY STUDY
1	154667	1		1	0	0	0	29.01	150	5.17	DENSITY STUDY
1	154667	2		1	0	0	0	46.67	241	5.16	DENSITY STUDY
1	154667	2		1	0	0	0	8.33	43	5.16	DENSITY STUDY
1	154667	2		1	0	0	0	68.99	356	5.16	DENSITY STUDY
1	154667	2		1	0	0	0	157.95	815	5.16	DENSITY STUDY
1	154667	2		1	0	0	0	31.98	165	5.16	DENSITY STUDY
1	154667	2		1	0	0	0	33.98	175	5.15	DENSITY STUDY
1	154667	2		1	0	0	0	17.09	88	5.15	DENSITY STUDY
1	154667	2		1	0	0	0	25.46	131	5.15	DENSITY STUDY
1	154667	1		1	0	0	0	23.48	120	5.11	DENSITY STUDY
1	154667	2		1	0	0	0	35.56	181	5.09	DENSITY STUDY
1	187030	7		1	0	0	0	18.7	95	5.08	DENSITY STUDY
1	154667	2		4	0	0	0	155.91	792	5.08	DENSITY STUDY
1	154667	2		1	0	0	0	72.92	370	5.07	DENSITY STUDY
1	154667	2		1	0	0	0	100.69	510	5.07	DENSITY STUDY
1	154667	2		1	0	0	0	125.04	631	5.05	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	125.04	631	5.05	DENSITY STUDY
1	154667	2		1	0	0	0	58.89	297	5.04	DENSITY STUDY
1	187030	7		1	0	0	0	39.68	200	5.04	DENSITY STUDY
1	154667	2		1	0	0	0	24.01	121	5.04	DENSITY STUDY
1	154667	1		1	0	0	0	30	150	5.00	DENSITY STUDY
1	154667	1		2	0	0	0	80	400	5.00	DENSITY STUDY
1	154667	2		1	0	0	0	30	150	5.00	DENSITY STUDY
1	154667	2		1	0	0	0	30	150	5.00	DENSITY STUDY
1	154667	2		1	0	0	0	82.22	410	4.99	DENSITY STUDY
1	187030	3		1	0	0	0	37.78	188	4.98	DENSITY STUDY
1	154667	2		1	0	0	0	69.21	344	4.97	DENSITY STUDY
1	154667	2		2	0	0	0	131.05	650	4.96	DENSITY STUDY
1	154667	2		1	0	0	0	21.01	104	4.95	DENSITY STUDY
1	154667	2		1	0	0	0	94.94	469	4.94	DENSITY STUDY
1	154667	2		1	0	0	0	58.89	289	4.91	DENSITY STUDY
1	154667	2		1	0	0	0	44.84	220	4.91	DENSITY STUDY
1	154667	2		1	0	0	0	44.84	220	4.91	DENSITY STUDY
1	154667	2		1	0	0	0	62.04	304	4.90	DENSITY STUDY
1	154667	2		1	0	0	0	13.89	68	4.90	DENSITY STUDY
1	187030	3		1	0	0	0	33.33	163	4.89	DENSITY STUDY
1	154667	1		1	0	0	0	35.99	176	4.89	DENSITY STUDY
1	154667	2		1	0	0	0	33.75	165	4.89	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	222	4.87	DENSITY STUDY
1	187030	7		1	0	0	0	50.41	245	4.86	DENSITY STUDY
1	154667	2		1	0	0	0	41.67	202	4.85	DENSITY STUDY
1	154667	2		1	0	0	0	216.94	1050	4.84	DENSITY STUDY
1	187030	4		1	0	0	0	41.33	200	4.84	DENSITY STUDY
1	187030	6		1	0	0	0	51.85	250	4.82	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	219	4.81	DENSITY STUDY
1	154667	2		1	0	0	0	27.97	134	4.79	DENSITY STUDY
1	154667	2		1	0	0	0	16	76	4.75	DENSITY STUDY
1	154667	1		1	0	0	0	20.31	96	4.73	DENSITY STUDY
1	154667	1		1	0	0	0	11.67	55	4.71	DENSITY STUDY
1	154667	2		1	0	0	0	79.86	376	4.71	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	79.86	376	4.71	DENSITY STUDY
1	154667	2		1	0	0	0	39.36	185	4.70	DENSITY STUDY
1	154667	2		1	0	0	0	48.61	228	4.69	DENSITY STUDY
1	154667	1		1	0	0	0	84.03	394	4.69	DENSITY STUDY
1	154667	2		1	0	0	0	27.95	131	4.69	DENSITY STUDY
1	154667	2		1	0	0	0	60.19	282	4.69	DENSITY STUDY
1	154667	2		1	0	0	0	125.04	585	4.68	DENSITY STUDY
1	154667	2		1	0	0	0	79.86	371	4.65	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	86	4.64	DENSITY STUDY
1	187030	7		2	0	0	0	87.28	405	4.64	DENSITY STUDY
1	154667	2		1	0	0	0	27	125	4.63	DENSITY STUDY
1	154667	2		2	0	0	0	278.48	1281	4.60	DENSITY STUDY
1	154667	2		1	0	0	0	37.62	172	4.57	DENSITY STUDY
1	187030	6		1	0	0	0	63.02	288	4.57	DENSITY STUDY
1	154667	2		1	0	0	0	48.61	222	4.57	DENSITY STUDY
1	154667	2		1	0	0	0	48.61	222	4.57	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	699	4.56	DENSITY STUDY
1	154667	1		1	0	0	0	39.56	180	4.55	DENSITY STUDY
1	154667	2		2	0	0	0	43.96	200	4.55	DENSITY STUDY
1	154667	2		1	0	0	0	53.97	244	4.52	DENSITY STUDY
1	154667	2		1	0	0	0	53.97	244	4.52	DENSITY STUDY
1	154667	2		1	0	0	0	30.97	140	4.52	DENSITY STUDY
1	154667	2		1	0	0	0	44.84	202	4.50	DENSITY STUDY
1	154667	2		1	0	0	0	130.67	588	4.50	DENSITY STUDY
1	154667	2		1	0	0	0	23.78	107	4.50	DENSITY STUDY
1	154667	2		1	0	0	0	60.19	270	4.49	DENSITY STUDY
1	154667	2		1	0	0	0	138.43	617	4.46	DENSITY STUDY
1	154667	2		1	0	0	0	8.33	37	4.44	DENSITY STUDY
1	154667	2		1	0	0	0	18.02	80	4.44	DENSITY STUDY
1	154667	2		1	0	0	0	14	62	4.43	DENSITY STUDY
1	154667	2		1	0	0	0	34.44	152	4.41	DENSITY STUDY
1	154667	2		1	0	0	0	18.52	81	4.37	DENSITY STUDY
1	154667	2		1	0	0	0	39.12	171	4.37	DENSITY STUDY
1	154667	2		1	0	0	0	79.86	348	4.36	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	26.67	116	4.35	DENSITY STUDY
1	154667	2		1	0	0	0	29.51	128	4.34	DENSITY STUDY
1	154667	2		1	0	0	0	29.51	128	4.34	DENSITY STUDY
1	154667	2		1	0	0	0	53.33	230	4.31	DENSITY STUDY
1	154667	2		1	0	0	0	53.02	228	4.30	DENSITY STUDY
1	154667	2		1	0	0	0	59.07	254	4.30	DENSITY STUDY
1	154667	2		1	0	0	0	124.42	535	4.30	DENSITY STUDY
1	154667	2		1	0	0	0	63.49	273	4.30	DENSITY STUDY
1	154667	2		1	0	0	0	66.2	283	4.27	DENSITY STUDY
1	154667	2		1	0	0	0	66.2	283	4.27	DENSITY STUDY
1	154667	2		1	0	0	0	59.63	254	4.26	DENSITY STUDY
1	154667	2		1	0	0	0	22.22	94	4.23	DENSITY STUDY
1	154667	2		1	0	0	0	58.68	247	4.21	DENSITY STUDY
1	154667	2		1	0	0	0	16.67	70	4.20	DENSITY STUDY
1	154667	1		1	0	0	0	32.22	135	4.19	DENSITY STUDY
1	154667	1		1	0	0	0	32.22	135	4.19	DENSITY STUDY
1	187030	7		1	0	0	0	54.07	226	4.18	DENSITY STUDY
1	154667	2		1	0	0	0	26.62	111	4.17	DENSITY STUDY
1	154667	2		1	0	0	0	65.97	275	4.17	DENSITY STUDY
1	187030	1		1	0	0	0	48	200	4.17	DENSITY STUDY
1	154667	2		1	0	0	0	25.76	107	4.15	DENSITY STUDY
1	187030	1		1	0	0	0	48.19	200	4.15	DENSITY STUDY
1	154667	2		1	0	0	0	17.36	72	4.15	DENSITY STUDY
1	154667	2		1	0	0	0	60.76	252	4.15	DENSITY STUDY
1	154667	2		1	0	0	0	28.99	120	4.14	DENSITY STUDY
1	154667	2		1	0	0	0	28.99	120	4.14	DENSITY STUDY
1	154667	2		1	0	0	0	31.96	132	4.13	DENSITY STUDY
1	154667	2		1	0	0	0	33.98	140	4.12	DENSITY STUDY
1	154667	2		1	0	0	0	39.17	161	4.11	DENSITY STUDY
1	154667	2		1	0	0	0	16.06	66	4.11	DENSITY STUDY
1	154667	2		1	0	0	0	17.07	70	4.10	DENSITY STUDY
1	154667	2		1	0	0	0	100.09	410	4.10	DENSITY STUDY
1	154667	2		1	0	0	0	35.31	144	4.08	DENSITY STUDY
1	154667	2		1	0	0	0	56.02	228	4.07	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	67.71	275	4.06	DENSITY STUDY
1	154667	2		1	0	0	0	31.03	126	4.06	DENSITY STUDY
1	154667	2		1	0	0	0	96.55	392	4.06	DENSITY STUDY
1	154667	2		1	0	0	0	65.97	267	4.05	DENSITY STUDY
1	154667	1		1	0	0	0	25.99	105	4.04	DENSITY STUDY
1	154667	2		2	0	0	0	46.02	185	4.02	DENSITY STUDY
1	154667	2		1	0	0	0	36.11	145	4.02	DENSITY STUDY
1	154667	2		1	0	0	0	93.32	374	4.01	DENSITY STUDY
1	154667	1		1	0	0	0	38.25	153	4.00	DENSITY STUDY
1	154667	1		1	0	0	0	15	60	4.00	DENSITY STUDY
1	154667	1		1	0	0	0	15	60	4.00	DENSITY STUDY
1	154667	2		1	0	0	0	56.75	227	4.00	DENSITY STUDY
1	154667	2		1	0	0	0	30	120	4.00	DENSITY STUDY
1	154667	2		1	0	0	0	46	184	4.00	DENSITY STUDY
1	154667	2		1	0	0	0	73.33	293	4.00	DENSITY STUDY
1	154667	2		1	0	0	0	168.06	670	3.99	DENSITY STUDY
1	154667	2		1	0	0	0	28.97	115	3.97	DENSITY STUDY
1	154667	2		1	0	0	0	28.97	115	3.97	DENSITY STUDY
1	154667	2		1	0	0	0	31.25	124	3.97	DENSITY STUDY
1	154667	2		1	0	0	0	23.73	94	3.96	DENSITY STUDY
1	154667	2		1	0	0	0	45.56	180	3.95	DENSITY STUDY
1	154667	1		1	0	0	0	18.99	75	3.95	DENSITY STUDY
1	154667	2		1	0	0	0	81.67	321	3.93	DENSITY STUDY
1	154667	2		1	0	0	0	83.93	329	3.92	DENSITY STUDY
1	154667	2		1	0	0	0	23.33	91	3.90	DENSITY STUDY
1	154667	2		1	0	0	0	23.59	92	3.90	DENSITY STUDY
1	154667	2		1	0	0	0	17.99	70	3.89	DENSITY STUDY
1	154667	2		1	0	0	0	18.81	73	3.88	DENSITY STUDY
1	154667	2		1	0	0	0	74.75	290	3.88	DENSITY STUDY
1	154667	2		1	0	0	0	25.78	100	3.88	DENSITY STUDY
1	154667	2		1	0	0	0	61.11	235	3.85	DENSITY STUDY
1	187520			1	0	0	0	359.84	1380	3.84	DENSITY STUDY
1	187030	1		1	0	0	0	39.16	150	3.83	DENSITY STUDY
1	154667	2		1	0	0	0	57.89	220	3.80	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	43.42	165	3.80	DENSITY STUDY
1	187030	7		1	0	0	0	56.73	215	3.79	DENSITY STUDY
1	154667	2		1	0	0	0	58.05	220	3.79	DENSITY STUDY
1	154667	2		1	0	0	0	14.58	55	3.77	DENSITY STUDY
1	154667	2		1	0	0	0	64.7	244	3.77	DENSITY STUDY
1	187030	1		3	0	0	0	159.15	600	3.77	DENSITY STUDY
1	154667	2		1	0	0	0	13	49	3.77	DENSITY STUDY
1	187030	3		1	0	0	0	26.67	100	3.75	DENSITY STUDY
1	154667	2		1	0	0	0	97.22	364	3.74	DENSITY STUDY
1	154667	2		1	0	0	0	24.31	91	3.74	DENSITY STUDY
1	154667	2		1	0	0	0	174.87	654	3.74	DENSITY STUDY
1	154667	2		1	0	0	0	174.87	654	3.74	DENSITY STUDY
1	154667	2		1	0	0	0	22.57	84	3.72	DENSITY STUDY
1	154667	2		1	0	0	0	48.39	180	3.72	DENSITY STUDY
1	154667	2		1	0	0	0	25.28	94	3.72	DENSITY STUDY
1	154667	2		1	0	0	0	30.67	114	3.72	DENSITY STUDY
1	154667	2		1	0	0	0	30.67	114	3.72	DENSITY STUDY
1	154667	2		1	0	0	0	54.17	201	3.71	DENSITY STUDY
1	154667	2		1	0	0	0	54.17	201	3.71	DENSITY STUDY
1	154667	2		1	0	0	0	40.46	150	3.71	DENSITY STUDY
1	154667	2		1	0	0	0	22.97	85	3.70	DENSITY STUDY
1	154667	2		1	0	0	0	71.35	264	3.70	DENSITY STUDY
1	154667	2		1	0	0	0	18.92	70	3.70	DENSITY STUDY
1	154667	2		1	0	0	0	27.03	100	3.70	DENSITY STUDY
1	154667	2		1	0	0	0	151.9	559	3.68	DENSITY STUDY
1	154667	2		1	0	0	0	151.9	559	3.68	DENSITY STUDY
1	187030	7		1	0	0	0	21.98	80	3.64	DENSITY STUDY
1	154667	2		1	0	0	0	33.33	121	3.63	DENSITY STUDY
1	154667	2		1	0	0	0	15.98	58	3.63	DENSITY STUDY
1	154667	2		1	0	0	0	79.44	287	3.61	DENSITY STUDY
1	154667	2		1	0	0	0	125.04	451	3.61	DENSITY STUDY
1	154667	2		1	0	0	0	125.04	451	3.61	DENSITY STUDY
1	154667	1		1	0	0	0	13.89	50	3.60	DENSITY STUDY
1	187030	7		1	0	0	0	29.17	105	3.60	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1	0	0	0	34.92	125	3.58	DENSITY STUDY
1	154667	2		1	0	0	0	42	150	3.57	DENSITY STUDY
1	154667	1		1	0	0	0	56.02	200	3.57	DENSITY STUDY
1	154667	1		1	0	0	0	14.01	50	3.57	DENSITY STUDY
1	154667	1		1	0	0	0	46.01	164	3.56	DENSITY STUDY
1	154667	2		2	0	0	0	179.2	629	3.51	DENSITY STUDY
1	187030	7		1	0	0	0	42.74	150	3.51	DENSITY STUDY
1	154667	1		2	0	0	0	197.14	690	3.50	DENSITY STUDY
1	154667	2		1	0	0	0	128.57	450	3.50	DENSITY STUDY
1	154667	2		1	0	0	0	149.43	523	3.50	DENSITY STUDY
1	154667	2		1	0	0	0	128.86	451	3.50	DENSITY STUDY
1	187030	7		1	0	0	0	42.98	150	3.49	DENSITY STUDY
1	187030	7		1	0	0	0	17.29	60	3.47	DENSITY STUDY
1	154667	1		1	0	0	0	44.7	155	3.47	DENSITY STUDY
1	154667	2		1	0	0	0	25.28	87	3.44	DENSITY STUDY
1	154667	2		1	0	0	0	128.82	438	3.40	DENSITY STUDY
1	154667	2		1	0	0	0	71.18	242	3.40	DENSITY STUDY
1	154667	2		1	0	0	0	18.37	62	3.38	DENSITY STUDY
1	154667	2		1	0	0	0	23.15	78	3.37	DENSITY STUDY
1	154667	2		1	0	0	0	163.33	546	3.34	DENSITY STUDY
1	154667	1		1	0	0	0	30	100	3.33	DENSITY STUDY
1	154667	2		1	0	0	0	42.04	140	3.33	DENSITY STUDY
1	154667	2		1	0	0	0	30.03	100	3.33	DENSITY STUDY
1	154667	2		1	0	0	0	15.02	50	3.33	DENSITY STUDY
1	154667	2		1	0	0	0	140	462	3.30	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	506	3.30	DENSITY STUDY
1	154667	2		1	0	0	0	31.9	105	3.29	DENSITY STUDY
1	154667	2		1	0	0	0	129.18	425	3.29	DENSITY STUDY
1	154667	2		1	0	0	0	129.18	425	3.29	DENSITY STUDY
1	154667	2		1	0	0	0	128.05	420	3.28	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	503	3.28	DENSITY STUDY
1	154667	1		1	0	0	0	23.01	75	3.26	DENSITY STUDY
1	187030	6		1	0	0	0	158.15	514	3.25	DENSITY STUDY
1	154667	2		1	0	0	0	59.79	193	3.23	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	1		1	0	0	0	37.5	120	3.20	DENSITY STUDY
1	154667	2		1	0	0	0	15	48	3.20	DENSITY STUDY
1	154667	2		1	0	0	0	34.44	110	3.19	DENSITY STUDY
1	154667	2		1	0	0	0	47.17	150	3.18	DENSITY STUDY
1	154667	2		1	0	0	0	47.17	150	3.18	DENSITY STUDY
1	187030	1		1	0	0	0	63	200	3.17	DENSITY STUDY
1	187030	1		1	0	0	0	63	200	3.17	DENSITY STUDY
1	187030	1		1	0	0	0	63	200	3.17	DENSITY STUDY
1	154667	2		1	0	0	0	29.02	92	3.17	DENSITY STUDY
1	154667	2		1	0	0	0	152.85	483	3.16	DENSITY STUDY
1	154667	2		1	0	0	0	152.85	483	3.16	DENSITY STUDY
1	154667	2		1	0	0	0	50.96	160	3.14	DENSITY STUDY
1	154667	2		1	0	0	0	50.96	160	3.14	DENSITY STUDY
1	154667	2		1	0	0	0	36.01	112	3.11	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	477	3.11	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	472	3.08	DENSITY STUDY
1	154667	2		1	0	0	0	24.38	75	3.08	DENSITY STUDY
1	154667	2		1	0	0	0	49	150	3.06	DENSITY STUDY
1	154667	2		1	0	0	0	49	150	3.06	DENSITY STUDY
1	154667	2		1	0	0	0	18.3	56	3.06	DENSITY STUDY
1	154667	2		1	0	0	0	81.97	250	3.05	DENSITY STUDY
1	154667	2		1	0	0	0	31.11	94	3.02	DENSITY STUDY
1	187030	7		1	0	0	0	26.49	80	3.02	DENSITY STUDY
1	154667	2		1	0	0	0	83.06	250	3.01	DENSITY STUDY
1	187030	1		1	0	0	0	44.67	134	3.00	DENSITY STUDY
1	154667	2		1	0	0	0	18.67	56	3.00	DENSITY STUDY
1	154667	2		1	0	0	0	125.04	370	2.96	DENSITY STUDY
1	154667	2		1	0	0	0	20.28	60	2.96	DENSITY STUDY
1	154667	2		1	0	0	0	18.96	56	2.95	DENSITY STUDY
1	187030	7		1	0	0	0	56.31	165	2.93	DENSITY STUDY
1	154667	2		1	0	0	0	31.4	92	2.93	DENSITY STUDY
1	187030	7		1	0	0	0	41.67	120	2.88	DENSITY STUDY
1	154667	2		1	0	0	0	76.68	218	2.84	DENSITY STUDY
1	187030	6		1	0	0	0	57.95	164	2.83	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		2	0	0	0	44.13	124	2.81	DENSITY STUDY
1	154667	1		1	0	0	0	65.71	184	2.80	DENSITY STUDY
1	154667	1		1	0	0	0	65.71	184	2.80	DENSITY STUDY
1	187030	7		1	0	0	0	50	140	2.80	DENSITY STUDY
1	187030	1		1	0	0	0	89.29	250	2.80	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	429	2.80	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	429	2.80	DENSITY STUDY
1	187030	7		1	0	0	0	35.84	100	2.79	DENSITY STUDY
1	154667	1		1	0	0	0	57.97	160	2.76	DENSITY STUDY
1	187030	7		1	0	0	0	126.81	350	2.76	DENSITY STUDY
1	154667	2		1	0	0	0	54.86	150	2.73	DENSITY STUDY
1	187030	1		1	0	0	0	92.25	250	2.71	DENSITY STUDY
1	187030	7		1	0	0	0	36.9	100	2.71	DENSITY STUDY
1	154667	2		1	0	0	0	13.31	36	2.70	DENSITY STUDY
1	154667	2		1	0	0	0	176.3	476	2.70	DENSITY STUDY
1	154667	2		1	0	0	0	126.3	341	2.70	DENSITY STUDY
1	154667	2		1	0	0	0	37.04	100	2.70	DENSITY STUDY
1	187030	7		1	0	0	0	29.85	80	2.68	DENSITY STUDY
1	154667	2		1	0	0	0	35.58	95	2.67	DENSITY STUDY
1	154667	2		1	0	0	0	20.28	54	2.66	DENSITY STUDY
1	187030	1		1	0	0	0	76.05	200	2.63	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	403	2.63	DENSITY STUDY
1	154667	1		1	0	0	0	69.44	182	2.62	DENSITY STUDY
1	154667	1		1	0	0	0	22.99	60	2.61	DENSITY STUDY
1	154667	2		1	0	0	0	41.11	107	2.60	DENSITY STUDY
1	154667	2		1	0	0	0	86.11	218	2.53	DENSITY STUDY
1	187030	6		1	0	0	0	60.44	153	2.53	DENSITY STUDY
1	187030	6		1	0	0	0	60.44	153	2.53	DENSITY STUDY
1	154667	2		1	0	0	0	18.97	48	2.53	DENSITY STUDY
1	154667	2		1	0	0	0	153.39	385	2.51	DENSITY STUDY
1	154667	2		1	0	0	0	36	90	2.50	DENSITY STUDY
1	154667	2		1	0	0	0	38.4	96	2.50	DENSITY STUDY
1	187030	1		1	0	0	0	80	200	2.50	DENSITY STUDY
1	187030	1		1	0	0	0	184	460	2.50	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	7		1	0	0	0	28	70	2.50	DENSITY STUDY
1	187030	7		1	0	0	0	30	75	2.50	DENSITY STUDY
1	154667	2		1	0	0	0	100.81	250	2.48	DENSITY STUDY
1	154667	2		1	0	0	0	66.2	164	2.48	DENSITY STUDY
1	187030	1		1	0	0	0	60.67	150	2.47	DENSITY STUDY
1	187030	1		1	0	0	0	60.67	150	2.47	DENSITY STUDY
1	187030	1		1	0	0	0	105.47	260	2.47	DENSITY STUDY
1	187030	1		1	0	0	0	69.06	168	2.43	DENSITY STUDY
1	154667	2		1	0	0	0	30.99	75	2.42	DENSITY STUDY
1	187030	1		1	0	0	0	61.98	150	2.42	DENSITY STUDY
1	154667	2		1	0	0	0	48.96	118	2.41	DENSITY STUDY
1	187030	7		1	0	0	0	33.33	80	2.40	DENSITY STUDY
1	187030	1		1	0	0	0	83.33	200	2.40	DENSITY STUDY
1	154667	2		1	0	0	0	51.25	123	2.40	DENSITY STUDY
1	187030	7		1	0	0	0	41.67	100	2.40	DENSITY STUDY
1	154667	1		1	0	0	0	50.25	120	2.39	DENSITY STUDY
1	154667	1		1	0	0	0	36.02	85	2.36	DENSITY STUDY
1	154667	2		1	0	0	0	82.67	194	2.35	DENSITY STUDY
1	154667	2		1	0	0	0	82.67	194	2.35	DENSITY STUDY
1	154667	2		1	0	0	0	37.33	86	2.30	DENSITY STUDY
1	154667	2		1	0	0	0	40.43	93	2.30	DENSITY STUDY
1	187030	1		1	0	0	0	50	115	2.30	DENSITY STUDY
1	187030	7		1	0	0	0	26.09	60	2.30	DENSITY STUDY
1	187030	7		1	0	0	0	30.57	70	2.29	DENSITY STUDY
1	187030	4		1	0	0	0	65.83	150	2.28	DENSITY STUDY
1	154667	2		1	0	0	0	14.06	32	2.28	DENSITY STUDY
1	154667	2		1	0	0	0	64.22	146	2.27	DENSITY STUDY
1	154667	2		1	0	0	0	22.03	50	2.27	DENSITY STUDY
1	154667	2		1	0	0	0	89.56	202	2.26	DENSITY STUDY
1	154667	2		1	0	0	0	89.56	202	2.26	DENSITY STUDY
1	154667	2		2	0	0	0	60.99	136	2.23	DENSITY STUDY
1	154667	2		1	0	0	0	53.33	118	2.21	DENSITY STUDY
1	187030	7		1	0	0	0	36.36	80	2.20	DENSITY STUDY
1	154667	2		1	0	0	0	20	44	2.20	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	7		1	0	0	0	50	110	2.20	DENSITY STUDY
1	154667	2		1	0	0	0	115.91	255	2.20	DENSITY STUDY
1	154667	2		1	0	0	0	115.91	255	2.20	DENSITY STUDY
1	187030	1		1	0	0	0	70.09	150	2.14	DENSITY STUDY
1	187030	7		1	0	0	0	32.86	70	2.13	DENSITY STUDY
1	154667	2		1	0	0	0	109.52	230	2.10	DENSITY STUDY
1	154667	2		1	0	0	0	147.62	310	2.10	DENSITY STUDY
1	187030	7		1	0	0	0	43.06	90	2.09	DENSITY STUDY
1	154667	2		1	0	0	0	24.04	50	2.08	DENSITY STUDY
1	154667	2		1	0	0	0	76.67	155	2.02	DENSITY STUDY
1	187030	1		1	0	0	0	75.38	150	1.99	DENSITY STUDY
1	187030	7		1	0	0	0	38.07	75	1.97	DENSITY STUDY
1	154667	2		1	0	0	0	51.28	100	1.95	DENSITY STUDY
1	154667	2		1	0	0	0	51.06	96	1.88	DENSITY STUDY
1	187030	7		1	0	0	0	48.91	90	1.84	DENSITY STUDY
1	187030	7		1	0	0	0	18.03	33	1.83	DENSITY STUDY
1	154667	2		1	0	0	0	28.58	52	1.82	DENSITY STUDY
1	187030	7		1	0	0	0	50	90	1.80	DENSITY STUDY
1	187030	7		1	0	0	0	41.67	75	1.80	DENSITY STUDY
1	154667	2		1	0	0	0	29	52	1.79	DENSITY STUDY
1	154667	2		1	0	0	0	29	52	1.79	DENSITY STUDY
1	154667	2		1	0	0	0	30.06	52	1.73	DENSITY STUDY
1	154667	2		1	0	0	0	20.28	34	1.68	DENSITY STUDY
1	154667	2		1	0	0	0	20.28	34	1.68	DENSITY STUDY
1	154667	1		1	0	0	0	89.83	150	1.67	DENSITY STUDY
1	154667	1		1	0	0	0	89.83	150	1.67	DENSITY STUDY
1	154667	2		1	0	0	0	87.78	145	1.65	DENSITY STUDY
1	187030	7		1	0	0	0	30.67	50	1.63	DENSITY STUDY
1	154667	1		1	0	0	0	46.88	75	1.60	DENSITY STUDY
1	187030	7		1	0	0	0	46.88	75	1.60	DENSITY STUDY
1	154667	2		1	0	0	0	20.28	32	1.58	DENSITY STUDY
1	154667	2		1	0	0	0	20.28	32	1.58	DENSITY STUDY
1	154667	1		1	0	0	0	64	100	1.56	DENSITY STUDY
1	154667	2		4	0	0	0	150.68	220	1.46	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		4	0	0	0	150.68	220	1.46	DENSITY STUDY
1	187030	7		1	0	0	0	51.37	75	1.46	DENSITY STUDY
1	187030	7		1	0	0	0	35.21	50	1.42	DENSITY STUDY
1	154667	2		1	0	0	0	26.37	37	1.40	DENSITY STUDY
1	154667	2		1	0	0	0	35.97	50	1.39	DENSITY STUDY
1	154667	2		1	0	0	0	20.28	28	1.38	DENSITY STUDY
1	187030	7		1	0	0	0	33.09	45	1.36	DENSITY STUDY
1	187030	1		1	0	0	0	105.33	143	1.36	DENSITY STUDY
1	187030	1		1	0	0	0	105.33	143	1.36	DENSITY STUDY
1	154667	2		1	0	0	0	59.7	80	1.34	DENSITY STUDY
1	187030	7		1	0	0	0	46.27	62	1.34	DENSITY STUDY
1	154667	2		1				14.76	721	48.85	DENSITY STUDY
1	154667	1		1				16.33	743	45.50	DENSITY STUDY
1	154667	2		1				37.33	1466	39.27	DENSITY STUDY
1	154667	2		1				37.33	1466	39.27	DENSITY STUDY
1	154667	2		1				43.62	1678	38.46	DENSITY STUDY
1	154667	2		1				61.93	2360	38.11	DENSITY STUDY
1	154667	2		1				44.44	1660	37.35	DENSITY STUDY
1	154667	2		2				78.6	2890	36.77	DENSITY STUDY
1	154667	2		2				34.3	1257	36.65	DENSITY STUDY
1	154667	2		3				76.3	2751	36.06	DENSITY STUDY
1	154667	2		2				74.3	2574	34.64	DENSITY STUDY
1	154667	2		1				19.74	675	34.19	DENSITY STUDY
1	154667	2		2				79.4	2698	33.98	DENSITY STUDY
1	154667	2		2				79.7	2690	33.75	DENSITY STUDY
1	154667			2				80.4	2681	33.35	DENSITY STUDY
1	154667	2		3				120.7	4024	33.34	DENSITY STUDY
1	154667	2		1				11.93	390	32.69	DENSITY STUDY
1	154667	2		2				83.2	2692	32.36	DENSITY STUDY
1	154667	2		3				118	3724	31.56	DENSITY STUDY
1	154667	2		3				87.8	2765	31.49	DENSITY STUDY
1	154667	2		3				118.2	3721	31.48	DENSITY STUDY
1	154667	2		3				118.9	3742	31.47	DENSITY STUDY
1	154667	2		3				118.9	3714	31.24	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				13.33	415	31.13	DENSITY STUDY
1	154667	2		2				86.9	2683	30.87	DENSITY STUDY
1	154667	2		3				88.4	2726	30.84	DENSITY STUDY
1	154667	2		3				88.4	2714	30.70	DENSITY STUDY
1	154667	2		1				6.32	194	30.70	DENSITY STUDY
1	154667	2		3				123	3711	30.17	DENSITY STUDY
1	154667	2		2				56.7	1710	30.16	DENSITY STUDY
1	154667	2		2				79.7	2375	29.80	DENSITY STUDY
1	154667	2		3				125.4	3722	29.68	DENSITY STUDY
1	154667			2				79.7	2364	29.66	DENSITY STUDY
1	154667	2		2				48.6	1440	29.63	DENSITY STUDY
1	154667	2		2				80.2	2371	29.56	DENSITY STUDY
1	154667	2		2				59.5	1755	29.50	DENSITY STUDY
1	154667	2		2				49	1439	29.37	DENSITY STUDY
1	154667	2		3				127.1	3730	29.35	DENSITY STUDY
1	154667	2		2				47.4	1382	29.16	DENSITY STUDY
1	154667	2		3				97.6	2831	29.01	DENSITY STUDY
1	154667	2		2				51	1474	28.90	DENSITY STUDY
1	154667	2		3				128.6	3711	28.86	DENSITY STUDY
1	154667	2		2				48	1385	28.85	DENSITY STUDY
1	154667	2		2				62.2	1794	28.84	DENSITY STUDY
1	154667	2		1				12.85	370	28.79	DENSITY STUDY
1	154667	2		1				12.85	370	28.79	DENSITY STUDY
1	154667	2		3				129.5	3720	28.73	DENSITY STUDY
1	154667	2		2				57.3	1630	28.45	DENSITY STUDY
1	154667	2		2				52.9	1487	28.11	DENSITY STUDY
1	154667	2		3				88.5	2418	27.32	DENSITY STUDY
1	154667	2		1				54.44	1462	26.86	DENSITY STUDY
1	187030	7		1				17.32	445	25.69	DENSITY STUDY
1	154667	2		1				35.56	912	25.65	DENSITY STUDY
1	154667	2		3				120.1	3069	25.55	DENSITY STUDY
1	154667	2		3				122.3	3062	25.04	DENSITY STUDY
1	154667	2		2				59	1465	24.83	DENSITY STUDY
1	154667			3				101.2	2502	24.72	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		3				100.4	2475	24.65	DENSITY STUDY
1	154667	2		1				13.99	340	24.30	DENSITY STUDY
1	154667	2		3				86.9	2109	24.27	DENSITY STUDY
1	154667	2		3				87.6	2114	24.13	DENSITY STUDY
1	154667	2		3				98.1	2342	23.87	DENSITY STUDY
1	154667	2		3				89.2	2117	23.73	DENSITY STUDY
1	154667	2		3				95	2236	23.54	DENSITY STUDY
1	154667	2		3				103.1	2422	23.49	DENSITY STUDY
1	154667			3				111.4	2604	23.38	DENSITY STUDY
1	154667	2		2				59.8	1381	23.09	DENSITY STUDY
1	154667	2		3				102.6	2364	23.04	DENSITY STUDY
1	154667	1		1				15	345	23.00	DENSITY STUDY
1	154667	2		3				91.3	2092	22.91	DENSITY STUDY
1	154667			3				92.7	2111	22.77	DENSITY STUDY
1	154667	2		3				146.9	3337	22.72	DENSITY STUDY
1	154667	2		2				66.2	1491	22.52	DENSITY STUDY
1	154667	2		2				69.2	1544	22.31	DENSITY STUDY
1	154667	2		1				18.67	415	22.23	DENSITY STUDY
1	154667	2		1				18.67	415	22.23	DENSITY STUDY
1	154667	2		2				51.4	1132	22.02	DENSITY STUDY
1	154667	2		2				66.15	1442	21.80	DENSITY STUDY
1	154667	2		1				35.56	768	21.60	DENSITY STUDY
1	154667	2		2				52.7	1131	21.46	DENSITY STUDY
1	154667	2		1				18.67	394	21.10	DENSITY STUDY
1	154667	2		1				18.67	394	21.10	DENSITY STUDY
1	154667	2		1				21.99	456	20.74	DENSITY STUDY
1	154667	1		1				9	180	20.00	DENSITY STUDY
1	154667	2		1				8.59	170	19.79	DENSITY STUDY
1	154667	2		5				215.41	4261	19.78	DENSITY STUDY
1	154667	2		1				63.33	1252	19.77	DENSITY STUDY
1	154667	2		3				132.97	2625	19.74	DENSITY STUDY
1	154667	2		1				29.33	574	19.57	DENSITY STUDY
1	187520			1				30.14	580	19.24	DENSITY STUDY
1	154667	2		2				76.4	1469	19.23	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		3				128.33	2455	19.13	DENSITY STUDY
1	154667	2		3				128.33	2455	19.13	DENSITY STUDY
1	154667	2		1				35.56	678	19.07	DENSITY STUDY
1	154667	2		1				54.44	1028	18.88	DENSITY STUDY
1	154667	2		1				19.68	370	18.80	DENSITY STUDY
1	154667	2		1				63.33	1189	18.77	DENSITY STUDY
1	154667	2		1				12.44	225	18.09	DENSITY STUDY
1	154667	2		1				62.22	1113	17.89	DENSITY STUDY
1	154667	2		1				72.39	1284	17.74	DENSITY STUDY
1	187520			1				61.19	1083	17.70	DENSITY STUDY
1	154667	2		1				22.63	400	17.68	DENSITY STUDY
1	154667	2		1				23.53	415	17.64	DENSITY STUDY
1	154667	2		1				13.74	234	17.03	DENSITY STUDY
1	154667	2		2				32.27	549	17.01	DENSITY STUDY
1	154667	2		1				13.89	234	16.85	DENSITY STUDY
1	154667	2		1				12.65	210	16.60	DENSITY STUDY
1	154667	2		1				17.42	285	16.36	DENSITY STUDY
1	154667	2		1				19.83	324	16.34	DENSITY STUDY
1	154667	2		1				6.75	110	16.30	DENSITY STUDY
1	154667	2		1				10.94	172	15.72	DENSITY STUDY
1	154667	2		1				46.16	725	15.71	DENSITY STUDY
1	187030	1		4				241.3	3755	15.56	DENSITY STUDY
1	187030	1		6				62	960	15.48	DENSITY STUDY
1	154667	1		1				28.89	445	15.40	DENSITY STUDY
1	154667	1		1				28.89	445	15.40	DENSITY STUDY
1	154667	2		1				25.46	390	15.32	DENSITY STUDY
1	154667	1		3				115.56	1720	14.88	DENSITY STUDY
1	154667	2		1				73.83	1094	14.82	DENSITY STUDY
1	187520			7				406.84	5910	14.53	DENSITY STUDY
1	154667	2		1				40	576	14.40	DENSITY STUDY
1	154667	2		1				76	1094	14.39	DENSITY STUDY
1	154667	2		2				83.23	1185	14.24	DENSITY STUDY
1	154667	2		2				83.23	1185	14.24	DENSITY STUDY
1	154667	2		3				75.18	1057	14.06	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				65.22	900	13.80	DENSITY STUDY
1	154667	2		1				16.67	225	13.50	DENSITY STUDY
1	154667	2		1				16.67	223	13.38	DENSITY STUDY
1	154667	2		1				16.67	223	13.38	DENSITY STUDY
1	154667	2		6				208.29	2785	13.37	DENSITY STUDY
1	154667	2		6				208.29	2785	13.37	DENSITY STUDY
1	154667	2		1				35.16	460	13.08	DENSITY STUDY
1	154667	1		1				45.83	590	12.87	DENSITY STUDY
1	154667	2		1				19.83	250	12.61	DENSITY STUDY
1	154667	2		2				94.44	1175	12.44	DENSITY STUDY
1	154667	2		5				202.66	2513	12.40	DENSITY STUDY
1	154667	2		1				37.5	462	12.32	DENSITY STUDY
1	154667	2		2				30.6	370	12.09	DENSITY STUDY
1	154667	2		3				46.2	555	12.01	DENSITY STUDY
1	187030	4		1				8.33	100	12.00	DENSITY STUDY
1	187030	1		1				59.55	713	11.97	DENSITY STUDY
1	154667	1		1				121.93	1432	11.74	DENSITY STUDY
1	154667	2		1				71.25	832	11.67	DENSITY STUDY
1	154667	2		1				9.44	110	11.65	DENSITY STUDY
1	154667	2		3				103.1	1199	11.63	DENSITY STUDY
1	154667	2		1				30.14	349	11.58	DENSITY STUDY
1	154667	2		11				708.38	8024	11.32	DENSITY STUDY
1	154667	2		1				33.01	373	11.30	DENSITY STUDY
1	154667	2		1				8.78	99	11.28	DENSITY STUDY
1	154667	2		1				8.78	99	11.28	DENSITY STUDY
1	154667			1				23.74	267	11.24	DENSITY STUDY
1	154667	2		2				40.44	445	11.00	DENSITY STUDY
1	154667	2		2				40.44	445	11.00	DENSITY STUDY
1	154667	2		1				47.78	520	10.88	DENSITY STUDY
1	154667	2		1				7	73	10.43	DENSITY STUDY
1	154667	2		5				377.78	3885	10.28	DENSITY STUDY
1	154667	2		1				12.19	125	10.25	DENSITY STUDY
1	154667	2		1				59.31	605	10.20	DENSITY STUDY
1	154667	2		1				59.31	605	10.20	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				8.53	86	10.08	DENSITY STUDY
1	187030	6		1				18.67	185	9.91	DENSITY STUDY
1	154667	2		1				45.56	450	9.88	DENSITY STUDY
1	154667	2		1				6.48	64	9.88	DENSITY STUDY
1	154667	2		1				6.48	64	9.88	DENSITY STUDY
1	154667	2		1				18.75	185	9.87	DENSITY STUDY
1	154667	1		1				39.8	390	9.80	DENSITY STUDY
1	154667	2		3				144.5	1414	9.79	DENSITY STUDY
1	187030	1		1				14.58	141	9.67	DENSITY STUDY
1	154667	1		4				155.79	1500	9.62	DENSITY STUDY
1	154667	2		2				33.56	323	9.62	DENSITY STUDY
1	154667	2		1				7.28	70	9.62	DENSITY STUDY
1	187030	4		7				237.89	2260	9.50	DENSITY STUDY
1	154667	2		1				8.33	79	9.48	DENSITY STUDY
1	154667	2		1				8.33	79	9.48	DENSITY STUDY
1	154667	2		3				235	2200	9.36	DENSITY STUDY
1	154667	2		1				15.56	145	9.32	DENSITY STUDY
1	154667	2		1				15.56	145	9.32	DENSITY STUDY
1	154667	2		1				53.76	500	9.30	DENSITY STUDY
1	154667	2		2				51.08	475	9.30	DENSITY STUDY
1	154667	2		1				78.48	722	9.20	DENSITY STUDY
1	154667	2		1				34.44	315	9.15	DENSITY STUDY
1	154667	2		1				13.54	123	9.08	DENSITY STUDY
1	154667	2		1				13.54	123	9.08	DENSITY STUDY
1	154667	2		1				21.99	199	9.05	DENSITY STUDY
1	154667	2		4				181.17	1623	8.96	DENSITY STUDY
1	154667	2		4				181.17	1623	8.96	DENSITY STUDY
1	154667	2		1				25.33	226	8.92	DENSITY STUDY
1	154667	2		1				63.33	562	8.87	DENSITY STUDY
1	187030	6		1				17.47	155	8.87	DENSITY STUDY
1	154667	2		1				8.67	74	8.54	DENSITY STUDY
1	154667	2		1				47.65	405	8.50	DENSITY STUDY
1	154667	2		1				21.67	184	8.49	DENSITY STUDY
1	154667	2		1				42.22	354	8.38	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				8.67	72	8.30	DENSITY STUDY
1	187030	6		3				304.56	2495	8.19	DENSITY STUDY
1	187520			1				63.66	520	8.17	DENSITY STUDY
1	154667	2		1				8.67	70	8.07	DENSITY STUDY
1	154667	2		1				8.33	66	7.92	DENSITY STUDY
1	154667	2		1				8.33	66	7.92	DENSITY STUDY
1	154667	2		1				6.33	50	7.90	DENSITY STUDY
1	154667	2		1				6.33	50	7.90	DENSITY STUDY
1	154667	2		2				57.7	450	7.80	DENSITY STUDY
1	154667	2		1				9.03	70	7.75	DENSITY STUDY
1	187030	3		2				225.05	1725	7.66	DENSITY STUDY
1	154667	2		2				77.81	585	7.51	DENSITY STUDY
1	154667	2		2				182.53	1369	7.50	DENSITY STUDY
1	187030	6		1				52	390	7.50	DENSITY STUDY
1	154667	2		1				9	67	7.44	DENSITY STUDY
1	154667	2		1				9	67	7.44	DENSITY STUDY
1	154667	2		2				70.81	524	7.40	DENSITY STUDY
1	154667	2		1				8.67	64	7.38	DENSITY STUDY
1	187030	3		1				163.09	1200	7.36	DENSITY STUDY
1	154667	2		1				9	66	7.33	DENSITY STUDY
1	187520			1				52.5	384	7.31	DENSITY STUDY
1	187520			1				52.5	384	7.31	DENSITY STUDY
1	154667	2		1				48.15	350	7.27	DENSITY STUDY
1	154667	2		1				48.15	350	7.27	DENSITY STUDY
1	154667	2		1				7.33	53	7.23	DENSITY STUDY
1	154667	2		1				9	65	7.22	DENSITY STUDY
1	154667	2		1				9	65	7.22	DENSITY STUDY
1	154667	2		1				20.46	147	7.18	DENSITY STUDY
1	154667	1		2				261.99	1868	7.13	DENSITY STUDY
1	154667	1		2				261.99	1868	7.13	DENSITY STUDY
1	187520			2				37.92	270	7.12	DENSITY STUDY
1	154667	1		3				92.44	637	6.89	DENSITY STUDY
1	154667	2		1				7.33	50	6.82	DENSITY STUDY
1	154667	2		1				7.33	50	6.82	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				7.33	49	6.68	DENSITY STUDY
1	154667	2		1				7.33	49	6.68	DENSITY STUDY
1	154667	2		1				6.16	41	6.66	DENSITY STUDY
1	154667	2		1				10.78	71	6.59	DENSITY STUDY
1	154667	2		1				23.13	152	6.57	DENSITY STUDY
1	154667	2		1				23.13	152	6.57	DENSITY STUDY
1	154667	2		1				76.92	500	6.50	DENSITY STUDY
1	154667	2		1				15	95	6.33	DENSITY STUDY
1	154667	2		1				15	95	6.33	DENSITY STUDY
1	154667	2		1				7	44	6.29	DENSITY STUDY
1	154667	2		1				7	44	6.29	DENSITY STUDY
1	154667	2		1				13.13	82	6.25	DENSITY STUDY
1	154667	2		1				7.33	45	6.14	DENSITY STUDY
1	154667	2		3				133.33	813	6.10	DENSITY STUDY
1	187030	7		2				115.4	700	6.07	DENSITY STUDY
1	154667	2		1				28.89	175	6.06	DENSITY STUDY
1	154667	2		1				28.89	175	6.06	DENSITY STUDY
1	154667	2		1				6.67	40	6.00	DENSITY STUDY
1	154667	2		1				7	42	6.00	DENSITY STUDY
1	154667	2		1				7	42	6.00	DENSITY STUDY
1	154667	2		1				7	42	6.00	DENSITY STUDY
1	154667	2		1				24.61	147	5.97	DENSITY STUDY
1	154667	2		1				19.38	115	5.93	DENSITY STUDY
1	154667	2		1				19.38	115	5.93	DENSITY STUDY
1	154667	2		1				7.6	45	5.92	DENSITY STUDY
1	154667	2		1				13.54	80	5.91	DENSITY STUDY
1	154667	2		1				149.83	882	5.88	DENSITY STUDY
1	187030	1		3				136.89	805	5.88	DENSITY STUDY
1	154667	2		1				7.33	43	5.87	DENSITY STUDY
1	154667	2		1				7.33	43	5.87	DENSITY STUDY
1	187030	7		1				51.72	300	5.80	DENSITY STUDY
1	187030	7		1				51.72	300	5.80	DENSITY STUDY
1	187030	7		1				60.34	350	5.80	DENSITY STUDY
1	187030	7		1				101.72	590	5.80	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	7		2				122.41	710	5.80	DENSITY STUDY
1	187030	7		2				80.17	465	5.80	DENSITY STUDY
1	187030	7		1				58.62	340	5.80	DENSITY STUDY
1	187030	7		1				167.24	970	5.80	DENSITY STUDY
1	187030	7		5				558.97	3242	5.80	DENSITY STUDY
1	187030	7		3				265.52	1540	5.80	DENSITY STUDY
1	187030	7		2				66.38	385	5.80	DENSITY STUDY
1	187030	7		1				103.45	600	5.80	DENSITY STUDY
1	187030	7		1				103.45	600	5.80	DENSITY STUDY
1	187030	7		2				146.21	848	5.80	DENSITY STUDY
1	187030	7		3				168.97	980	5.80	DENSITY STUDY
1	187030	7		1				81.9	475	5.80	DENSITY STUDY
1	187030	7		1				81.9	475	5.80	DENSITY STUDY
1	187030	7		1				77.59	450	5.80	DENSITY STUDY
1	187030	7		2				64.66	375	5.80	DENSITY STUDY
1	154667	2		1				7	40	5.71	DENSITY STUDY
1	154667	2		1				16.67	95	5.70	DENSITY STUDY
1	187030	4		1				40	225	5.63	DENSITY STUDY
1	154667	2		1				7.33	41	5.59	DENSITY STUDY
1	154667	2		1				27.22	152	5.58	DENSITY STUDY
1	154667	2		2				154.08	855	5.55	DENSITY STUDY
1	154667	2		1				10.94	60	5.48	DENSITY STUDY
1	154667	2		1				13.54	74	5.47	DENSITY STUDY
1	154667	2		1				13.54	74	5.47	DENSITY STUDY
1	154667	2		1				13.54	74	5.47	DENSITY STUDY
1	154667	2		1				13.54	74	5.47	DENSITY STUDY
1	187030	6		1				32.11	175	5.45	DENSITY STUDY
1	154667	2		3				112.3	612	5.45	DENSITY STUDY
1	154667	2		1				78.99	430	5.44	DENSITY STUDY
1	154667	2		1				9.33	50	5.36	DENSITY STUDY
1	154667	2		1				16.15	86	5.33	DENSITY STUDY
1	154667	2		1				16.15	86	5.33	DENSITY STUDY
1	154667	2		1				42.67	225	5.27	DENSITY STUDY
1	154667	2		1				42.67	225	5.27	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				14.06	74	5.26	DENSITY STUDY
1	154667	2		1				153.39	805	5.25	DENSITY STUDY
1	154667	2		1				13.54	70	5.17	DENSITY STUDY
1	154667	2		1				13.54	70	5.17	DENSITY STUDY
1	154667	1		1				18.89	96	5.08	DENSITY STUDY
1	154667	2		1				31.25	156	4.99	DENSITY STUDY
1	154667	2		1				14.06	70	4.98	DENSITY STUDY
1	154667	2		1				14.06	70	4.98	DENSITY STUDY
1	154667	2		1				55.56	275	4.95	DENSITY STUDY
1	154667	2		1				55.56	275	4.95	DENSITY STUDY
1	154667	2		1				24	117	4.88	DENSITY STUDY
1	154667	2		1				14.81	72	4.86	DENSITY STUDY
1	154667	2		1				14.81	72	4.86	DENSITY STUDY
1	154667	2		1				34.44	167	4.85	DENSITY STUDY
1	154667	1		1				71.04	341	4.80	DENSITY STUDY
1	154667	2		1				13.13	63	4.80	DENSITY STUDY
1	154667	2		1				20.83	99	4.75	DENSITY STUDY
1	154667			2				94.7	448	4.73	DENSITY STUDY
1	154667	2		1				37.81	179	4.73	DENSITY STUDY
1	154667	2		1				65.56	306	4.67	DENSITY STUDY
1	154667	2		1				14.17	66	4.66	DENSITY STUDY
1	154667	2		1				14.17	66	4.66	DENSITY STUDY
1	154667	2		1				29.17	135	4.63	DENSITY STUDY
1	154667	2		1				10.42	48	4.61	DENSITY STUDY
1	154667	2		1				10.42	48	4.61	DENSITY STUDY
1	154667	2		3				210.87	970	4.60	DENSITY STUDY
1	187030	4		1				40	180	4.50	DENSITY STUDY
1	187030	7		7				677.78	3050	4.50	DENSITY STUDY
1	187030	7		3				158.89	715	4.50	DENSITY STUDY
1	154667	2		1				47.92	215	4.49	DENSITY STUDY
1	154667	2		1				24	107	4.46	DENSITY STUDY
1	154667	2		1				81.83	363	4.44	DENSITY STUDY
1	154667	2		1				22.98	100	4.35	DENSITY STUDY
1	154667	2		1				26.67	115	4.31	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	154667	2		1				13.02	56	4.30	DENSITY STUDY
1	187030	1		1				86.05	370	4.30	DENSITY STUDY
1	154667	2		1				7	30	4.29	DENSITY STUDY
1	154667	1		1				80.56	344	4.27	DENSITY STUDY
1	154667	2		1				29.77	127	4.27	DENSITY STUDY
1	154667	2		1				29.77	127	4.27	DENSITY STUDY
1	154667	2		1				66.67	270	4.05	DENSITY STUDY
1	154667	2		1				33.33	135	4.05	DENSITY STUDY
1	154667	2		1				33.33	135	4.05	DENSITY STUDY
1	154667	2		1				40	160	4.00	DENSITY STUDY
1	154667	2		1				21.75	87	4.00	DENSITY STUDY
1	154667	2		1				25	100	4.00	DENSITY STUDY
1	154667	2		1				25	100	4.00	DENSITY STUDY
1	154667	1		1				275.89	1100	3.98	DENSITY STUDY
1	154667	2		1				11.34	45	3.97	DENSITY STUDY
1	154667	2		1				19.44	76	3.91	DENSITY STUDY
1	154667	2		1				19.44	76	3.91	DENSITY STUDY
1	154667	1		1				32.03	125	3.90	DENSITY STUDY
1	154667	2		1				160.77	627	3.90	DENSITY STUDY
1	154667	2		2				120.89	469	3.88	DENSITY STUDY
1	154667	2		2				120.89	469	3.88	DENSITY STUDY
1	154667	2		5				50	194	3.88	DENSITY STUDY
1	154667	1		2				147.22	570	3.87	DENSITY STUDY
1	154667	2		1				37.78	146	3.86	DENSITY STUDY
1	154667	2		1				37.78	146	3.86	DENSITY STUDY
1	154667	2		1				21.67	83	3.83	DENSITY STUDY
1	154667	2		1				65.32	246	3.76	DENSITY STUDY
1	154667	2		1				53.33	196	3.68	DENSITY STUDY
1	154667	2		1				53.33	196	3.68	DENSITY STUDY
1	154667	1		1				41.53	150	3.61	DENSITY STUDY
1	154667	2		1				27.78	100	3.60	DENSITY STUDY
1	154667	2		1				45.56	163	3.58	DENSITY STUDY
1	154667	2		1				45.56	163	3.58	DENSITY STUDY
1	187030	3		1				47.53	170	3.58	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	3		1				47.53	170	3.58	DENSITY STUDY
1	154667	2		1				78.67	276	3.51	DENSITY STUDY
1	154667	2		1				78.67	276	3.51	DENSITY STUDY
1	187030	1		1				47.25	165	3.49	DENSITY STUDY
1	154667	2		1				45.56	158	3.47	DENSITY STUDY
1	154667	2		1				35.56	122	3.43	DENSITY STUDY
1	187030	1		1				63	215	3.41	DENSITY STUDY
1	154667	2		3				200	680	3.40	DENSITY STUDY
1	187030	1		1				44.44	150	3.38	DENSITY STUDY
1	154667	2		1				26.67	90	3.37	DENSITY STUDY
1	187030	1		2				178.7	600	3.36	DENSITY STUDY
1	154667	2		1				69.33	230	3.32	DENSITY STUDY
1	154667	2		1				69.33	230	3.32	DENSITY STUDY
1	154667	2		1				65.56	215	3.28	DENSITY STUDY
1	154667	2		1				65.56	215	3.28	DENSITY STUDY
1	154667	2		1				73.33	240	3.27	DENSITY STUDY
1	154667	2		2				140	450	3.21	DENSITY STUDY
1	154667	2		1				37.96	122	3.21	DENSITY STUDY
1	154667	2		1				37.96	122	3.21	DENSITY STUDY
1	154667	2		1				27.78	89	3.20	DENSITY STUDY
1	154667	2		1				17.19	55	3.20	DENSITY STUDY
1	187030	1		1				63	200	3.17	DENSITY STUDY
1	154667	2		1				40.63	128	3.15	DENSITY STUDY
1	154667	2		2				149.35	463	3.10	DENSITY STUDY
1	154667	1		1				177.71	545	3.07	DENSITY STUDY
1	187030	3		1				45.75	140	3.06	DENSITY STUDY
1	187030	1		3				203.4	611	3.00	DENSITY STUDY
1	154667	2		1				68	203	2.99	DENSITY STUDY
1	154667	2		1				68	203	2.99	DENSITY STUDY
1	187030	1		2				151.1	450	2.98	DENSITY STUDY
1	154667	1		2				611.72	1800	2.94	DENSITY STUDY
1	154667	2		1				29.38	86	2.93	DENSITY STUDY
1	154667	2		1				29.38	86	2.93	DENSITY STUDY
1	187030	1		1				103.83	300	2.88	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		1				52.08	150	2.88	DENSITY STUDY
1	187030	1		6				344.4	990	2.87	DENSITY STUDY
1	187030	1		2				123.5	355	2.87	DENSITY STUDY
1	187030	1		1				73.94	210	2.84	DENSITY STUDY
1	187030	3		1				73.94	210	2.84	DENSITY STUDY
1	154667	2		1				36.94	104	2.82	DENSITY STUDY
1	154667	2		1				36.94	104	2.82	DENSITY STUDY
1	187030	1		5				284.8	800	2.81	DENSITY STUDY
1	154667	2		1				64	179	2.80	DENSITY STUDY
1	187030	1		4				237.5	660	2.78	DENSITY STUDY
1	187030	1		3				184.8	504	2.73	DENSITY STUDY
1	154667	1		1				39.93	108	2.70	DENSITY STUDY
1	187030	3		1				73.94	200	2.70	DENSITY STUDY
1	154667	1		1				46.67	125	2.68	DENSITY STUDY
1	154667	2		1				21.25	57	2.68	DENSITY STUDY
1	154667	2		1				47.78	128	2.68	DENSITY STUDY
1	187030	1		3				168	450	2.68	DENSITY STUDY
1	187030	1		1				56	150	2.68	DENSITY STUDY
1	187030	1		1				56	150	2.68	DENSITY STUDY
1	187030	1		3				168	450	2.68	DENSITY STUDY
1	187030	1		1				56	150	2.68	DENSITY STUDY
1	187030	1		1				56	150	2.68	DENSITY STUDY
1	187030	1		4				251.1	670	2.67	DENSITY STUDY
1	187030	1		5				324.7	860	2.65	DENSITY STUDY
1	187030	1		4				234.2	600	2.56	DENSITY STUDY
1	187030	1		1				176.04	450	2.56	DENSITY STUDY
1	187030	1		1				176.04	450	2.56	DENSITY STUDY
1	187030	1		4				234.4	600	2.56	DENSITY STUDY
1	187030	1		4				236	600	2.54	DENSITY STUDY
1	187030	1		2				118.9	300	2.52	DENSITY STUDY
1	187030	1		3				178.5	450	2.52	DENSITY STUDY
1	187030	1		2				119.1	300	2.52	DENSITY STUDY
1	187030	1		2				181.5	455	2.51	DENSITY STUDY
1	154667	1		1				51.11	128	2.50	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030	1		3				180.9	450	2.49	DENSITY STUDY
1	187030	1		2				120.8	300	2.48	DENSITY STUDY
1	187030	1		2				120.8	300	2.48	DENSITY STUDY
1	154667	2		1				32.29	80	2.48	DENSITY STUDY
1	187030	1		2				121	300	2.48	DENSITY STUDY
1	187030	1		2				185.6	460	2.48	DENSITY STUDY
1	187030	1		3				182.3	450	2.47	DENSITY STUDY
1	187030	1		2				121.6	300	2.47	DENSITY STUDY
1	187030	1		1				60.76	150	2.46	DENSITY STUDY
1	187030	1		3				183	450	2.46	DENSITY STUDY
1	187030	1		3				183.5	450	2.45	DENSITY STUDY
1	187030	1		2				122.5	300	2.45	DENSITY STUDY
1	187030	1		2				123.3	300	2.43	DENSITY STUDY
1	187030	1		2				123.5	300	2.43	DENSITY STUDY
1	154667	2		1				13.33	32	2.40	DENSITY STUDY
1	187030	1		1				62.26	150	2.40	DENSITY STUDY
1	187030	1		1				62.28	150	2.40	DENSITY STUDY
1	187030	1		2				125.5	300	2.39	DENSITY STUDY
1	187030	1		3				189.7	450	2.37	DENSITY STUDY
1	187030	1		3				254.4	600	2.36	DENSITY STUDY
1	187030	1		2				169.7	400	2.36	DENSITY STUDY
1	187030	1		3				254.6	600	2.36	DENSITY STUDY
1	154667	2		1				34.11	80	2.35	DENSITY STUDY
1	154667	2		1				34.11	80	2.35	DENSITY STUDY
1	187030	1		2				149.4	350	2.34	DENSITY STUDY
1	154667	2		1				61.11	142	2.32	DENSITY STUDY
1	187030	1		5				433.3	1000	2.31	DENSITY STUDY
1	187030	1		3				260	600	2.31	DENSITY STUDY
1	187030	1		4				303.7	700	2.30	DENSITY STUDY
1	187030	1		2				130.2	300	2.30	DENSITY STUDY
1	187030	1		2				174.6	400	2.29	DENSITY STUDY
1	187030	1		1				131.25	300	2.29	DENSITY STUDY
1	187030	1		2				175.3	400	2.28	DENSITY STUDY
1	187030	1		4				350.9	800	2.28	DENSITY STUDY

Docket 2026-1, Subject 12
Water-Cooling Towers

February 06, 2026

Public ID	Item	Sub	Product Description	Pieces	Length	Width	Height	Cube	Weight	Density	Source Type
1	187030			4				351.2	800	2.28	DENSITY STUDY
1	187030	1		2				176.9	400	2.26	DENSITY STUDY
1	187030	1		4				265.8	600	2.26	DENSITY STUDY
1	187030	1		3				244.4	550	2.25	DENSITY STUDY
1	187030	1		2				178.3	400	2.24	DENSITY STUDY
1	187030	1		3				247.1	550	2.23	DENSITY STUDY
1	154667	1		1				63.33	140	2.21	DENSITY STUDY
1	187030	1		2				182.7	400	2.19	DENSITY STUDY
1	154667	1		1				85.3	186	2.18	DENSITY STUDY
1	187030	3		1				172.27	375	2.18	DENSITY STUDY
1	187030	1		2				188.9	400	2.12	DENSITY STUDY
1	187030	1		3				285.9	600	2.10	DENSITY STUDY
1	187030	1		3				309.9	650	2.10	DENSITY STUDY
1	187030	1		1				72.22	150	2.08	DENSITY STUDY
1	187030	1		3				364.9	750	2.06	DENSITY STUDY
1	187030	1		2				243.3	500	2.06	DENSITY STUDY
1	154667	2		1				68.89	140	2.03	DENSITY STUDY
1	187520			1				22.33	45	2.02	DENSITY STUDY
1	187030	1		1				365	730	2.00	DENSITY STUDY
1	187030	1		1				357	714	2.00	DENSITY STUDY
1	187030	1		1				276	552	2.00	DENSITY STUDY
1	187030			2				252.8	500	1.98	DENSITY STUDY
1	187030	1		4				343.1	660	1.92	DENSITY STUDY
1	187030	1		6				742.5	1410	1.90	DENSITY STUDY
1	187030	3		1				278.87	525	1.88	DENSITY STUDY
1	187030	3		1				293.7	550	1.87	DENSITY STUDY
1	187030	3		1				430.22	805	1.87	DENSITY STUDY
1	187030	1		1				469.22	860	1.83	DENSITY STUDY
1	187030	1		1				179.17	325	1.81	DENSITY STUDY
1	187030	3		1				356.91	630	1.77	DENSITY STUDY
1	187030	3		1				356.91	600	1.68	DENSITY STUDY
1	187030	3		1				356.91	600	1.68	DENSITY STUDY
1	187030	1		1				330.96	525	1.59	DENSITY STUDY
1	187030	1		1				406.11	600	1.48	DENSITY STUDY